

OK

Date: 21st July 2025

To: **The Chairman**
Haryana State Pollution Control Board
C-11, Sector-6, Panchkula 134109

From: **DLF Cyber Park,**
Udyog Vihar, Plot No.405-B, Sector-20,
Gurgaon-122010 (Haryana)

Subject: Submission of Environment Statement (Form-V) for the F.Y. 2024-25.

Dear Sir,

Enclosed please find herewith the **revised return of Environment Statement in Form-V** for the financial year 2024-25 for **DLF Building Cyber Park, Udyog Vihar, Plot No.405-B, Sector-20, Gurgaon-122010 (Haryana)**

Kindly acknowledge the receipt.

Thanking you,
Yours Faithfully,

(Authorised Signatory)

SP 122018-01-177 <122018>
GSTIN No: 04AAAP0571817Y
EH3610681771N
Counter No:1,OP-Code:01
To: POLLUTION CONT. BOARD,
PANCHKULA, PIN:134109
From: DLF BUILDING NO 10 , GGN
Wt:200grams, ,20/08/2025 ,10:35
Amt:47.00FND(If not a holiday):00:00:00
,CGST @9% 3.5 ,SGST @9%: 3.50
<Track on www.indiapost.gov.in>



- CC: (1) Northern Regional Office, Ministry of Environment & Forest, Government of India, Bays No-24-25, Sector-31-A, Dakshin Marg, Chandigarh-160030.
- (2) The Regional Officer, Haryana State Pollution Control Board, Vikas Sadan, Opp. New Court, Gurgaon-122001 (Haryana)

Enclosed:

1. Form-V (Environment Statement for 2024-25)
2. Copy of STP Inlet/Outlet & Stack Monitoring Reports.
3. Copy of Form-4 (with supporting document) for 2024-25
4. Copy of CTO under Air & water and HWM Rules
5. NABL Authorization of EPAL
6. Copy of MCG Empanelment SWM Vendor- M/s Green IV
7. Auth. of HWM- Om Industries.

SP 122018-01-177 <122018>
GSTIN No: 04AAAP0571817Y
EH3610683671N
Counter No:1,OP-Code:01
To: POLLUTION CONT. BOARD,
GURGAON, PIN:122001
From: DLF BUILDING NO 10 , GGN
Wt:200grams, ,20/08/2025 ,10:43
Amt:30.00FND(If not a holiday):00:00:00
,CGST @9% 2.5 ,SGST @9%: 2.50
<Track on www.indiapost.gov.in>



SP 122018-01-177 <122018>
GSTIN No: 04AAAP0571817Y
EH3610682031N
Counter No:1,OP-Code:01
To: NORTHERN REGIONAL O,
CHANDIGARH, PIN:160017
From: DLF BUILDING NO 10 , GGN
Wt:200grams, ,20/08/2025 ,10:36
Amt:47.00FND(If not a holiday):00:00:00
,CGST @9% 3.5 ,SGST @9%: 3.50
<Track on www.indiapost.gov.in>



20/8/25

ENVIRONMENTAL STATEMENT (FORM-V)

(See rule 14)

Environmental Statement for the financial year ending 31st March, 2025

PART-A

- i. Name and address of the owner/occupier of the Operation : M/s DLF Cyber City Developers Ltd.
DLF Cyber Park, Udyog Vihar, Plot No.405-B,
Sector-20, Gurugram (Haryana)
- ii. Industry/ Project Category : RED Category - Commercial Building
Primary-SIC Code - NA
Secondary- SIC Code - NA
- iii. Project Capacity : Plot Area: 47,817.58 m² (11.816 acres)
Built up Area: 359,310.28m²
- iv. Year of establishment : Commissioning Date: 01/10/2020
Occupation Date: 26/08/2019
- v. Date of Last Environmental Statement submitted. : 12/06/2024
- vi. North latitude : 28°30'10.42"
- vii. East longitude : 77°05'23.76"

PART-B

Water & Raw Material Consumption

i. Water Consumption in m³ /Day:

S.No.	Water Consumption Head	Quantity (KLD)
a)	Cooling& HVAC	140
b)	Toilet flushing	124.02
c)	Horticulture	8.4

Name of Products	Process water consumption per unit of product output	
	During Previous Financial Year	During Current Financial Year
NOT APPLICABLE		

ii. Raw Material Consumption:

Name of Raw Materials*	Name of products	Consumption of Raw material per unit of Output	
		During Previous Financial Year	During Current Financial Year
NOT APPLICABLE			

PART-C

Pollution discharged to environment/unit of output.

(Parameter as specified in the consent issued)

I)	Pollutants	Quantity of pollutants discharged (mass/day)	Concentration of pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
a) Water	No pollutants are discharged into the environment as the entire sewage is treated and the treated effluent from STP is recycled. The monitoring result of STP effluent are enclosed	Not applicable	Not applicable	Not applicable
b) Air	The monitoring results of emissions from stacks of 10x2250 KVA, back-up DG sets (operated only during power failure) are given	DG stack monitoring results are enclosed		

(A) Details of quality of STP effluent

Parameter	Effluent Monitoring Results		Limit	Variation
	Untreated Effluent	Treated Effluent		
pH (at 25°C)	6.88	6.72	5.5-9.0	Within Limit
SS (mg/l) (Total Suspended solid)	116.00	13.00	20	Within Limit
Oil & grease (mg/l)	6.80	2.40	10	Within Limit
BOD 3-day, 27°C (mg/l)	70.13	4.52	10	Within Limit
COD (mg/l)	389.65	24.84	50	Within Limit

Note: Test report of STP effluent by recognized laboratory is enclosed. Report no- EPAL/25/02/08043 & EPAL/25/02/08042.

(B) Details of Stack Emission:

S.No.	Pollutants	Stack Emission Monitoring Results										Limit	Variation
	Stack No.	1	2	3	4	5	6	7	8	9	10		
	Attached to (KVA DG)	2250	2250	2250	2250	2250	2250	2250	2250	2250	2250	-	
1	PM (particulate Matter)	46.5	48.1	49.6	44.7	45.7	43.8	48.6	46.2	49.2	44.9	50	No variations from prescribed standards
2	SO ₂ as Sulphur Dioxide	33.5	30.8	27.1	33.6	36.5	37.4	38.4	25.3	30.4	37.3	-	
3	NOx as NO ₂ (Nitrogen Oxides)	325.4	269.3	359.2	378.4	381.4	349.2	369.2	347.1	362.8	374.1	650	
4	CO (Carbon Monoxide)	51.8	59.8	54.7	56.9	58.4	53.1	40.1	49.4	41.8	53.5	100	
5	Non Methane Hydro Carbon (NMHC) (at 15% O ₂)	28.7	31.1	32.4	41.7	26.5	25.7	18.4	22.5	27.4	29.6	100	

Note: - Test Result of Stack Emission by recognized laboratory is enclosed report no.
 EPAL/25/02/08010, EPAL/25/02/08011, EPAL/25/02/08012, EPAL/25/02/08013,
 EPAL/25/02/08014, EPAL/25/02/08015, EPAL/25/02/08016, EPAL/25/02/08017,
 EPAL/25/02/08018, EPAL/25/02/08019,

PART-D**Hazardous Waste**

[As specified under Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2016 and subsequent amendment]

Hazardous Waste	Total Quantity (Ltr.)	Total Quantity (Ltr.)
	During Previous Financial Year (2023-24)	During Current Financial Year (2024-25)
1. From Process (DG set Maintenance)	3465 Liters	3670 Liters
2. From Pollution Control Facility	Nil	Nil

PART-E**Solid Waste**

Solid Waste	Total Quantity (Ton)	
	During Previous Financial Year (2023-24)	During Current Financial Year (2024-25)
1. From Operation	209.99	343
2. From Pollution Control Facility	Nil	Nil
3. Quantity recycled or reutilized within unit	Nil	Nil

PART-F

Characteristics (in terms of concentration and quantum) of hazardous waste as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

(A) Hazardous Wastes:

As per the Hazardous Wastes (Management, Handling & Trans boundary Movement) Rules, 2016 and subsequent amendment; following hazardous wastes are generated at DLF Cyber Park, Udyog Vihar, Plot No.405-B, Sector-20, Gurgaon:

Used Oil generated from the DG sets during servicing & maintenance.

Quantity during 2024-25: 3670 Liters.

Method of Disposal:

The Commercial property has been facilitated with intermittent storage of hazardous waste oil in safe storage area. 3670 Litres of used oil was later sold to M/s OM Industries, 7 KM stone, V & P.O. Titoli Jind Road, Rohtak-124001 and copy of Form-10 retained.

Annual return of Hazardous waste in prescribed format (Form-4) for 2024-25 along with copies of Form 10 has been submitted to Authorities concerned (copy enclosed).

(B) Solid Waste:

Quantity:

Approximately 343 Ton of municipal solid wastes generated is segregated into biodegradable, non-biodegradable, domestic hazardous and plastic waste components and collected in separate bins in the commercial property at DLF Cyber Park, Udyog Vihar, Plot No.405-B, Sector-20, Gurgaon.

Method of Waste Management / Disposal:

As per Solid Waste Management Rules, 2016 and Plastic Waste Management Rules, 2016, solid waste generated is segregated into biodegradable, non-biodegradable, domestic hazardous and plastic waste components and collected in separate bins. Accordingly, all such waste wastes are being disposed through MCG Empanelled vendor M/s Green Motive Facilities, who is recycling and disposing the non-recyclable waste at common municipal waste dumping site at Bandhwari in Gurugram. Composting units are being installed in Cyber City for composting of biodegradable waste.

PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently, on the cost of production

Domestic effluent generated from DLF Cyber Park, Cyber City, Gurgaon is being treated at 1300 KLD (1.3 MLD) capacity Sewage Treatment Plant (STP) located at DLF Cyber Park, Udyog Vihar, Plot No.405-B, Sector-20, Gurgaon, Treated wastewater is supplied back to the building for reuse. The treated wastewater is reused in flushing, watering greenbelt and make up of cooling tower.

PART-H

Additional measures/investment proposal for environmental protection including abatement of pollution:

All necessary measures for environmental protection, abatement/prevention of pollution have been already taken. No further measures envisaged.

PART-I

Any other particulars in respect of environmental protection and abatement of pollution:

1. The entire sewage is treated up to tertiary level in the STP centrally located in DLF Cyber Park, Udyog Vihar, Plot No.405-B, Sector-20, Gurgaon.
2. The entire treated effluent from the STP is recycled & reused for flushing, cooling and horticulture.
3. Adequate stack height provided as per norms to reduce air pollution.
4. Back up DG sets are used only during power failure.
5. Back-up DG sets comply with the applicable emission norm.
6. Monitoring of stack emission from back-up sets carried out as per norms.
7. DG sets are installed in the basement to minimize the impact on ambient noise.
8. DG room is provided with acoustic lining/treatment for control of noise as per norms.
9. Total green area (m²)8,392.95 has been provided.
10. 6 No. of twin well Rainwater harvest pits with total 12 number of recharge bore will be provided for recharge of ground water.
11. RWH pits have been cleaned twice a year i.e., pre & post monsoon.
12. Solid wastes are segregated into biodegradable, non-biodegradable, domestic hazardous and plastic waste components and collected in separate bins disposed through MCG Empanelled vendor M/s Green Motive Facilities.
13. Parking facility for 4,425 ECS is proposed to be provided against the requirement of 4,182 ECS (according to Haryana norms)
14. Energy saving measures: The project has been awarded with a 4 STAR rating under GRIHA Pre-certification dated 12th June 2017.
15. There is no court case pending against the project.
16. Investment/Cost of the project is Rs. 1635.2 Crore (as on 31.3.2021)
17. Estimated employment potential 35,532 persons (office workers) appx.
18. Benefits of the project: Proposed commercial building project in the area will increase quality office spaces, employment opportunity and ancillary developmental activities.
19. The project / activity is covered under category "B" of item 8(b) "Township and Area Development Project of the Schedule to the EIA Notification, 2006.

Place: Gurugram

Date: 21.07.2025


Signature of authorized person



EPAL
EPA LABS PRIVATE LIMITED

TEST REPORT



Sample Number: EPAL/WW/25/02/08043
Name & address of Project : M/s DLF Cyber Park
DLF Cyber City, Phase-III,
Gurgaon, Haryana -122002
Sample Description : Untreated Sewage Water Sample
Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/02/08043
Format No.: FRM 062
Party Reference No.: NIL
Reporting Date: 18/02/2025
Period of Analysis: 08/02/2025 to 18/02/2025
Date of Receiving : 08/02/2025

WASTE WATER ANALYSIS TEST REPORT

General Information:-

1. Sampling Location	: STP Inlet
2. Date of Monitoring	: 06/02/2025
3. Sample Quantity	: 2.0Ltr.
4. Sample Preservation	: Refrigerated
5. Scope of Monitoring	: Regulatory Requirement
6. Control Measure if Any	: No
7. Sample collected by	: Lab Representative
8. Parameter Required	: As per work order
9. Environmental Condition	: Sunny

TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1.	Colour		Yellowish	IS:3025 Part-4
2.	Odour		Objectionable	IS:3025 Part-5
3.	pH		6.88	IS:3025 Part-11
4.	Chemical Oxygen Demand	mg/l	389.65	APHA 24th Ed. 5220 B
5.	BOD (at 27°C for 3 days)	mg/l	70.13	IS:3025 Part-44
6.	Total Suspended Solids	mg/l	116.00	IS:3025 Part-17
7.	Oil & Grease	mg/l	6.80	IS:3025 Part-39
8.	Total Phosphorous (as P)	mg/l	3.74	IS:3025 Part-34
9.	Total Nitrogen (as N)	mg/l	9.75	IS:3025 Part-31
10.	Fecal coliform	MPN/100ml	260	IS 1622:1981

Next Due Date = Suggested by Customer as per their EMP Plan: 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED
(Formerly known as Environment Pollution Analysis Lab)

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB. • MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P -201310

Contact Info : +91-9759427231, +91-7665363921, Tel.: 01493-294594.

ENVIRONMENT TESTING FOOD TESTING BIOLOGICAL TESTING

Lab.: 2nd Floor, Hans Complex, Near Police Chowd, Bhwadi-301010 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com



EPAL
EPA LABS PRIVATE LIMITED

TEST REPORT



Sample Number: EPAL/WW/25/02/08042
Name & address of Project : M/s DLF Cyber Park
DLF Cyber City, Phase-III,
Gurgaon, Haryana -122002
Sample Description : Treated Sewage Water Sample
Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/02/08042
Format No.: FRM 062
Party Reference No.: NIL
Reporting Date: 18/02/2025
Period of Analysis: 08/02/2025 to 18/02/2025
Date of Receiving : 08/02/2025

WASTE WATER ANALYSIS TEST REPORT

General Information:-

1. Sampling Location : STP Outlet
2. Date of Monitoring : 06/02/2025
3. Sample Quantity : 2.0Ltr.
4. Sample Preservation : Refrigerated
5. Scope of Monitoring : Regulatory Requirement
6. Control Measure if Any : No
7. Sample collected by : Lab Representative
8. Parameter Required : As per work order
9. Environmental Condition : Sunny

TEST RESULTS

S. No.	Parameters	Unit	Results	Standard limits as per CPCB Guidelines	Protocol Used
1.	Colour	-	Colourless	Colourless	IS:3025 Part-4
2.	Odour	-	Odourless	Odourless	IS:3025 Part-5
3.	pH	-	6.72	5.5 - 9.0	IS:3025 Part-11
4.	Chemical Oxygen Demand	mg/l	24.84	50	APHA 24th Ed. 5220 B
5.	BOD (at 27°C for 3 days)	mg/l	4.52	10	IS:3025 Part-44
6.	Total Suspended Solids	mg/l	13.00	20	IS:3025 Part-17
7.	Oil & Grease	mg/l	2.40	10	IS:3025 Part-39
8.	Total Phosphorous (as P)	mg/l	0.42	1.0	IS:3025 Part-34
9.	Total Nitrogen (as N)	mg/l	1.89	10	IS:3025 Part-31
10.	Fecal coliform	MPN/100ml	20	230	IS 1622:1981

Note-Standard limits as per Central Pollution Control Board Guidelines

Next Due Date = Suggested by Customer as per their EMP Plan: 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED
(Established known as Environment Pollution Analysis Lab)

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363921, Tel.: 01493-294594.

Lab.: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENT TESTING

WATER TESTING

BIOLOGICAL TESTING



EPAL
PA LABS PRIVATE LIMITED

TEST REPORT



Sample Number: EPAL/S/25/02/08010
Name & address of Project : M/s DLF Cyber Park
DLF Cyber City, Phase-III,
Gurgaon, Haryana -122002
Sample Description : D.G. Stack Emission
Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/25/02/08010
Format No.: FRM 062
Party Reference No.: NIL
Reporting Date: 18/02/2025
Period of Analysis: 08/02/2025 to 18/02/2025
Date of Receiving : 08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	: D.G. Section
2. Stack Attached to	: D.G. Stack with RECD
3. Capacity Of Emission Source	: 2250 KVA -1
4. Date of Sampling	: 06/02/2025
5. Type of Fuel Used	: HSD
6. Stack Height	: 66 Meter
7. Diameter of stack	: 10 Inch
8. Point of Sample Collection	: From Port Hole of Stack
9. Duration of Monitoring (min.)	: 40.0
10. Ambient Temperature-Ta (°C)	: Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	: 241.0
12. Velocity of Stack Gases (m/sec.)	: 10.99
13. Flow rate of PM (LPM)	: 27.2
14. Flow rate of Gas (LPM)	: 2.0
15. Sampling Condition	: Isokinetic
16. Scope of Monitoring	: Regulatory Requirement
17. Instrument Used	: Stack sampler with all Accessories
18. Instrument Code	: EPAL/SS/01
19. Instrument Calibration Status	: Calibrated
20. Meteorological condition during monitoring	: Sunny
21. Control Measure if Any	: No
22. Sample collected by	: Lab Representative
23. Parameter Required	: As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O ₂)	mg/Nm ³	46.5	50	IS:11255 Part-1
2.	Sulphur dioxide(SO ₂)	mg/Nm ³	33.5	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO ₂)(at 15% O ₂)	PPMV	325.4	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O ₂)	mg/Nm ³	28.7	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O ₂)	mg/Nm ³	51.8	100	IS:13270

Note: #CPCB - Central Pollution Control Board.

Next Due Date = Suggested by Customer as per their EMP Plan 07 August 2025

*** End of Report***



EPAL LABS PRIVATE LIMITED
(Established known as Environment Pollution Analysis Lab)



Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363921, Tel.: 01493-294594.

Lab.: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com



EPAL
EPA LABS PRIVATE LIMITED

TEST REPORT



Sample Number:	EPAL/S/25/02/08011	Report No.:	EPAL/25/02/08011
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	D.G. Stack Emission	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:11255, IS: 13270	Reporting Date:	18/02/2025
		Period of Analysis:	08/02/2025 to 18/02/2025
		Date of Receiving :	08/02/2025

STACK EMISSION TEST REPORT

General Information:-

- | | |
|------------------------------------------------|--------------------------------------|
| 1. Name of Plant/Section | : D.G. Section |
| 2. Stack Attached to | : D.G. Stack with RECD |
| 3. Capacity Of Emission Source | : 2250 KVA -II |
| 4. Date of Sampling | : 06/02/2025 |
| 5. Type of Fuel Used | : HSD |
| 6. Stack Height | : 66 Meter |
| 7. Diameter of stack | : 10 Inch |
| 8. Point of Sample Collection | : From Port Hole of Stack |
| 9. Duration of Monitoring (min.) | : 44.0 |
| 10. Ambient Temperature-Ta (°C) | : Max. 22.0 °C, Min. 08.0 °C |
| 11. Temperature of Stack Gases-Ts (°C) | : 238.0 |
| 12. Velocity of Stack Gases (m/sec.) | : 10.96 |
| 13. Flow rate of PM (LPM) | : 27.3 |
| 14. Flow rate of Gas (LPM) | : 2.0 |
| 15. Sampling Condition | : Isokinetic |
| 16. Scope of Monitoring | : Regulatory Requirement |
| 17. Instrument Used | : Stack sampler with all Accessories |
| 18. Instrument Code | : EPAL/SS/02 |
| 19. Instrument Calibration Status | : Calibrated |
| 20. Meteorological condition during monitoring | : Sunny |
| 21. Control Measure if Any | : No |
| 22. Sample collected by | : Lab Representative |
| 23. Parameter Required | : As per work order |

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O ₂)	mg/Nm ³	48.1	50	IS:11255 Part-1
2.	Sulphur dioxide (SO ₂)	mg/Nm ³	30.8	--	IS:11255 Part-2
3.	Oxides of Nitrogen (NO _x) (at 15% O ₂)	PPMV	269.3	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O ₂)	mg/Nm ³	31.1	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O ₂)	mg/Nm ³	59.8	100	IS:13270

Note: #CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED
(Previously known as Environmental Pollution Analysis Lab)



Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363921, Tel.: 01493-294594.

Lab.: 2nd Floor, Hans Complex, Near Police Chowk, Bhrawadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENTAL TESTING

FOOD TESTING

BIOLOGICAL TESTING



EPAL
PA LABS PRIVATE LIMITED

TEST REPORT



Sample Number: EPAL/S/25/02/08012
Name & address of Project: M/s DLF Cyber Park
DLF Cyber City, Phase-III,
Gurgaon, Haryana -122002
Sample Description: D.G. Stack Emission
Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/25/02/08012
Format No.: FRM 062
Party Reference No.: NIL
Reporting Date: 18/02/2025
Period of Analysis: 08/02/2025 to 18/02/2025
Date of Receiving: 08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -III
4. Date of Sampling	06/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	10 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	45.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	227.0
12. Velocity of Stack Gases (m/sec.)	10.96
13. Flow rate of PM (LPM)	27.3
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/03
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O ₂)	mg/Nm ³	49.6	50	IS:11255 Part-1
2.	Sulphur dioxide(SO ₂)	mg/Nm ³	27.1	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO _x)(at 15% O ₂)	PPMv	359.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O ₂)	mg/Nm ³	32.4	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O ₂)	mg/Nm ³	54.7	100	IS:13270

Note: #CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan: 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED

(Enterprise known as Environment Pollution Analysis Lab)



Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7865363921, Tel: 01493-294594.

Lab.: 2nd Floor, Hans Complex, Near Police Chowki, Shikedi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENT TESTING

WATER TESTING

BIOLOGICAL TESTING



EPAL
PA LABS PRIVATE LIMITED

TEST REPORT



Sample Number:
Name & address of Project :

EPAL/S/25/02/08013
M/s DLF Cyber Park
DLF Cyber City, Phase-III,
Gurgaon, Haryana -122002
D.G. Stack Emission
Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.:
Format No.:
Party Reference No.:
Reporting Date:
Period of Analysis:
Date of Receiving :

EPAL/25/02/08013
FRM 062
NIL
18/02/2025
08/02/2025 to 18/02/2025
08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -IV
4. Date of Sampling	06/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	10 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	41.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C. Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	251.0
12. Velocity of Stack Gases (m/sec.)	11.10
13. Flow rate of PM (LPM)	26.9
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/01
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O ₂)	mg/Nm ³	44.7	50	IS:11255 Part-1
2.	Sulphur dioxide(SO ₂)	mg/Nm ³	33.6	—	IS:11255 Part-2
3.	Oxides of Nitrogen(NO _x)(at 15% O ₂)	PPMV	378.4	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O ₂)	mg/Nm ³	41.7	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O ₂)	mg/Nm ³	56.9	100	IS:13270

Note: -CPCB - Central Pollution Control Board.

Next Due Date = Suggested by Customer as per their EMP Plan: 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED
(Established known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

● ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB. ● MCEF & CC Recognized Govt. Approved Lab

● Registered Address: Plot No.: 34, DADHA GB Nagar, Greater Noida, U.P.-201310.

● Contact Info: +91-8759427231, +91-7685363921, Tel.: 01493-294594.

ENVIRONMENT TESTING FOOD TESTING BIOLOGICAL TESTING



● Lab.: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

● Email: environmentpollutionlab@gmail.com, info@epalabs.com

● www.pollutionanalysislab.com, www.epalabs.com



EPAL
PA LABS PRIVATE LIMITED

TEST REPORT



Sample Number:	EPAL/S/25/02/08014	Report No.:	EPAL/25/02/08014
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	D.G. Stack Emission	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:11255, IS: 13270	Reporting Date:	18/02/2025
		Period of Analysis:	08/02/2025 to 18/02/2025
		Date of Receiving :	08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -V
4. Date of Sampling	06/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	10 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	42.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	246.0
12. Velocity of Stack Gases (m/sec.)	11.04
13. Flow rate of PM (LPM)	27.1
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/02
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O ₂)	mg/Nm ³	45.7	50	IS:11255 Part-1
2.	Sulphur dioxide (SO ₂)	mg/Nm ³	36.5	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO ₂) (at 15% O ₂)	PPMV	381.4	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O ₂)	mg/Nm ³	26.5	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O ₂)	mg/Nm ³	58.4	100	IS:13270

Note: -CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED

(Previously known as Environment Pollution Analysis Lab)



Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-9759427231, +91-7665363921, Tel: 01493-294594

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Lab : 2nd Floor, Hans Complex, Near Police Chowki, Bhitwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com



EPAL
PA LABS PRIVATE LIMITED

TEST REPORT



Sample Number:	EPAL/S/25/02/08015	Report No.:	EPAL/25/02/08015
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	D.G. Stack Emission	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:11255, IS: 13270	Reporting Date:	18/02/2025
		Period of Analysis:	08/02/2025 to 18/02/2025
		Date of Receiving :	08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -VI
4. Date of Sampling	06/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	10 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	43.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	247.0
12. Velocity of Stack Gases (m/sec.)	11.05
13. Flow rate of PM (LPM)	27.1
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/02
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O ₂)	mg/Nm ³	43.8	50	IS:11255 Part-1
2.	Sulphur dioxide (SO ₂)	mg/Nm ³	37.4	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO _x) (at 15% O ₂)	PPMV	349.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O ₂)	mg/Nm ³	25.7	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O ₂)	mg/Nm ³	53.1	100	IS:13270

Note: -CPCB - Central Pollution Control Board.

Next Due Date = Suggested by Customer as per their EMP Plan -07 August 2025

*** End of Report ***



EPA LABS PRIVATE LIMITED

(Established known as Environment Pollution Analysis Lab)



Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 34, DADHA GB Nagar, Greater Noida, U.P. 201310

Contact Info: +91-9759427231, +91-7665363921, Tel: 01493-294594

Lab: 2nd Floor, Hans Complex, Near Police Chowk, Bhowadi-301019 (Raj.)

Email: environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING



EPAL
EPA LABS PRIVATE LIMITED

TEST REPORT



Sample Number: EPAL/S/25/02/08016
Name & address of Project : M/s DLF Cyber Park
DLF Cyber City, Phase-III,
Gurgaon, Haryana -122002
Sample Description : D.G. Stack Emission
Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/25/02/08016
Format No.: FRM 062
Party Reference No.: NIL
Reporting Date: 18/02/2025
Period of Analysis: 08/02/2025 to 18/02/2025
Date of Receiving : 08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -VII
4. Date of Sampling	07/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	10 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	41.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	244.0
12. Velocity of Stack Gases (m/sec.)	11.02
13. Flow rate of PM (LPM)	27.1
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/01
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O ₂)	mg/Nm ³	48.6	50	IS:11255 Part-1
2.	Sulphur dioxide(SO ₂)	mg/Nm ³	38.4	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO ₂)(at 15% O ₂)	PPMV	369.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O ₂)	mg/Nm ³	18.4	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O ₂)	mg/Nm ³	40.1	100	IS:13270

Note: -CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED
(Formerly known as Environment Pollution Analysis Lab)



Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DACHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-9759427231, +91-7665363921, Tel.: 01493-294594

Lab.: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENT TESTING

WATER TESTING

BIOLOGICAL TESTING



EPAL

PA LABS PRIVATE LIMITED

TEST REPORT



Sample Number:	EPAL/S/25/02/08017	Report No.:	EPAL/25/02/08017
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	D.G. Stack Emission	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:11255, IS: 13270	Reporting Date:	18/02/2025
		Period of Analysis:	08/02/2025 to 18/02/2025
		Date of Receiving :	08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -VIII
4. Date of Sampling	07/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	10 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	37.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	261.0
12. Velocity of Stack Gases (m/sec.)	11.20
13. Flow rate of PM (LPM)	26.7
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/02
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O ₂)	mg/Nm ³	46.2	30	IS:11255 Part-1
2.	Sulphur dioxide(SO ₂)	mg/Nm ³	25.3	--	IS:11255 Part-2
3.	Oxides of Nitrogen (NO _x) (at 15% O ₂)	PPMV	347.1	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O ₂)	mg/Nm ³	22.5	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O ₂)	mg/Nm ³	49.4	100	IS:13270

Note: #CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan: 07 August 2025

*** End of Report***



EPAL LABS PRIVATE LIMITED
(Enterprise known as Environment Pollution Analysis Lab)



Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

● ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, @ MOEF & CC Recognized Govt. Approved Lab

● Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201311

● Contact Info : +91-9759427231, +91-7665363921, Tel.: 01493-294594.

● Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

● Email : environmentpollutionlab@gmail.com, info@epalabs.com

● www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING



EPAL
PA LABS PRIVATE LIMITED

TEST REPORT



Sample Number:	EPAL/S/25/02/08018	Report No.:	EPAL/25/02/08018
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	D.G. Stack Emission	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:11255, IS: 13270	Reporting Date:	18/02/2025
		Period of Analysis:	08/02/2025 to 18/02/2025
		Date of Receiving :	08/02/2025

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -IX
4. Date of Sampling	07/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	19 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	39.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	240.0
12. Velocity of Stack Gases (m/sec.)	10.98
13. Flow rate of PM (LPM)	27.3
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/03
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O ₂)	mg/Nm ³	49.2	50	IS:11255 Part-1
2.	Sulphur dioxide(SO ₂)	mg/Nm ³	30.4	—	IS:11255 Part-2
3.	Oxides of Nitrogen(NO ₂)(at 15% O ₂)	PPMV	362.8	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O ₂)	mg/Nm ³	27.4	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O ₂)	mg/Nm ³	41.8	100	IS:13270

Note: -CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan: 07 August 2025

*** End of Report***



EPAL PRIVATE LIMITED
(Established known as Environment Pollution Analysis Lab)



Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

● ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, ● MOEF & CC Recognized Govt. Approved Lab

● Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

● Contact Info: +91-9759427231, +91-7665363921, ☎ Tel.: 01493-294584.

● Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

● Email: environmentpollutionlab@gmail.com, info@epalabs.com

● www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING



EPAL
EPA LABS PRIVATE LIMITED

TEST REPORT



Sample Number:
Name & address of Project :

EPAL/S/25/02/08019
M/s DLF Cyber Park
DLF Cyber City, Phase-III,
Gurgaon, Haryana -122002

Report No.:
Format No.:
Party Reference No.:
Reporting Date:
Period of Analysis:
Date of Receiving :

EPAL/25/02/08019
FRM 062
NIL
18/02/2025
08/02/2025 to 18/02/2025
08/02/2025

Sample Description :
Sampling & Analysis Protocol:

D.G. Stack Emission
IS:11255, IS: 13270

STACK EMISSION TEST REPORT

General Information:-

1. Name of Plant/Section	D.G. Section
2. Stack Attached to	D.G. Stack
3. Capacity Of Emission Source	2250 KVA -X
4. Date of Sampling	07/02/2025
5. Type of Fuel Used	HSD
6. Stack Height	66 Meter
7. Diameter of stack	10 Inch
8. Point of Sample Collection	From Port Hole of Stack
9. Duration of Monitoring (min.)	41.0
10. Ambient Temperature-Ta (°C)	Max. 22.0 °C, Min. 08.0 °C
11. Temperature of Stack Gases-Ts (°C)	249.0
12. Velocity of Stack Gases (m/sec.)	11.08
13. Flow rate of PM (LPM)	27.0
14. Flow rate of Gas (LPM)	2.0
15. Sampling Condition	Isokinetic
16. Scope of Monitoring	Regulatory Requirement
17. Instrument Used	Stack sampler with all Accessories
18. Instrument Code	EPAL/SS/01
19. Instrument Calibration Status	Calibrated
20. Meteorological condition during monitoring	Sunny
21. Control Measure if Any	No
22. Sample collected by	Lab Representative
23. Parameter Required	As per work order

TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O ₂)	mg/Nm ³	44.9	50	IS:11255 Part-1
2.	Sulphur dioxide (SO ₂)	mg/Nm ³	37.3	--	IS:11255 Part-2
3.	Oxides of Nitrogen (NO ₂) (at 15% O ₂)	PPMV	374.1	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O ₂)	mg/Nm ³	29.6	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O ₂)	mg/Nm ³	53.5	100	IS:13270

Note: -#CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan 07 August 2025

*** End of Report***



EPA LABS PRIVATE LIMITED
(Recognized as Environmental Pollution Analysis Lab)



Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7865363921, Tel: 01493-294594.

Lab : 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

www.pollutionanalysislab.com, www.epalabs.com

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

011

Date: 15th April 2025

From : DLF Cyber Park,
Plot No. 405B, Udyog Vihar,
Sector-20, Gurgaon- 122022

To : The Chairman,
Haryana State Pollution Control board,
C- 11, Sector-6, Panchkula-134109(Haryana)

CC : The Regional Office,
Haryana State Pollution Control board,
Vikas Sadan, Opp. New Court, Gurgaon-122001 (Haryana)

Sub: - Submission of Annual Return of Used Lube Oil in Form-IV for the period of April-2024 to March-2025.

Dear Sir,

Enclosed please find herewith **Form-IV (Annual Return of Used Lube Oil by Occupier)** for DLF Cyber Park, Plot No-405B, Udyog Vihar, Sector-20, Gurgaon, for the period April 2024 to March 2025.

Kindly acknowledge the receipt.

Thanking You,

Sincerely yours,


(Authorized Signatory)

Enclosed:


1. Form-IV (2024-25)
2. Copy of Form-10
3. Copy of Form-9
4. Copy of Gate pass

SP 122018-01-177 <122018>
GSTIN No: 06AAAGP0571017Y
EH337980216114
Counter No:1,OP-Code:09
To: POLLUTION CONT BOARD,
PANCHKULA, PIN:134109
From: DLF BUILDING NO 10, GH
Wt:50grams, 15/05/2025, 09:27
Amt:41.00
GST 9% 3, GST 9%: 3.00
<<Track on www.indiapost.gov.in>>



SP 122018-01-177 <122018>
GSTIN No: 06AAAGP0571017Y
EH337980216114
Counter No:1,OP-Code:09
To: POLLUTION CONT BOARD,
GURGAON, PIN:122001
From: DLF BUILDING NO 10, GH
Wt:50grams, 15/05/2025, 09:25
Amt:18.00
GST 9% 1.5, GST 9%: 1.50
<<Track on www.indiapost.gov.in>>

Write to



211

Form-4

FORM FOR FILING RETURNS BY THE OCCUPIER OR OPERATOR OF FACILITY

[to be submitted by Occupier/Operator of disposal facility to State Pollution Control Board by 30th June of every year for the preceding period April to March]
(Period: APRIL-2024 to MARCH-2025)

1.	Name and address of the Generator/Operator of Facility	:	DLF Cyber Park, Plot No. 405B, Udyog Vihar, Sector-20, Gurgaon- 122022				
2.	Name of the authorized person and full address with Telephone and Fax number	:	Building Manager- Raj Kumar DLF Cyber Park, Plot No. 405B, Udyog Vihar, Sector-20, Gurgaon- 122022 Phone No. - 9560297778, Email- raj.kumar@jll.com				
3.	Description of Hazardous Waste	:	Physical form with description		Chemical form		
			(a) Waste Oil (Schedule I, S No. 5) As per Hazardous Waste Handling Rules 2016		Organic carbon, heavy metal (Cd, Cr, Ni, Pb, As), Halogens etc		
4.	Quantity of Hazardous Wastes (in MT)	:	Type of Hazardous Waste	Quantity (in Liters)			
				Opening balance as on 1 st April	Generation during the financial year		
			(a) Used Oil of DG set	Nil	3,670 Liters		
5.	Description of Storage of Hazardous Waste	:	Intermediate/Intermittent storage in safe leachate proof storage area of adequate capacity in site building premises.				
6.	Description of Treatment of Hazardous Waste	:	Recycled to authorized recyclers				
7.	Details of Transportation of Hazardous Waste	:	Name & address of Consignee	Mode of Packing	Mode of Transportation	Date of Transportation	Quantity (in Liters)
			M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	29.07.2024	10 Liters
			M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	15.10.2024	35 Liters
			M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	05.02.2025	3375 Liters
			M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	06.03.2025	250 Liters
			Total: 3,670 Liters				

		Name & address of Consignee	Mode of Packing	Mode of Transportation	Date of Transportation	Quantity (in Liters)
8.	Details of disposal of Hazardous Waste	M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	29.07.2024	10 Liters
		M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	15.10.2024	35 Liters
		M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	05.02.2025	3375 Liters
		M/S OM Industries, 7 KM Stone, V.&P.O. Titoli Jind Road, Rohtak-124001, Haryana	Plastic (HDPE) Drums	By Road	06.03.2025	250 Liters
		Total: 3,670 Liters				
9.	Quantity of useful materials sent back to the Manufacturers* and others#	Name and type of material sent back to			Quantity (in Liters)	
		Manufactures*	Nil			
		Others#	Nil			

Place: Gurgaon

Date: 15.04.2025

#Enclosure: 1. Form 10
2. Form-9
3. Gate Pass

Signature:

Authorized Signatory

8/1

066

Date: - 27th August 2024

From : DLF Cyber Park
Plot No. 405B, Udyog Vihar
Sector-20, Gurgaon (Haryana)

To : The Chairman,
Haryana State Pollution Control board,
C- 11, Sector-6, Panchkula-134109 (Haryana)

CC : Regional Office,
Haryana State Pollution Control board,
Vikas Sadan, Opp. New Court, Gurgaon (Haryana)

Sub: - Submission of Form-10, Hazardous Waste Manifest (Used Oil)


Dear Sir,

Enclosed please find herewith Form-10, Hazardous Waste Manifest (Used Oil) for DLF Cyber Park, Plot No.405B, Udyog Vihar, Sector-20, Gurgaon (Haryana)

Kindly acknowledge the receipt.

Thanking You,


Yours Faithfully,



(Authorized Signatory)

Encl.: Form-10
Form-9
Material Out Gate Pass

SP 122018-01-177 <122018>
GSTIN No: 06AAAGP057101ZY
EHO345751451N
Counter No:1,OP-Code:09
To: POLLUTION CONT BOARD,
PANCHKULA, PIN:134109
From: BUILDING NO 10 DLF, GGN
Wt: 50 grams, 02/09/2024, 15:28
Amt: 41.00
CGST @7% 3, SGST @7% 3.00
<<Track on www.indiapost.gov.in>>



SP 122018-01-177 <122018>
GSTIN No: 06AAAGP057101ZY
EHO345750911N
Counter No:1,OP-Code:09
To: POLLUTION CONT BOARD,
GURGAON, PIN:122001
From: BUILDING NO 10 DLF, GGN
Wt: 50 grams, 02/09/2024, 15:29
Amt: 18.00
CGST @7% 1.5, SGST @7% 1.50
<<Track on www.indiapost.gov.in>>



16

FORM - 10

[See Rule 19 (1)]

(MANIFEST FOR HAZARDOUS AND OTHER WASTE)

3799

1. Sender's Name and Mailing Address : (Including Phone No. and e-mail)	M/S DLF Cyber Park DLF Cyber City, Gurgaon Haryana		
2. Sender's Authorisation No.			
3. Manifest Document No.	3799		
4. Transporter's Name & Address : (Including Phone No. and e-mail)	OM INDUSTRIES 7KM Stone, V.P.O. Titoli Jind Road, Rohtak		
5. Type of Vehicle	(Truck/Tanker/Special Vehicle)		
6. Transporter's Registration No.			
7. Vehicle Registration No.	HR 55Y 9298		
8. Receiver's name and mailing Address : (Including Phone No. and e-mail)	M/S OM INDUSTRIES 7 KM STONE, V.&P.O. TITOLI JIND ROAD, ROHTAK-124001 HARYANA		
9. Receiver's Authorization No.	HWM/ROH/2020/6897571		
10. Waste Description	Used Oil		
11. Total Quantity No. of Containers	10 Ltrs m ³ or MT Nos		
12. Physical form	(Solid/ Semi Solid/ Oily/ Tarry/ Slurry/ Liquid)		
13. Special Heading Instruction & Additional Information			
14. Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked and labelled and are in all respect in proper conditional for transport by road according to applicable national government regulations.		
Typed Name & Stamp Rajkumar		Signature Rajkumar	Month Day Year 07/29/2024
15. Transporter's Acknowledgement of Receipt of Wastes			
Typed Name & Stamp OM INDUSTRIES 7KM Stone, V.P.O. Titoli Jind Road, Rohtak		Signature Titoli	Month Day Year 07/29/2024
16. Receiver's Certification for Receipt of Hazardous and other Waste			
Typed Name & Stamp OM INDUSTRIES 7KM Stone, V.P.O. Titoli Jind Road, Rohtak		Signature Titoli	Month Day Year 07/29/2024

1. : To be forwarded to the SPCB/PCC by the occupier

FORM - 9
[See Rule 20 (2)]

TRANSPORT EMERGENCY (TREM) CARD 3799

[To be carried by the transport during transportation of hazardous and other wastes, provided by the sender of waste]

1. Characteristics of hazardous and other Waste :

Sl. No.	Type of Waste	Physical Properties	Chemical Constituents	Exposure Hazards	First Aid Requirement
030d	Oil	Oil	—	—	Give first aid

2. Procedure to be followed in case of fire :

Park the vehicle in the open place and come out from the vehicle immediately. And call fire office (101), police (100) ambulance (102) from near by telephone. Try to extinguish the fire by putting Sand on it or thru fire extinguisher.

3. Product to be followed in case of spillage/accident/explosion.

Try to stop the leakage / Spillage and inform concerned person immediately. In case of any accident call fire office (101), Police (100) ambulance (102) from near by telephone.

4. Further services, please contact :

i) Name & Address :

M/S OM INDUSTRIES

7 KM STONE, V. & P.O. TITOLI JIND ROAD,
ROHTAK-124001 HARYANA

ii) Telephone No. :

29/07/2024
OM INDUSTRIES
7KM Stone V.P.O. Titoli
Jind Road, Rohtak



MATERIAL OUT GATE PASS

OLC CYBER

1602

mfr. Om Industries
Titoli find Road
Rohit K HR 12400

REJECTED

x
✓
x

S.No.	Material Description	UOM	Qty.	MRN Reference	Tentative Cost	Probable Date of Return	Remarks
01	Lybe oil used	-	10 LTR	-	-	-	-
<p>Vehicle no - HR SSAB 8108</p> <p>DISPOSING MATERIAL 01 Lube oil Part Consumable SECURITY Date 09/11/14 Reg No. 14151 Entry No. 20 Signature Name</p>							

Stonington, CT

Approved by
Building MC

Vendor's Rep / Cashier
(Name & Signature)

1954-1955

JLL/SECIGOM11

1901. 4 50 2 00

OK

Date: - 19th December 2024

From : DLF Cyber Park
Plot No. 405B, Udyog Vihar
Sector-20, Gurgaon (Haryana)

To : The Chairman,
Haryana State Pollution Control board,
C- 11, Sector-6, Panchkula-134109 (Haryana)

CC : Regional Office,
Haryana State Pollution Control board,
Vikas Sadan, Opp. New Court, Gurgaon (Haryana)

Sub: - Submission of Form-10, Hazardous Waste Manifest (Used Oil)

Dear Sir,

Enclosed please find herewith Form-10, Hazardous Waste Manifest (Used Oil) for DLF Cyber Park, Plot No.405B, Udyog Vihar, Sector-20, Gurgaon (Haryana)

Kindly acknowledge the receipt.

Thanking You,

Yours Faithfully,



(Authorized Signatory)

Encl.: Form-10
Form-9
Material Out Gate Pass

SP 122018-01-177 <122018>
GSIN No: 06AAAGP0571012Y
EH3023844171IN
Counter No:1,OP-Codes:09
To:POLLUTION CONT BOARD,
PANCHKULA, PIN:134109
From:DLF BUILDING NO 10 , GGN
Wt:50grams, ,24/12/2024 ,17:13
Amt:41.00
,CGST @9% 3 ,SGST @9%: 3.00
<<Track on www.indiapost.gov.in>>



SP 122018-01-177 <122018>
GSIN No: 06AAAGP0571012Y
EH3023842271IN
Counter No:1,OP-Codes:09
To:POLLUTION CONT BOARD,
GURGAON, PIN:122001
From:DLF BUILDING NO 10 , GGN
Wt:50grams, ,24/12/2024 ,17:16
Amt:18.00
,CGST @9% 1.5 ,SGST @9%: 1.50
<<Track on www.indiapost.gov.in>>



FORM - 10

[See Rule 19 (1)]

4038

(MANIFEST FOR HAZARDOUS AND OTHER WASTE)

1. Sender's Name and Mailing Address : (Including Phone No. and e-mail)	Building Cyber Park Phase II, Sec. 20, Vdha Vihar, Gurgaon.		
2. Sender's Authorisation No.			
3. Manifest Document No.	4038		
4. Transporter's Name & Address : (Including Phone No. and e-mail)	OM INDUSTRIES 7KM Stone, V.P. Jind Road, Rohtak		
5. Type of Vehicle	(Truck/Tanker/Special Vehicle)		
6. Transporter's Registration No.			
7. Vehicle Registration No.	HR 55AB 8108		
8. Receiver's name and mailing Address : (Including Phone No. and e-mail)	M/S OM INDUSTRIES 7 KM STONE, V.&P.O. TITOLI JIND ROAD, ROHTAK-124001 HARYANA		
9. Receiver's Authorization No.	HWM/ROH/2020/6897571		
10. Waste Description	USED OIL		
11. Total Quantity No. of Containers	35 Nos		
12. Physical form	(Solid/ Semi Solid/ Oily/ Tarry/ Slurry/ Liquid)		
13. Special Heading Instruction & Additional Information			
14. Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked and labelled and are in all respect in proper conditional for transport by road according to applicable national government regulations.		
Typed Name & Stamp		Signature	Month Day Year 10/15/2024
15. Transporter's Acknowledgement of Receipt of Wastes			
Typed Name & Stamp		Signature OM INDUSTRIES 7KM Stone, V.P.O. Titoli Jind Road, Rohtak	Month Day Year 10/15/2024
16. Receiver's Certification for Receipt of Hazardous and other Waste			
Typed Name & Stamp		Signature OM INDUSTRIES 7KM Stone, V.P.O. Titoli Jind Road, Rohtak	Month Day Year 10/15/2024

1. : To be forwarded to the SPCB/PCC by the occupier

4038

TRANSPORT EMERGENCY (TREM) CARD

[To be carried by the transport during transportation of hazardous and other wastes, provided by the sender of waste]

1. Characteristics of hazardous and other Waste :

Sl. No.	Type of Waste	Physical Properties/	Chemical Constituents	Exposure Hazards	First Aid Requirement
①	used	oil	only	N/A	goggles

2. Procedure to be followed in case of fire :

Park the vehicle in the open place and come out from the vehicle immediately. And call fire office (101), police (100) ambulance (102) from near by telephone. Try to extinguish the fire by putting Sand on it or thru fire extinguisher.

3. Product to be followed in case of spillage/accident/explosion.

Try to stop the leakage / Spillage and inform concerned person immediately. In case of any accident call fire office (101), Police (100) ambulance (102) from near by telephone.

4. Further services, please contact :

i) Name & Address :

M/S OM INDUSTRIES


7 KM STONE, V. & P.O. TITOLI JIND ROAD,
ROHTAK-124001 HARYANA

ii) Telephone No. :

Kamal
15/11/24

OM INDUSTRIES
7KM Stone, VFO Titoli
Jind Road, Rohtak

(Name and Signature of Occupier)



MATERIAL OUT GATE PASS

Name of County: DLE CYBER PARK

1604

PARTY NAME & ADDRESS

Dated: 1952

RETURNABLE BASE

NON RETORNABILE

REJECTED

[illegible]

Store In Charge

Approved by
Bulldog LC

Vendor's Rep. / Carrier
(Name & Signature)

9284 U 21 34

Date: - 15th March 2025

From : DLF Cyber Park
Plot No. 405B, Udyog Vihar
Sector-20, Gurgaon (Haryana)

To : The Chairman,
Haryana State Pollution Control board,
C- 11, Sector-6, Panchkula-134109 (Haryana)

CC : Regional Office,
Haryana State Pollution Control board,
Vikas Sadan, Opp. New Court, Gurgaon (Haryana)

Sub: - Submission of Form-10, Hazardous Waste Manifest (Used Oil)


Dear Sir,

Enclosed please find herewith Form-10, Hazardous Waste Manifest (Used Oil) for DLF Cyber Park, Plot No.405B, Udyog Vihar, Sector-20, Gurgaon (Haryana)

Kindly acknowledge the receipt.

Thanking You,


Yours Faithfully,



(Authorized Signatory)

Encl.: Form-10
Form-9
Material Out Gate Pass

SP 122018-01-177 (122018)
GSTN No: 06AAACF0571012Y
EHS527/5/3011N
Counter No:1, CP-Code:09
To: POLLUTION CONT BOARD,
PANCHKULA, PIN:134109
From: DLF BUILDING NO 10, BGM
Wt: 50 grams, 22/03/2025, 10:21
Amt: 1.00
, COST @% 3, GST @%: 3.00
Track on www.indiapost.gov.in



SP 122018-01-177 (122018)
GSTN No: 06AAACF0571012Y
EHS527/5/3011N
Counter No:1, CP-Code:09
To: POLLUTION CONT BOARD,
GURGAON, PIN:122001
From: DLF BUILDING NO 10, BGM
Wt: 50 grams, 22/03/2025, 10:21
Amt: 18.00
, COST @% 1.5, GST @%: 1.50
Track on www.indiapost.gov.in



10/1

FORM - 10

[See Rule 19 (1)]

(MANIFEST FOR HAZARDOUS AND OTHER WASTE)

4009

1. Sender's Name and Mailing Address : (Including Phone No. and e-mail)	DLF CYBER PARK, GURGAON- HARYANA.			
2. Sender's Authorisation No.				
3. Manifest Document No.	4009			
4. Transporter's Name & Address : (Including Phone No. and e-mail)				
5. Type of Vehicle	(Truck/Tanker/Special Vehicle) ✓			
6. Transporter's Registration No.				
7. Vehicle Registration No.	HR 55 AE0553			
8. Receiver's name and mailing Address : (Including Phone No. and e-mail)	M/S OM INDUSTRIES 7 KM STONE, V.&P.O. TITOLI JIND ROAD, ROHTAK-124001 HARYANA			
9. Receiver's Authorization No.	HWM/ROH/2020/6897571			
10. Waste Description	USED OIL (TRANSFORMER OIL)			
11. Total Quantity No. of Containers	250 m ³ or MT LTR Nos			
12. Physical form	(Solid/ Semi Solid/ Oil/ Tarry/ Slurry/ Liquid) ✓			
13. Special Heading Instruction & Additional Information				
14. Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked and labelled and are in all respect in proper conditional for transport by road according to applicable national government regulations.			
Typed Name & Stamp	Signature	Month	Day	Year
		0	3	06/20/25
15. Transporter's Acknowledgement of Receipt of Wastes				
Typed Name & Stamp	Signature	Month	Day	Year
		0	3	06/20/25
16. Receiver's Certification for Receipt of Hazardous and other Waste				
Typed Name & Stamp	Signature	Month	Day	Year
		0	3	06/20/25

1. : To be forwarded to the SPCB/PCC by the occupier

FORM - 9
(See Rule 20 (2))

4009

TRANSPORT EMERGENCY (TREM) CARD

[To be carried by the transport during transportation of hazardous and other wastes, provided by the sender of waste]

1. Characteristics of hazardous and other Waste :

Sl. No.	Type of Waste	Physical Properties/	Chemical Constituents	Exposure Hazards	First Aid Requirement
---------	---------------	----------------------	-----------------------	------------------	-----------------------

1. USED OIL
(TRANSPORTED BY)
012X
GENERAL 2

2. Procedure to be followed in case of fire :

Park the vehicle in the open place and come out from the vehicle immediately. And call fire office (101), police (100) ambulance (102) from near by telephone. Try to extinguish the fire by putting Sand on it or thru fire extinguisher.

3. Product to be followed in case of spillage/accident/explosion.

Try to stop the leakage / Spillage and inform concerned person immediately. In case of any accident call fire office (101), Police (100) ambulance (102) from near by telephone.

4. Further services, please contact :

i) Name & Address :

M/S OM INDUSTRIES

7 KM STONE, V. & P.O. JITOLI JIND ROAD,
ROHTAK-124001 HARYANA

ii) Telephone No. :



(Name and Signature of Occupier)



147

100

DATE: 11/11/2019

2000

1997-1998

References

ACCEPTED

X
✓
X

References

[illegible]

Signatures)

Store Incharge

Approved by
Building BC

Ver. Cont. Rep. / Date
(Name & Signature)

SECOND:

1950-51

ok

Date: - 07th April 2025

From : DLF Cyber Park
Plot No. 405B, Udyog Vihar
Sector-20, Gurgaon (Haryana)

To : The Chairman,
Haryana State Pollution Control board,
C- 11, Sector-6, Panchkula-134109 (Haryana)

CC : Regional Office,
Haryana State Pollution Control board,
Vikas Sadan, Opp. New Court, Gurgaon (Haryana)

Sub: - Submission of Form-10, Hazardous Waste Manifest (Used Oil)


Dear Sir,

Enclosed please find herewith **Form-10, Hazardous Waste Manifest (Used Oil)** for **DLF Cyber Park, Plot No.405B, Udyog Vihar, Sector-20, Gurgaon (Haryana)**

Kindly acknowledge the receipt.

Thanking You,


Yours Faithfully,



(Authorized Signatory)

Encl.: Form-10
Form-9
Material Out Gate Pass

SP 122018-01-177 : 122018:
GSTN No: 06AAEP0571012Y
EHD377900193114
Counter No:1,DP-Code:09
To: POLLUTION CONT BOARD,
PANCHKULA, PIN:134109
From: DLF BUILDING NO 10, GGN
W-50, Gurgaon, 120/04/2025, 13:35
Auth:18.00
GST 1% 1.8, GST 3% 3.60
Track on www.indiapost.gov.in



SP 122018-01-177 : 122018:
GSTN No: 06AAEP0571012Y
EHD377900193114
Counter No:1,DP-Code:09
To: POLLUTION CONT BOARD,
GURGAON, PIN:122001
From: DLF BUILDING NO 10, GGN
W-50, Gurgaon, 123/04/2025, 13:35
Auth:18.00
GST 1% 1.8, GST 3% 3.60
Track on www.indiapost.gov.in





FORM - 10

[See Rule 19 (1)]

(MANIFEST FOR HAZARDOUS AND OTHER WASTE)

4081

1. Sender's Name and Mailing Address : (Including Phone No. and e-mail)	Meyar Park, Gurgaon			
2. Sender's Authorisation No.				
3. Manifest Document No.				
4. Transporter's Name & Address (Including Phone No. and e-mail)	M/S OM INDUSTRIES			
5. Type of Vehicle	Tanker/Special Vehicle			
6. Transporter's Registration No.				
7. Vehicle Registration No.	HR 55 / Y 5298			
8. Receiver's name and mailing Address : (Including Phone No. and e-mail)	7 KM STONE, V. & P.O. TITOLI JIND ROAD, ROHTAK-124001 HARYANA			
9. Receiver's Authorization No.	HWM / ROH / 2020 / 6897571			
10. Waste Description	Used Oil			
11. Total Quantity No. of Containers	3375 Ltrs m ³ or MT Nos			
12. Physical form	(Solid/ Semi Solid/ <u>Oil</u> / Tarry/ Slurry/ Liquid)			
13. Special Heading Instruction & Additional Information				
14. Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked and labelled and are in all respect in proper conditional for transport by road according to applicable national government regulations.			
Typed Name & Stamp	Signature	Month	Day	Year
		02	05	2025
15. Transporter's Acknowledgement of Receipt of Wastes				
Typed Name & Stamp	Signature	Month	Day	Year
		02	05	2025
16. Receiver's Certification for Receipt of Hazardous and other Waste				
Typed Name & Stamp	Signature	Month	Day	Year
		02	05	2025

1. : To be forwarded to the SPCB/PCC by the occupier

4081

TRANSPORT EMERGENCY (TREM) CARD

[To be carried by the transport during transportation of hazardous and other wastes, provided by the sender of waste]

1. Characteristics of hazardous and other Waste :

Sl. No.	Type of Waste	Physical Properties/	Chemical Constituents	Exposure Hazards	First Aid Requirement
	used oil	liquid	—	—	Gant

2. Procedure to be followed in case of fire :

Park the vehicle in the open place and come out from the vehicle immediately. And call fire office (101), police (100) ambulance (102) from near by telephone. Try to extinguish the fire by putting Sand on it or thru fire extinguisher.

3. Product to be followed in case of spillage/accident/explosion.

Try to stop the leakage / Spillage and inform concerned person immediately. In case of any accident call fire office (101), Police (100) ambulance (102) from near by telephone.

4. Further services, please contact :

i) Name & Address :

M/S OM INDUSTRIES

7 KM STONE, V. & P.O. TITOLI JIND ROAD,
ROHTAK-124001 HARYANA

ii) Telephone No.



(Name and Signature of Occupier)



Name of Complex : DLF CYBER PARK

1612

Dated: 11/11/1964

THE INDUSTRIAL

I can find food like

10645K - 1104904 (1124001)

RETURNABLE BASIS

NONRETURNABLE

REJECTED

[illegible]

Store Exchange

Approved by
Building I/C

Vendor's Rep. / Carrier
(Name & Signature)



HARYANA STATE POLLUTION CONTROL BOARD

Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-2332775 Email:-

hspcbrogrn@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 329962324GUNOCTO25645816

Dated:29/07/2024

To.

M/s :DLF Cyber Park in Sector 20 Gurgaon
Plot No. 405B, Udyog Vihar Phase II, Sector 20, Gurgaon

Subject: Grant of consent to operate to M/s DLF Cyber Park in Sector 20 Gurgaon.

Please refer to your application no. 25645816 received on dated 2024-06-30 in regional office Gurgaon North. With reference to your above application for consent to operate, M/s DLF Cyber Park in Sector 20 Gurgaon is hereby granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2024 - 30/09/2029
Industry Type	Building and Construction projects having waste water generation more than 100 KLD in respective of their built-up area
Category	RED
Investment(In Lakh)	164097.0
Total Land Area(Sq. meter)	47817.0
Total Builtup Area(Sq. meter)	306915.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	1150.4 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	reuse
2. Trade	
Domestic Effluent Parameters	
1. BOD	10 mg/l
2. COD	50 mg/l
3. TSS	20 mg/l
4. PH	5.5-9.0
5. Total Nitrogen	10 mg/l
6. Oil & Grease	10 mg/l
7. Total phosphorus(For discharge into Ponds, Lakes)	1 mg/l

8. Fecal Coliform(MPN/100ml)	less than 100
Trade Effluent Parameters	
1. NA	
Number of stacks	1
Height of stack	
1. DG set 10 nos (2250 KVA each)	6 Meter
Emission parameters	
1. NA	
Product Details	
1. N.A	Metric Tonnes/day
Capacity of boiler	
1. N.A	Ton/hr
Type of Furnace	
1. N.A	
Type of Fuel	
1. Diesel	3.30 KL/day
Raw Material Details	
N.A	Metric Tonnes/Day

Regional Officer, Gurgaon North
Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.

7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.
17. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource.
18. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of MOEF/CPCB/SPCB/NGT/ any court of law.
19. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.

Specific Conditions :

1. That the unit will run and maintain it's STP regularly and properly, will provide separate energy meter on their STP and maintain the Log Book for energy consumption of STP and chemicals used daily for the STP. 2. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the


Air/Water/EP Act 3. That the unit will adopt cleaner technology thereby reducing pollution load. 4. That the unit will provide interlocking arrangement of DG set with STP and shall have separate D.G. set to ensure regular and effective running of pollution control devices. 5. That the unit will not discharge any untreated effluent inside and outside its premises. 6. Unit will provide separate flow meter at Inlet/ Outlet of STP for which separate log book will be maintained if required. 7. That the unit will not add any air polluting process/ machinery and also not to add any process which increases the water pollution load. 8. That the unit will comply with all the provisions of Hazardous Waste Rules and submit return under HWM Rules on yearly basis. 9. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land. 10. Unit will submit analysis report from recognized laboratory under air /water act every year as applicable. 11. Unit will apply for consent to operate for further period 90 days before expiry of this consent otherwise penalty will be imposed as per policy. 12. Unit will submit copy of authorization under HWM rules issued by the board within 30 days. 15. Unit will take prior permission from CGWA before extracting groundwater. 16. Unit will ensure that rain water does not get mixed with domestic effluent. 17. Unit will install Emission control measures on DG set of capacity more than 500 KVA having minimum specified PM capturing efficiency of at least 70% approved by CPCB recognized labs or shift to gas based generator in compliance of HSPCB office order no. 4230-44 dated 25.06.2020. specific condition of the Board.

NIRMAL KUMAR

Digitally signed by NIRMAL
KUMAR
Date: 2024.07.29 09:41:29 +05'30'

HARYANA STATE

*Regional Officer, Gurgaon North
Haryana State Pollution Control Board.*





Haryana State Pollution Control Board

Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-2332775 Email:- hspcbrogrn@gmail.com



No. :HWM/GUNO/2024/71961023

DT: 02/08/2024

To

M/s DLF Cyber Park in Sector 20 Gurgaon
Plot No. 405B, Udyog Vihar Phase II, Sector 20, Gurgaon
Gurgaon north

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016

1. Reference of application:71961023 dated: 02/08/2024
2. DLF Cyber City Developers Limited of DLF Cyber Park in Sector 20 Gurgaon is hereby granted an authorization for generation, storage on the premises situated at Plot No. 405B, Udyog Vihar Phase II, Sector 20, Gurgaon

HARYANA STATE Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Used/spent oil	Dispose to approved facility	7.9 KL/Annum
2	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Wastes/residues containing oil	Dispose to approved facility	0.150 T/Annum

1. The authorization shall be valid for a period of 01/10/2024 to 30/09/2029
2. The authorization is subject to the following general and specific conditions :-

- (i) **1. The unit will submit the Annual Report under HWM Rules by 30th June and Environment Statement by 30th September every year. 2. Unit will apply for renewal of consent/Authorization at least 90 days before expiry date of the consent/Authorization. 3. The hazardous waste generated by the unit will be disposed off through authorized TSDF/recyclers / Refiners of hazardous waste. 4. Unit will comply all the applicable Law/Acts/CPCB directions under the HOWM, Rules 2016 time to time, Unit will submit Annual Return under HWM, Rules timely. 5. Unit will maintain the record of storage and sold out the waste/spent oil of dg sets and same will submit in board on yearly basis. 6. That the authorization under HWM rules so granted shall become invalid in case of violation of any of the above / any law of the land.**

**Regional Officer Gurgaon North
For Haryana State Pollution Control Board**

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.
10. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
11. The imported hazardous and other wastes shall be fully insured for transit as well for any accidental occurrence and its clean-up operation.
12. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
13. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific condition of authorisation.
14. The importer or exporter shall bear the cost of import and mitigation of damages if any.

NIRMAL KUMAR
Regionally Officer Gurgaon North

Digitally signed by NIRMAL
KUMAR
Date: 2024.08.02 16:53:50 +05'30'

For Haryana State Pollution Control Board



National Accreditation Board for
Testing and Calibration Laboratories

CERTIFICATE OF ACCREDITATION

EPA LABS PRIVATE LIMITED

has been assessed and accredited in accordance with the standard

ISO/IEC 17025:2017

**"General Requirements for the Competence of Testing &
Calibration Laboratories"**

for its facilities at

2ND FLOOR, HANS COMPLEX, BHIWADI MOD, BHIWADI, ALWAR, RAJASTHAN, INDIA

in the field of

TESTING

Certificate Number: TC-11007

Issue Date: 24/09/2024

Valid Until: 23/09/2026

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.
(To see the scope of accreditation of this laboratory, you may also visit NABL website www.nabl-india.org)

Name of Legal Entity: EPA LABS PRIVATE LIMITED

Signed for and on behalf of NABL



N. Venkateswaran
Chief Executive Officer

To,

M/s Green Motive Facilities
Plot No. B1, Sector - 20,
Dundahera, Gurugram,

Memo No. MCG/IC-SBM/2024/4065

Dated 23-01-2024

Sub: - Category - 1 (Management for All waste streams for BWG - Wet, Dry and Domestic Hazardous).

Dear Ma'am/Sir,

Thank you for applying for the empanelment for providing waste management solutions and services to the Bulk Waste Generators for the city of Gurugram. Based on the selection process that started from mid of Nov 2023, under which you have submitted the application form along with the supporting documents, followed by a presentation/discussion with the MCG committee, your agency has been found suitable to be empanelled under:

The empanelment of a service provider shall be valid for 3 years from the date of issue this empanelment letter, subject to modifications/terminations made by MCG from time to time. This task shall be undertaken upon successful execution of a pilot in the designated zone/area within 6 Months from the date of issue this letter.

The agencies empanelled must follow the Terms and Conditions prescribed by MCG for their respective categories. Attached along with as Annexure - I.

CATEGORY 1: MANAGEMENT OF ALL WASTE STREAMS - WET, DRY, DOMESTIC HAZARDOUS.

This includes:


- Supply and provide services for wet waste processing equipment and wet waste processing (In-situ and or offsite) through composting/bio methanation. This will not include companies supplying OWC solutions using induced heat mechanisms to process wet waste.
- Services for collection, transportation, and further processing of Dry (In-situ and or offsite).
- Services for collection, transportation, and proper disposal of domestic hazardous waste as per MCG guidelines.

All agencies empanelled for wet waste processing (Category 1 or 2) can also provide services for horticulture waste management to the BWGs.

Empanelled agencies are directed to function within the scope of their empanelled category and work within the Terms and Conditions shared at the time of empanelment. If any empanelled agency is found to be working in the category they are not being authorized for, or are found breaching the Terms & Conditions of the empanelment, or are found causing any confusion to the Bulk Waste Generators through this letter of empanelment then their empanelment will be cancelled, and further stricter actions can be taken against such agencies.

MCG

Bulk Waste Generators reading this letter, can validate the recent status of empanelment of this particular agency on the MCG Website.



Joint Commissioner (SBM),
Municipal Corporation,
Gurugram

Endst. No. MCG/JC-SBM/2024/4066

Dated 23-01-2024

A copy of the above is forwarded to the following for information and necessary action please.

1. Commissioner, Municipal Corporation, Gurugram.
2. Addl. Commissioner, Municipal Corporation, Gurugram.
3. All Joint Commissioners, Municipal Corporation, Gurugram.
4. All Senior Sanitary Inspectors, Municipal Corporation, Gurugram.
5. Citizen Supervisory Committee for BWG Empanelment, Municipal Corporation, Gurugram.
6. All other concerned.


Joint Commissioner (SBM),
Municipal Corporation,
Gurugram

Application no. :72923314

Industry id: 14ROH1612828

Date: 18/07/2024



Haryana State Pollution Control Board

Regional Office, Haryana State Pollution Control Board Rohtak, SCO No. A-6,
A-7 and A-8, First Floor, Sector- 36, Suncity Commercial Complex, Rohtak-
124001".Email:- hspcbroroh@gmail.com



No. :HWM/ROH/2024/72923314

DT: 18/07/2024

To

M/s OM INDUSTRIES

7.7 KM STONE VPO TITOLI JIND ROAD ROHTAK

Rohtak

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundry Movement) Rules, 2016

1. Reference of application:72923314 dated: 18/07/2024
2. Ajay Goyal of OM INDUSTRIES is hereby granted an authorization for generation, storage on the premises situated at 7.7 KM STONE VPO TITOLI JIND ROAD ROHTAK

Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Petroleum refining/re-processing of used oil/recycling of waste oil, Spent clay containing oil	GEPIL	780 T/Annum
2	De-contamination of barrels/containers used for handling of hazardous waste/chemicals, Sludge from treatment of waste water arising out of cleaning/disposal of barrels/ containers	GEPIL	11 T/Annum
3	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's), Chemical sludge from waste water treatment	GEPIL	13.5 T/Annum
4	Hazardous waste treatment processes, e.g. pre-processing , incineration and concentration, Ash from incinerator and flue gas cleaning residue	GEPIL	85 T/Annum

5	Handling of Hazardous chemicals and wastes, Empty barrels/containers/liners contaminated with hazardous chemicals/wastes	Recycler	225000 T/Annum
6	Used oil and waste oil	Recycling as per CPCB SOP Guidelines	33000 KL/Annum

1. The authorization shall be valid for a period of 01/10/2024 to 30/09/2025
2. The authorization is subject to the following general and specific conditions :-
 - (i) **The unit will submit agreement copy with GEPIL within 3 months after grant of Authorization and with usual terms and conditions by Board. The unit will comply the SOP guidelines issued by CPCB for recycling of waste oil/used oil. Also with specific condition That the 2 no. of (Tankers/Lorries) vehicle No. (1) Vehicle No. HR46F 2285(2) Vehicle No. HR46F 6423 mentioned by the firm follow the guidelines issued for Transportation of hazardous waste by CPCB and should be in accordance with the provisions of HWM Rules 2016 and Motor Vehicle Act, 1988.**

Regional Officer Rohtak
For Haryana State Pollution Control Board

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.
10. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.

DINESH KUMAR Digitally signed by
DINESH KUMAR
Date: 2024.07.18
16:19:23 +05'30'

Application no. :72923314

Industry id: 14ROH1612828

Date: 18/07/2024

**Regional Officer Rohtak
For Haryana State Pollution Control Board**

