

27<sup>th</sup> November 2025

To,  
**The Director,**  
Northern Regional Office  
Ministry of Environment, Forests & Climate Change  
Government of India, Bays No. 24-25, Sector -31A  
Dakshin Marg, Chandigarh- 160030

EC No. - Environmental Clearance letter bearing No. 21-275/2017-IA-III dated 27.08.2018

Project:- DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon (Haryana)

Sub.: Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Revision of DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon, Haryana for the period of April-2025 to September-2025.

Dear Sir,

In compliance with section 10 sub-sections (i) of the EIA Notification, 2006 and also the condition no. (ii) Specified under the heading of Part-B: General Conditions of the Environmental Clearance letter as referred above; we wish to submit the half yearly compliance report (in soft) for the Submission period of **April-2025 to September-2025**.


Thanking you  
Yours faithfully,

For & on behalf of **DLF Cyber City Developers Limited**

  
(Authorized Signatory)

**Copy to:**

1. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula-134109  
2. State Environment Impact Assessment Authority, Haryana, Bays No. 55-58, Paryatan Bhawan 1<sup>st</sup> Floor, Sector-2, Panchkula, Haryana  
3. Director, MoEF&CC, Indira Paryavaran Bhavan, Ali Ganj, Jorbagh Road, New Delhi, Delhi 110003

  
Haryana State Pollution Control Board  
C-11, Sector 6, Panchkula



27<sup>th</sup> November 2025

To,  
**The Director,**  
Northern Regional Office  
Ministry of Environment, Forests & Climate Change  
Government of India, Bays No. 24-25, Sector -31A  
Dakshin Marg, Chandigarh- 160030

EC No. - Environmental Clearance letter bearing No. 21-275/2017-IA-III dated 27.08.2018

Project:- DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon (Haryana)

Sub.: Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Revision of DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon, Haryana for the period of April-2025 to September-2025.

Dear Sir,

In compliance with section 10 sub-sections (i) of the EIA Notification, 2006 and also the condition no. (ii) Specified under the heading of Part-B: General Conditions of the Environmental Clearance letter as referred above; we wish to submit the half yearly compliance report (in soft) for the Submission period of **April-2025 to September-2025**.

Thanking you  
Yours faithfully,

For & on behalf of **DLF Cyber City Developers Limited**



(Authorized Signatory)



28.11.2025

**Copy to:**

1. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula-134109
2. State Environment Impact Assessment Authority, Haryana, Bays No. 55-58, Paryatan Bhawan 1<sup>st</sup> Floor, Sector-2, Panchkula, Haryana
3. Director, MoEF&CC, Indira Paryavaran Bhavan, Ali Ganj, Jorbagh Road, New Delhi, Delhi 110003



27<sup>th</sup> November 2025

To,  
**The Director,**  
Northern Regional Office  
Ministry of Environment, Forests & Climate Change  
Government of India, Bays No. 24-25, Sector -31A  
Dakshin Marg, Chandigarh- 160030

EC No. - Environmental Clearance letter bearing No. 21-275/2017-IA-III dated 27.08.2018

Project:- DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon (Haryana)


Sub.: Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Revision of DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon, Haryana for the period of April-2025 to September-2025.

Dear Sir,

In compliance with section 10 sub-sections (i) of the EIA Notification, 2006 and also the condition no. (ii) Specified under the heading of Part-B: General Conditions of the Environmental Clearance letter as referred above; we wish to submit the half yearly compliance report (in soft) for the Submission period of **April-2025 to September-2025**.

Thanking you  
Yours faithfully,

For & on behalf of **DLF Cyber City Developers Limited**

  
(Authorized Signatory)

**Copy to:**

1. Chairman, Haryana State Pollution Control Board, C-11 , Sector-6, Panchkula-134109
2. State Environment Impact Assessment Authority, Haryana, Bays No. 55-58, Paryatan Bhawan 1<sup>st</sup> Floor, Sector-2, Panchkula, Haryana
3. Director, MoEF&CC, Indira Paryavaran Bhavan, Ali Ganj, Jorbagh Road, New Delhi, Delhi 110003





---

**Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Revision of DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon, Haryana for the period of April-2025 to September-2025.**

---

**From** India, Compliance <Compliance.India@jll.com>

**Date** Mon 01-12-2025 09:23 AM

**To** Environment Wing IRO Chandigarh <eccompliance-nro@gov.in>

**Cc** Mazumdar, Subhankar <Subhankar.Mazumdar@jll.com>; Taank, Roshan <Roshan.Taank@jll.com>; Singh, Veerendra <Veerendra.Singh@jll.com>

📎 1 attachment (22 MB)

DLF Cyber Park Dec 2025.pdf;

Dear Sir,

In compliance with section 10 sub-sections (i) of the EIA Notification, 2006 and also the condition no. (ii) Specified under the heading of Part-B: General Conditions of the Environmental Clearance letter as referred above; we wish to submit the half yearly compliance report for the Submission period of **April-2025 to September-2025**.

EC No. - Environmental Clearance letter bearing No. 21-275/2017-IA-III dated 27.08.2018

Project:- DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon (Haryana)

Thanking you  
Yours faithfully,

For & on behalf of **DLF Cyber City Developers Limited.**

27<sup>th</sup> November 2025

To,  
**The Director,**  
Northern Regional Office  
Ministry of Environment, Forests & Climate Change  
Government of India, Bays No. 24-25, Sector -31A  
Dakshin Marg, Chandigarh- 160030

EC No. - Environmental Clearance letter bearing No. 21-275/2017-IA-III dated 27.08.2018

Project:- DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon (Haryana)


Sub.: Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Revision of DLF Cyber Park in Udyog Vihar, Sector 20, Gurgaon, Haryana for the period of April-2025 to September-2025.

Dear Sir,

In compliance with section 10 sub-sections (i) of the EIA Notification, 2006 and also the condition no. (ii) Specified under the heading of Part-B: General Conditions of the Environmental Clearance letter as referred above; we wish to submit the half yearly compliance report (in soft) for the Submission period of **April-2025 to September-2025**.

Thanking you  
Yours faithfully,

For & on behalf of **DLF Cyber City Developers Limited**

  
(Authorized Signatory)

**Copy to:**

1. Chairman, Haryana State Pollution Control Board, C-11 , Sector-6, Panchkula-134109
2. State Environment Impact Assessment Authority, Haryana, Bays No. 55-58, Paryatan Bhawan 1<sup>st</sup> Floor, Sector-2, Panchkula, Haryana
3. Director, MoEF&CC, Indira Paryavaran Bhavan, Ali Ganj, Jorbagh Road, New Delhi, Delhi 110003

# 1

## INTRODUCTION

### 1.1 Introduction

**M/s DLF Cyber City Developers Limited** has proposed for Commercial Building in Udyog Vihar, Sector 20, Gurgaon, Haryana.

This Project has obtained Environmental Clearance F.No.21-275/2017-IA-III, Dated-27-08-2018 from Ministry of Environment & Forests, New Delhi with certain conditions.

#### Status of the Project:

The project is in Operational phase and the construction was carried out as per EC conditions.

### 1.2 Purpose of the Report

As per the "Sub Para (i)" of "Para 10" of EIA Notification 2006, it is stated that "*It shall be mandatory for the project proponent to submit half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the concerned regulatory authority, on 1st June and 1st December of each calendar year*" and as per compliance condition mentioned in Environment Clearance Letter.

The regulatory authorities in this case are MoEF, Delhi, MoEF& CC, Chandigarh, Chairman, CPCB and HSPCB, Panchkula. Various scheduled Site Visits were conducted by a team of Experts to Monitor Pollution related parameters as defined by CPCB / HSPCB. Samples for water and soil were also collected by NABL/ MoEF approved laboratory for analysis.

Based on the Specific and General Conditions mentioned in the EC Letter, a Compliance Report has been prepared and submitted regularly to the authority.

The Environmental assessment has been carried out to verify:

- 1) The proposed project has not any adverse effect on the project site as well as it's surrounding.
- 2) There is compliance with the conditions stipulated in the Environmental Clearance Letter.
- 3) The Project proponent is implementing the environmental safeguards in true spirit.
- 4) The non-conformity in the project with respect to the environmental implication of the project.
- 5) The project proponent is implementing the environmental pollution mitigative measures as suggested in approved Form-1 and Form – 1A, Environmental Management Plan and Building Plan.

### 1.3 Methodology for Preparation of Report is as follows:

- 1) Study of EC Letter & Related Documents,
- 2) Site Visits by a Team of Experts,
- 3) Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise & Soil by the NABL/Moef labs
- 4) Interpretation of Monitoring Results.

5) Preparation of half yearly Environmental Compliance Report.

**1.4 Generic Structure of Report:**

- 1) Purpose of the Report, explaining the need of a Compliance Report and Methodology Adopted for preparation of Report.
- 2) Compliance Report, explaining the entire General & specific conditions in the EC Letter and providing details w.r.t. each condition/ guideline.
- 3) Monitoring Reports & Analysis, showing the level of emission within the project site for various Environment Parameters.
- 4) Photographs showing status of the project and site.
- 5) Supporting Documents which are mandatory for the project.

**Details of Project:-**

<b>Sr. No.</b>	<b>Item</b>	<b>Description</b>
1.	Plot Area	47,817.58 m <sup>2</sup> (11.816 acre)
2.	Built-up Area	3,59,310.28 m <sup>2</sup>
3.	Ground Coverage	18,625.5 m <sup>2</sup>
4.	Height of Building	58.025 m
5.	No. of Floors	G + 12 Floors
6.	No. of Basements	4 No.
7.	No. of Parking	4,425 No.
8.	Power Requirement	16,427 KW
9.	Capacity of DG Sets	25,000 KVA
10.	Total Water Requirement	1872.6 KLD
11.	Total fresh Water Requirement	779.7 KLD
12.	Total Wastewater Generation	1150.4 KLD
13.	STP Capacity	1300 KLD
14.	Total reusable treated water	1092.9 KLD
15.	No. of RWH Pits	6 (twin bore)
16.	Solid Waste Generation	4,531 Kg/day
17.	Biodegradable waste	1812 Kg/day
18.	Non-Biodegradable waste	2719 Kg/day
19.	Green Area	8,392.95 m <sup>2</sup>
20.	Estimated Population	39,085 No.

# 2

## ADHERENCE TO SPECIFIC AND GENERAL CONDITIONS

### A. Specific Compliance

S. No.	Conditions of Environmental Clearance	Status of Compliance
I.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	All necessary clearance/ permissions are obtained from the relevant regulatory authority including town planning. Licence granted by DTCP. The project has been constructed complying with all statutory laws including local building byelaws and NBC guidelines.
II.	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974	Consent to Establish (CTE) has been obtained from Haryana State Pollution Control Board vide letter No. HSPCB/Consent/:2821215 GUNOCTE 1696582 dated 18.03.2015 and CTE Extensions vide ref No HSPCB/Consent/:329962317GUNOCTE3666986, dated 27.03.2017; vide ref No. HSPCB/Consent/:329962317GUNOCTE4 114887dated 09.05.2017. Further CTE granted vide ref No. HSPCB/Consent/:329962319GUNOCTE6269 037dated 28.02.2019 and further CTE granted vide HSPCB/Consent/: 329962319GUNOCTE7046490 dated 22.11.2019 attached as <b>Annexure 1A</b> . Consent to Operate (CTO) have also been obtained for the project via letter HSPCB/Consent/: 329962324GUNOCTO25645816 dated 29.07.2024, attached as Annexure 1B.
III.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of fire fighting equipment etc as per National Building Code including protection measures from lightening etc.	All necessary approvals from the competent authority have been obtained for structural safety of the building as per National Building Code. Certificate for Structural safety of the building has been obtained from the Structural Engineer. Copy attached as <b>Annexure 2</b> . Approval for fire-fighting scheme is also obtained from the Asst. Divisional Fire Officer, Municipal Corporation, Gurgaon vide their letter ref.no. FS/MCG/2012/1934 dated 19.07.2012. Copy of approval enclosed as <b>Annexure 3</b> .
<b>Topography and natural Drainage</b>		
IV.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are	The natural drainage system of the area was maintained while constructing the building. There is no natural watercourse passing through the project site. Hence the project does not involve alteration of natural drainage systems. The surroundings comprise an urbanized stretch and well-planned storm water drainage has been

	<p>allowed for maintaining the drainage pattern and to harvest rain water. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done</p>	<p>designed for internal storm water drainage. In operation phase, proper rain water drainage facility will be provided, and the run-off generated will be used for recharging the groundwater level. Thus, no impact on the natural drainage</p> <p>System is anticipated. The project area possesses flat terrain.</p>
--	---	--

**Water requirement, Conservation, rain water Harvesting, and Ground Water Recharge**

<b>V.</b>	Fresh water requirement from HUDA shall not exceed 780 KLD.	Fresh water requirement during operation phase of the building is as per the quantity mentioned in the final presentation for obtaining the EC and within the assured/ approved water supply quantity from HUDA. Copy of water assurance from HUDA is attached in <b>Annexure 4</b> .
<b>VI.</b>	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	The quantity of fresh water from HUDA supply, treated sewage from onsite STP is measured using water meters in operation phase.
<b>VII.</b>	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Assurance has been obtained from HUDA for supply of water in operation phase with details of total water available with them, total water committed to be supplied and total water allocated to this project which is enclosed in <b>Annexure 4</b> .
<b>VIII.</b>	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface	Proper open space as per the local building bye-laws is pervious (including grass pavers, blocks, land-scape etc.)
<b>IX.</b>	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Dual plumbing line has been laid for reuse of treated effluent. Entire wastewater (grey and black water) shall be treated in the on-site STP up to the tertiary level and the entire treated effluent shall be reused for landscaping, cooling towers and flushing resulting into zero discharge.
<b>X.</b>	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan	Water saving devices/ fixtures such as low flow flushing systems, low flow faucets, sensor-based urinals etc. have been installed and used for water conservation.
<b>XI.</b>	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system are done.	Dual plumbing line has been laid for reuse of treated effluent. Entire wastewater (grey and black water) shall be treated in the on-site STP up to the tertiary level and the entire treated effluent shall be reused for landscaping, cooling towers and flushing resulting into zero discharge. Therefore, separation of grey and black

		water is not required as both will flow into the same STP.
XII.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred	Pre-mixed concrete and curing compound are used to reduce the water demand during construction phase.
XIII.	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Adequate nos. of rain water harvesting recharge pits shall be provided.	The rainwater collected from the rooftop and other paved areas within the project area will be conveyed into the rainwater harvesting system consisting of Desilting-cum-filter chamber, Oil & grease separator and Recharge pit with bore well for recharge into the groundwater. Six numbers (6) of rainwater harvesting recharge pits with twin bore well (total 12 number) have been constructed for recharge of groundwater.
XIV.	Adequate nos. of rain water harvesting recharge pits shall be provided.	Six numbers (6) of rainwater harvesting recharge pits with twin-bore well (total 12 number) have been constructed for recharge of groundwater.
XV.	As proposed, no ground water shall be used during construction/ operation phase of the project.	Affidavit declaring that no groundwater will be used for construction work has already been submitted to SEIAA/ SEAC and MoEF&CC along with the application for obtaining the Environmental Clearance. Copy of the affidavit enclosed as <b>Annexure 5</b> . Groundwater is/will also not be used in operation phase as the water requirement will be met through fresh water supply from HUDA and recycle of treated sewage from onsite STP.
XVI.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	No groundwater is abstracted. No dewatering is carried out.
XVII.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	The quantity of fresh water from HUDA supply, treated sewage from onsite STP will be measured by installation of water meters in operation phase.
<b>Solid Waste Management</b>		
XVIII.	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed	The building is complying with the provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016.
XIX.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	A certificate from Municipal Corporation of Gurugram (MCG) indicating the existing civic capacities of solid waste handling and their adequacy to cater to the M.S.W. generated from project, has been obtained, and enclosed as <b>Annexure 6</b> .
XX.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of	The excavated soil (muck) was stored at offsite location of DLF with suitable cover. The excavated soil is now being reused for backfilling at site. All safety and health aspects are taken care during transportation of the excavated earth.

	competent authority	
XXI.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste converter As proposed 1400 sqm area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site	During construction phase different colour coded storage bins had been provided at the project construction site for collection of solid wastes All wastes were disposed through MCG authorized vendors. For the operation phase, Garbage room with Composting Unit (Organic Waste Converter) have been provided in the basement, where the solid wastes will be segregated. The biodegradable wastes will be composted on onsite composter unit and the segregated non-biodegradable (dry) waste, plastic waste and domestic hazardous waste shall be recycled/ disposed through authorized recycler/vender
XXII.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board	Except used oil from DG sets, no other hazardous waste is generated in construction phase. Used lube oil is disposed-off through authorized vendor.
<b>Sewage Treatment Plant</b>		
XXIII.	Sewage shall be treated in the STP based on MBBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing and horticulture. Excess treated water shall be discharged in to municipal drain with prior permission	On site STP (with MBR technology) has been installed for treatment of sewage up to the tertiary level and the entire treated effluent from on-site STP will be reused internally for irrigation, cooling towers and flushing to achieve zero discharge, once the project is in operation. No treated water will be disposed in to municipal drain.
XXIV.	No sewage or untreated effluent water would be discharged through storm water drains	Entire wastewater will be treated in the on-site STP and the entire treated effluent will be reused for landscaping, cooling towers and flushing resulting into zero discharge. No sewage or untreated effluent water would be discharged through storm water drains.
XXV.	The installation of the Sewage Treatment Plant {STP} shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	The installation of the Sewage Treatment Plant (STP) will be certified by an independent expert and the report will be submitted to the Ministry. Periodical monitoring of water quality of treated sewage is conducted. All parameters of the STP effluent are maintained as per EP Rules, 1986 /CPCB standards. For taking Necessary measures to mitigate the odour problem from STP.
XXVI.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Sludge from the onsite STP is used as manure for horticulture.
<b>Energy</b>		
XXVII.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize	Project is Energy Conservation Building Code (ECBC) 2016 complied. Energy conservation is an integral part of project planning therefore energy conservation practices are adopted in the project. Energy conservation measures such as utilization of energy save construction materials, making provisions of solar power street

	<p>energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.</p>	<p>lightening, are considered. In order to conserve energy, ready-mixed concrete and energy efficient (based on low energy content recycled material) building material have been used. The U-values of roof, external wall and glazing of the building will meet the requirements as specified in final Energy Conservation Building Code. Outdoor and common area lighting are LED. The design of the building has been such that maximum use of natural lighting can be achieved. The envelope, fenestration and opening have been designed to achieve minimum thermal influx. The project is GRIHA Certified Green Building ensuring energy conservation through energy efficient building envelope, lighting and HVAC system, use of renewable energy (Solar Energy), conservation of water through rain water harvesting system, and recycling of 100% wastewater treated up to tertiary level and other prescribed energy conservation initiatives. The project has been awarded with a 4 STAR rating under GRIHA Provisional certification dated 24.09.2019. GRIHA certificates are enclosed as <b>Annexure7</b>.</p>
<b>XXVIII.</b>	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination	Energy conservation measures suitable building materials have been used during construction, making provisions of solar power street lightening, are considered. The indoor and outdoor lighting system is mainly LED lights. Solar lights are partly for external lighting. Used lamps will be disposed as per the E-waste Management Rules, 2016.
<b>XXIX.</b>	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher. Follow super ECBC requirement of ECBC 2017 and provide compliance report.	Solar photovoltaic power panels of minimum 493 kW (i.e.3% of sanctioned load) will be provided as per HAREDA norms and will be used for lighting.
<b>XXX.</b>	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible	<p>Solar energy is used to meet various energy requirements of the project such as:</p> <ul style="list-style-type: none"> <li>• Solar lights are used for streets, landscape area and common areas</li> <li>• Solar water heating system is provided to meet 20% of the hot water demand.</li> </ul>
<b>XXXI.</b>	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project shall be submitted	Assurance from DHBVN is obtained for power supply in the project. Copy enclosed as <b>Annexure 8</b> .

Air Quality and Noise	
XXXII.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
XXXIII.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
XXXIV.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
XXXV.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
XXXVI.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
XXXVII.	For indoor air quality the ventilation provisions as per National Building Code of India.
Project has been designed considering the guidelines of National Building Code.	

XXXVIII.	<p>Ambient noise levels shall conform to residential standard both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.</p>	<p>Test results for monitoring conducted in the month of February 2025 for Ambient air quality &amp; noise level are enclosed as <b>Annexure 11</b>. Regular sprinkling of water is carried out at site through tanker for dust suppression. The DG sets are installed within factory made enclosure which conforms to the permissible noise level standards and also have the adequate stack height as per norms.</p>
<b>Green Cover</b>		
XXXIX.	<p>A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Preference should be given to planting native species. Where the trees need to be cut, compensatory plantation in the ratio of 1:3 (i.e. planting of 3 trees for every 1 tree that is cut) shall be done and maintained. As proposed, area of 8,392.95 sqm shall be provided exclusively for green-belt/landscape development</p>	<p>A combination of evergreen and ornamental flowering trees, palms, shrubs and ground covers, mostly indigenous/ local plants, has been planted along the sides of the roads and in open spaces &amp; along the boundary wall within the complex under the landscape plan. The total green area of the project is 8,392.95 m<sup>2</sup> including tree cover (i.e. 20.17% of plot area). Photographs showing green cover at the project site are given in <b>Annexure 12</b>.</p>
<b>Top Soil preservation and Reuse</b>		
XL.	<p>Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site</p>	<p>The topsoil excavated was stored at offsite with suitable cover and has been used for horticulture and landscaping purpose.</p>
<b>Transport</b>		
XLI.	<p>A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.</p> <ul style="list-style-type: none"> <li>• Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.</li> <li>• Traffic calming measures</li> <li>• Proper design of entry and exit points.</li> <li>• Parking norms as per local regulation</li> </ul>	<p>Traffic management plan consisting of internal road design, pedestrian movement path, separate entry exits point traffic circulation as well as ramps for entry/exit from basements are designed considering local regulation and NBC guidelines. Separate entry and exits and internal roads of suitable width are provided for smooth movement of vehicles. Parking is fully internalized, and no public space has been used for parking. Hence, there will be no traffic congestion near entry and exit points of the project site from the adjoining roads. Photographs showing parking facilities at the project site are given in <b>Annexure 13</b>.</p>
XLII.	<p>Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.</p>	<p>The vehicles having valid Pollution under Control certificate are only engaged for transportation of building materials as well as other logistic activities at the site. The vehicles without valid Pollution under Control (PUC) certificate are not permitted at project site in construction phase and also is restricted during operation phase.</p>
XLIII.	<p>A dedicated entry/exit and parking shall be provided for the commercial activities</p>	<p>Internal traffic circulation plan has been designed to include: Entry and exit gates</p> <ul style="list-style-type: none"> <li>• Ramps for entry/exit from basements</li> <li>• Adequate entry &amp; exits markings with</li> </ul>

		<p>illumination where required</p> <ul style="list-style-type: none"> <li>• Arrow markings for traffic flow directions</li> <li>• Marking of speed limits</li> <li>• Marking of parking bays</li> <li>• Pedestrian pathways &amp; pavements</li> </ul>
<b>XLIV.</b>	<p>Detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.</p>	<p>Traffic management and decongestion plan has been got duly validated and certified by the HUDA. Copy enclosed as <b>Annexure 14</b>.</p>

#### Environment management Plan

<b>XLV.</b>	<p>An environmental management plan (EMP) as prepared and submitted shall be implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.</p>	<p>EMP as prepared and submitted will be implemented in true spirit.</p> <p>During operation phase, the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. are kept operational and regularly monitored so that those facilities should be smoothly functional and meet the required environmental standards.</p>
-------------	---	---

#### Others

<b>XLVI.</b>	<p>Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.</p>	<p>The construction workers were housed at construction workers camp by the contractor. All infrastructure and facility were provided to the workers at camp. Drinking water and sanitary facilities like mobile toilets, safe drinking water, ambulance, medical health care etc. were provided for construction workers at site. The wastewater generated from mobile toilets and site offices were disposed through authorized vendor. The municipal solid waste is disposed by authorized vendor.</p>
<b>XLVII.</b>	<p>Use of environment friendly materials in bricks,</p>	<p>Fly-ash bricks/ blocks and ready mixed concrete</p>

	<p>blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.</p>	<p>containing fly-ash have been used for construction.</p>
<b>XLVIII.</b>	<p>A First Aid Room shall be provided in the project both during construction and operations of the project.</p>	<p>A first aid room was provided for the workers during construction phase of the project and first aid facility has been provided in operational phase also.</p>
<b>XLIX.</b>	<p>The company shall draw up and implement corporate social Responsibility plan as per the Company's Act of 2013.</p>	<p>Corporate Environmental Policy of DLF exists and its compliance, although has been attained, is a continuous process.</p>
<b>L.</b>	<p>As per the Ministry's Office Memorandum F. No. 22-65/2017-IA.III dated 1<sup>st</sup> May 2018, and proposed by the project proponent, an amount of Rs. 4.35 Crores @ 1.5% of project cost shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as Drinking water supply, sanitation, skill development, waste management, road development or repair, electrification including solar power, rain water harvesting and plantation. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent</p>	<p>Corporate Social Responsibility plan will be implemented as per submitted in the application for obtaining Environmental Clearance.</p>

#### **Part B- General Conditions**

I.	<p>A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/ Tehsildar's office for 30 days.</p>	Not applicable
II.	<p>The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.</p>	<p>Necessary environmental protection measures will be implemented in true spirit.</p>
III.	<p>Officials from the concerned Regional Office of MoEF&amp;CC who would be monitoring the</p>	<p>Noted and it will be followed. Officials from the Regional Office of MoEF&amp;CC,</p>

**Project: Environment clearance for Expansion of "DLF Cyber Park" in Udyog Vihar, Sector 20, Gurgaon  
Haryana (F.No.21-275/2017-IA-III, Dated-27-08-2018) (01.04.2025 to 30.09.2025)**

	implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF&CC shall be forwarded to the concerned APCCF, Regional Office of MoEF&CC	Chandigarh who would be monitoring the implementation of environmental safeguards will be given full cooperation, facilities and documents/data as required during their visit/ inspection.
IV.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this ministry.	Noted & Agreed.
V.	The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner	Additional environmental safeguards measure as per the suggestion of MoEF&CC will be implemented in true spirit.
VI.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the Forest Conservation Act, 1980 and the Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities	Clearance from Chief Controller of Explosives has been obtained for underground diesel storage tank (at the time of construction of the diesel storage tank required for the DG of operation phase) before installation. Approval for fire-fighting scheme is also obtained from the Fire Station Officer Municipal Corporation, Gurgaon vide their letter ref no. FS/MCG/2012/1934 dated 19.07.2012. Copy already enclosed as <b>Annexure 3</b> . Height Clearance obtained from Airport Authority of India vide ref no. AAI/RHQ/NR/ATM/NOC/2016/19/885 889 dated 24.05.2017. Copy enclosed as <b>Annexure 15</b> . The Project is located in Udyog Vihar, Gurgaon which falls under approved HUDA sector, therefore, NOC from DFO is not required. The Project is located in Udyog Vihar, Gurgaon which falls under approved HUDA sector, therefore, Tehsildar report through DC for Aravalli Notification is not required. The project does not fall in wildlife protection area. Hence no clearance is required under the Wild Life (Protection) Act.
VII.	These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.	Noted.
VIII.	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control	"Public Notice" regarding grant of EC has been published English and Hindi in two local newspapers namely The Indian Express and Jansatta dated 01.09.2018. Copy of newspaper advertisements are Enclosed as <b>Annexure 16</b> .

	Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a> . The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a copy of the same shall be forwarded to the concerned Regional Office of this Ministry	
IX.	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Noted and agreed.
X.	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent	Not applicable as Public Hearing was not involved. Copy of Environment Clearance letter has been uploaded on DLF's web site.
XI.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain	Six-monthly reports are regularly being submitted to Regional Office of the Ministry of Environment and Forests, HSPCB and SEIAA Haryana by 1 <sup>st</sup> June and 1 <sup>st</sup> December every year. The level of various pollutants as per Monitoring data has been displayed at site.
XII.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the) website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF&CC by email.	Environmental Statement for each financial year ending 31 <sup>st</sup> March in Form-V is submitted on time. Six-monthly compliance report along with environmental monitoring results is being submitted to the Regional Office of MoEF&CC, SEIAA-Haryana and HSPCB as per the EC conditions as due on 1 <sup>st</sup> June and 1 <sup>st</sup> December every year.

**Details of Approvals:**

Sr. No.	Approval	Approval No.	Dated	Validity
1.	Consent to Establish (CTE)	329962319GUNOCTE7046490	22.11.2019	--
2.	Consent to Operate (CTO)	329962324GUNOCTO25645816	9/07/2024	30/09/2029
3.	AAI NOC	AAI/RHQ/NR/ATM/NOC/2016/19/885-889	24.05.2017	--
4.	Power Assurance	Ch-12/PC-GC-971/SU	21.10.2016	--
5.	Water Assurance	18868	15.12.2017	--
6.	Fire Fighting Scheme	1934	19.07.2012	--

# 3

## DETAILS OF ENVIRONMENTAL MONITORING

### 3.1 AMBIENT AIR QUALITY MONITORING

#### 3.1.1 Ambient Air Quality Monitoring Stations

Ambient air quality monitoring has been carried out at 9 locations in and around the project site. This will enable to have a comparative analytical understanding about air quality and the changes in the air environment in the study area with respect to the condition prevailing. The locations of the ambient air quality monitoring stations are given in **Table 3.1**.

**Table 3.1 Details of Ambient Air Quality Monitoring Stations**

S. No.	Location Code	Location Name/ Description
1.	AAQ-1	Gate No. 1
2.	AAQ-2	Gate No. 2
3.	AAQ-3	Gate No. 4
4.	AAQ-4	HSD Tank
5.	AAQ-5	Tower No. B Ground Level(North Side Atrium)
6.	AAQ-6	Basement-1, Tower-B North Side
7.	AAQ-7	Basement-2 Tower-B North Side
8.	AAQ-8	Basement-3 Tower-B North Side
9.	AAQ-9	Basement-4 Tower-B North Side

#### 3.1.2 Ambient Air Quality Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

- Particulate Matter (PM<sub>2.5</sub>)
- Particulate Matter (PM<sub>10</sub>)
- Sulphur Dioxide (SO<sub>2</sub>)
- Oxides of Nitrogen (NO<sub>x</sub>)
- Carbon Monoxide (CO)
- Ammonia (NH<sub>3</sub>)
- Benzene (C<sub>6</sub>H<sub>6</sub>)
- Benzopyrene (BaP)
- Lead (Pb)
- Arsenic (As)
- Nickel (Ni)
- Ozone (O<sub>3</sub>)

The duration of sampling of PM<sub>2.5</sub>, PM<sub>10</sub>, SO<sub>2</sub> and NO<sub>x</sub> was 24 hourly continuous sampling per day and CO was sampled for 8 hours continuous, thrice in 24 hour duration monitoring. The monitoring was conducted for one day at each location. This is to allow a comparison with the National Ambient Air Quality Standards.

The air samples were analyzed as per standard methods specified by Central Pollution Control Board (CPCB) and IS: 5182.

Fine Particulate Sampler instruments have been used for monitoring Particulate Matter 2.5 (PM<sub>2.5</sub> i.e. <2.5 microns), and Respirable Dust Sampler was used for sampling Respirable fraction (<10 microns), gaseous pollutants like SO<sub>2</sub>, and NO<sub>x</sub>. Bladder and Aspirator bags were used for collection Carbon monoxide samples. Gas Chromatography techniques have been used for the estimation of CO.

### 3.1.3 Ambient Air Quality Monitoring Results

The detailed on-site monitoring results of PM<sub>2.5</sub>, PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> and CO are presented in **Table 3.2**.

**Table 3.2 Ambient Air Quality Monitoring Results**

PARAMETERS	AAQ1	AAQ2	AAQ3	AAQ4	AAQ5	NAAQS*
PM <sub>10</sub>	92.4	94.6	89.2	95.9	91.8	100
PM <sub>2.5</sub>	44.8	46.4	42.6	47.4	43.4	60
SO <sub>2</sub>	12.4	13.2	11.8	10.2	13.8	80
NO <sub>2</sub>	28.6	27.4	24.6	29.8	27.6	80
NH <sub>3</sub>	•BDL( **DL -20.0)	400				
CO	0.68	0.74	0.76	0.79	0.75	4
C <sub>6</sub> H <sub>6</sub>	•BDL( **DL -0.5)	5				
BaP	•BDL( **DL -0.5)	1				
Pb	•BDL( **DL -0.5)	1				
As	•BDL( **DL -1.0)	6				
Ni	•BDL( **DL -5.0)	20				
O <sub>3</sub>	28.4	22.4	26.8	22.4	27.2	180

PARAMETERS	AAQ6	AAQ7	AAQ8	AAQ9	NAAQS*
PM <sub>10</sub>	88.6	86.2	91.8	89.2	100
PM <sub>2.5</sub>	45.2	39.9	43.2	46.8	60
SO <sub>2</sub>	15.4	13.2	11.4	12.6	80
NO <sub>2</sub>	34.2	32.8	28.6	27.2	80
NH <sub>3</sub>	•BDL( **DL -20.0)	•BDL( **DL -20.0)	•BDL( **DL -20.0)	•BDL( **DL -20.0)	400
CO	0.67	0.69	0.71	0.70	4
C <sub>6</sub> H <sub>6</sub>	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	5
BaP	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	1
Pb	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	1
As	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	•BDL( **DL -0.5)	6
Ni	•BDL( **DL -5.0)	•BDL( **DL -5.0)	•BDL( **DL -5.0)	•BDL( **DL -5.0)	20
O <sub>3</sub>	23.6	25.2	23.8	24.2	180





Figure 3.1 Location-wise Variation of Ambient Air Quality



**Figure 3.2 Location-wise Variation of CO in Ambient Air Quality**

#### 3.1.4 Discussion on Ambient Air Quality in the Study Area

PM<sub>10</sub> and PM<sub>2.5</sub> levels at the project site are excess from the permissible limit of 100  $\mu\text{g}/\text{m}^3$  and 60  $\mu\text{g}/\text{m}^3$  respectively (for residential, rural and other areas as stipulated in the National Ambient Air Quality Standards). SO<sub>2</sub>, NOx and CO was observed within the corresponding stipulated limits (Limit for SO<sub>2</sub> and NOx: 80  $\mu\text{g}/\text{m}^3$  and limit for CO: 4.0  $\mu\text{g}/\text{m}^3$ ) at all monitoring locations. Station wise variation of ambient air quality parameters has been pictorially shown in **Figure 3.1 & 3.2**.

### 3.2 AMBIENT NOISE MONITORING

#### 3.2.1 Ambient Noise Monitoring Locations

The main objective of noise monitoring in the study area is to assess the present ambient noise levels in near main gate due to various construction allied activities and increased vehicular movement. A preliminary reconnaissance survey has been undertaken to identify the major noise generating sources in the area. Ambient noise monitoring was conducted at 3 locations at the boundary of the project site as given in **Table 3.3**.

**Table 3.3 Details of Ambient Noise Monitoring Stations**

Sr. No.	Location Code	Location Name	Description
1.	NI	<b>Gate No. 1</b>	Commercial
2.	N2	<b>Gate No. 2</b>	Commercial
3.	N3	<b>Gate No. 4</b>	Commercial
4.	N4	<b>HSD Tank</b>	Commercial
5.	N5	<b>Tower No. B (Ground Level)</b>	Commercial
6.	N6	<b>Basement-1, Tower No. B North Side</b>	Commercial
7.	N7	<b>Basement-2, Tower-B North Side</b>	Commercial
8.	N8	<b>Basement-3, Tower-B North Side</b>	Commercial
9.	N9	<b>Basement-4, Tower-B North Side</b>	Commercial

#### 3.2.2 Methodology of Noise Monitoring

Noise levels were measured using sound level meter. Noise level monitoring was carried out continuously for 24-hours with one hour interval starting at 06:00 hrs to 06:00 hrs next day. The noise levels were monitored on working days only.

#### 3.2.3 Ambient Noise Monitoring Results

The location wise ambient noise monitoring results is summarized in **Table 3.4**.

**Table 3.4 Ambient Noise Monitoring Results**

Sr. no.	Location	Parameter	Leq Day	Leq Night	Std. Limit
1.	Gate No.1	<b>Noise level (dB)A</b>	<b>61.50</b>	<b>48.70</b>	<b>65 Day &amp; 55 Night dB(A)</b>
2.	Gate No.2	<b>Noise level (dB)A</b>	<b>58.90</b>	<b>47.50</b>	<b>65 Day &amp; 55 Night dB(A)</b>
3.	Gate No.4	<b>Noise level (dB)A</b>	<b>59.80</b>	<b>49.85</b>	<b>65 Day &amp; 55 Night dB(A)</b>
4.	HSD Tank	<b>Noise level (dB)A</b>	<b>58.35</b>	<b>49.50</b>	<b>65 Day &amp; 55 Night dB(A)</b>
5.	Tower No. B Ground Level	<b>Noise level (dB)A</b>	<b>58.70</b>	<b>49.25</b>	<b>65 Day &amp; 55 Night dB(A)</b>
6.	Basement-1 Tower B North side	<b>Noise level (dB)A</b>	<b>54.2</b>	<b>43.25</b>	<b>65 Day &amp; 55 Night dB(A)</b>
7.	Basement-2, Tower-B North Side	<b>Noise level (dB)A</b>	<b>58.70</b>	<b>43.95</b>	<b>65 Day &amp; 55 Night dB(A)</b>

<b>8.</b>	Basement-3, Tower-B North Side	<b>Noise level (dB)A</b>	<b>58.65</b>	<b>42.2</b>	<b>65 Day &amp; 55 Night dB(A)</b>
<b>9.</b>	Basement-4, Tower-B North Side	<b>Noise level (dB)A</b>	<b>59.65</b>	<b>51.35</b>	<b>65 Day &amp; 55 Night dB(A)</b>

### 3.2.4 Discussion on Ambient Noise Levels in the Study Area

#### Day Time Noise Levels ( $L_{day}$ ):

The day time noise level at all the locations were found to within limits prescribed for Commercial area i.e. 65 db (A).

#### Night Time Noise Levels ( $L_{night}$ ):

The night time noise level at all the locations were found to within limit prescribed for Commercial area i.e. 55dB (A).

### 3.3 WATER QUALITY MONITORING

#### 3.3.1 Water Quality Monitoring Locations

Keeping in view the importance of water as an important source to the local population, sample of water was collected from the project site for the assessment of impacts of the project on the water quality.

Water sample was collected from the project site for the drinking purpose. The sample was analyzed for various parameters to compare with the standards for ground water as per IS: 10500 for ground water sources. The details of water sampling locations are given in **Table 3.5**.

**Table 3.5 Details of Raw Water Quality Monitoring Station**

S. No.	Location Code	Location Description
1.	Drinking water	Basement-1, Tower-A (From Water Cooler-3)

#### 3.3.2 Methodology of water Quality Monitoring

Sampling of water was carried out on **August 2025**. Samples were collected as grab sample and sampling forms are filled in as per the sampling plan. The preservative sample were properly added to preserve as per standard operating procedures (SOP) and stored immediately in ice boxes, which were ensured for appropriate temperatures. Sample for chemical analysis was collected in polyethylene carboys. Sample collected for metal content were acidified to  $<2$  pH with 1 ml  $\text{HNO}_3$ . A sample for bacteriological analysis was collected in sterilized glass bottles.

Soon after the completion of sampling, chain of custody sheets for the samples are filled in and then they were transported to laboratory for further analysis. Proper care was taken during packing and transportation of samples. All the samples reached the central laboratory within the holding times for different parameters. After ensuring the same the samples were forwarded immediately for analysis.

The samples were analyzed as per the standard procedures specified in 'Standard Methods for the Examination of Water and Wastewater' published by American Public Health Association (APHA) and CPCB. The analytical techniques and the test methods adopted for testing of water are given in **Table 3.6**

### 3.3.3 Water Quality Results

The detailed water quality monitoring results are presented in **Table 3.6**,

**Table 3.6 Water Quality Monitoring Results**

S. No.	Parameter	Result	Unit	Limits of IS:10500 -2012	
				Requirement (Acceptable Limit)	Permissible limit in the Absence of Alternate Source
1.	Colour	1.0	Hazen	5	15
2.	Odour	Agreeable	--	Agreeable	Agreeable
3.	Turbidity	1	NTU	1	5
4.	pH (at 25 °C)	7.70	--	6.5 to 8.5	No Relaxation
5.	Total Hardness as CaCO <sub>3</sub>	182.00	mg/l	200	600
6.	Iron as Fe	*BDL(**DL-0.02)	mg/l	0.3	No relaxation
7.	Chloride as Cl	59.30	mg/l	250	1000
8.	Residue Free Chlorine	*BDL(**DL-0.02)	mg/l	0.20	1
9.	Calcium as Ca	56.77	mg/l	75	200
10.	Magnesium as Mg	10.04	mg/l	30	100
11.	Total Dissolved Solids	251.01	mg/l	500	2000
12.	Sulphate as SO <sub>4</sub>	14.2	mg/l	200	400
13.	Fluoride as F	0.38	mg/l	1.0	1.5
14.	Alkalinity as CaCO <sub>3</sub>	130.30	mg/l	200	600
15.	Total Chromium as Cr	*BDL(**DL-0.02)	mg/l	0.05	No Relaxation
16.	Nitrate as NO <sub>3</sub>	6.28	mg/l	45	No Relaxation
17.	Zinc as Zn	*BDL(**DL-0.02)	mg/l	5	15
18.	Phenolic Compounds	*BDL(**DL-0.0004)	mg/l	0.001	0.002
19.	Copper as Cu	*BDL(**DL-0.02)	mg/l	0.05	1.5
20.	Manganese as Mn	*BDL(**DL-0.002)	mg/l	0.1	0.3
21.	Lead as Pb	*BDL(**DL-0.001)	mg/l	0.01	No Relaxation
22.	Cadmium as Cd	*BDL(**DL-0.001)	mg/l	0.003	No Relaxation
23.	Ammonical nitrogen	*BDL(**DL-0.05)	mg/l	0.5	No Relaxation
24.	Boron	0.29	mg/l	0.5	1.0
25.	Hexa Chromium	*BDL(**DL-0.02)	mg/l	0.05	No Relaxation
26.	Arsenic as As	*BDL(**DL-0.001)	mg/l	0.01	0.05
27.	Aluminium as Al	*BDL(**DL-0.02)	mg/l	0.03	0.2
28.	Cyanide as CN	*BDL(**DL-0.008)	mg/l	0.05	No Relaxation
29.	Mineral Oil	Absent	mg/l	0.5	No Relaxation
30.	Taste	Agreeable	--	Agreeable	
31.	Coli from organism	Absent	MPN/100 ml	Absent	No Relaxation
32.	E. Coli	Absent	per 100 ml	Absent	No Relaxation

### 3.3.4 Discussion on Water Quality in the Study Area

The water quality in the project area is observed to be alkaline in nature with total alkalinity reaching up 130.30 mg/L, at project against desirable limit of 200 mg/l. Total dissolved solids in the water is 251.01 mg/L, at project site against prescribed limit of 500 mg/L. However, remaining parameters are within the CPCB prescribed limits.

### 3.4 SOIL MONITORING

#### 3.4.1 Soil Monitoring Locations

The objective of the soil monitoring is to identify the impacts of ongoing project activities on soil quality and also predict impacts, which have arisen due to execution of various constructions allied activities. Accordingly, a study of assessment of the soil quality has been carried out.

To assess impacts of ongoing project activities on the soil in the area, the Physico-chemical characteristics of soils were examined by obtaining soil samples from selected points and analysis of the same. Single sample of soil was collected from the project site for studying soil characteristics, the location of which is listed in **Table 3.7**.

**Table 3.7 Details of Soil Quality Monitoring Location**

S. No.	Location Code	Location Name/ Description
1.	S1	Garden Area (Ground Floor, Tower-C)

#### 3.4.2 Methodology of Soil Monitoring

The sampling has been done in line with IS: 2720 & Methods of Soil Analysis, Part-1, 2nd edition, 1986 of American Society for Agronomy and Soil Science Society of America. The homogenized samples were analyzed for physical and chemical characteristics (physical, chemical and heavy metal concentrations). The soil samples were collected in the month of **August 2025**.

The samples have been analyzed as per the established scientific methods for Physico-chemical parameters.

The heavy metals have been analyzed by using Atomic Absorption Spectrophotometer.

#### 3.4.3 Soil Monitoring Results

Single sample of soil is collected from the site to check the quality of soil of the study area .The Physico-chemical characteristics of the soil, as obtained from the analysis of the soil sample, are presented in **Table 3.8**.

**Table 3.8 Physico-Chemical Characteristics of Soil in the Study Area**

S. No.	Parameter	Result	Unit
1.	Conductivity	516	µS/cm
2.	Water holding capacity	22.8	%
3.	Bulk density	1.32	gm/cc
4.	Chloride as Cl	32.84	mg/100g
5.	Calcium as Ca	18.6	mg/100g
6.	Sodium as Na	28.4	mg/100g
7.	Potassium as K	8.4	kg/hec.
8.	Organic Matter	3.24	%
9.	Magnesium as Mg	4.4	mg/100g
10.	Manganese	0.48	mg/100g

#### **3.4.4 Discussion on Soil Characteristics in the Study Area**

The soil in study area is characterized by moderate organic content. The soil quality in the project area has not been affected by the project activities.

### 3.5 Stack Emission Monitoring

**Table 3.9 Details of Stack Monitoring Stations**

S. No.	Location Code	Capacity
1.	DG Stack-I	2250 KVA
2.	DG Stack-II	2250 KVA
3.	DG Stack-III	2250 KVA
4.	DG Stack-IV	2250 KVA
5.	DG Stack-V	2250 KVA
6.	DG Stack-VI	2250 KVA
7.	DG Stack-VII	2250 KVA
8.	DG Stack-VIII	2250 KVA
9.	DG Stack-IX	2250 KVA
10.	DG Stack-X	2250 KVA

**Table 3.10 Stack Monitoring Results**

Location- DG Stack

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	46.5	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	32.8	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	325.4	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	28.7	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	45.6	100	IS 13270:1992

**Table 3.11 Stack Monitoring Results**

Location- DG Stack

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	44.8	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	26.4	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	382.6	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	27.4	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	38.2	100	IS 13270:1992

**Table 3.12 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	43.2	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	24.8	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	379.2	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	24.8	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	44.7	100	IS 13270:1992

**Table 3.13 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	42.8	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	22.4	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	398.2	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	28.6	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	40.8	100	IS 13270:1992

**Table 3.14 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	45.7	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	32.2	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	386.4	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	26.5	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	48.4	100	IS 13270:1992

**Table 3.15 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	43.8	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	20.8	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	354.6	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	22.4	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	44.8	100	IS 13270:1992

**Table 3.16 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	48.6	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	38.4	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	369.2	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	18.4	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	40.1	100	IS 13270:1992

**Table 3.17 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	48.6	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	32.4	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	397.1	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	32.8	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	84.6	100	IS 13270:1992

**Table 3.18 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	49.8	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	30.4	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	412.8	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	34.2	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	91.4	100	IS 13270:1992

**Table 3.19 Stack Monitoring Results**

**Location- DG Stack**

Sr. No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/nm <sup>3</sup>	48.4	50	IS 11255(P1)
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/nm <sup>3</sup>	37.3	--	IS 11255(P2)
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	PPMV	416.8	650	IS 11255(P7)
4.	Non Methane Hydro-Carbon (NMHC) (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	29.6	100	IS 13270:1992
5.	Carbon Monoxide (CO), (15 % O <sub>2</sub> )	mg/nm <sup>3</sup>	73.5	100	IS 13270:1992

### 3.6 Point Source Noise Monitoring

**Table 3.20 DG Noise Monitoring Result**

S. No	Parameters	Protocol	Unit	Noise Level Inside (When DG Set On)	Noice Level Outside (When DG Set on)	Insertion Loss
1.	$L_{eq}$	IS-4758	dB (A)	<b>97.8</b>	<b>74.6</b>	<b>27.2</b>
2.	Limits)	--	dB (A)		75.0	

### 3.6 Waste Water Monitoring

Sampling of STP water was carried out on **August 2025**. Samples were collected as grab sample and sampling forms are filled in as per the sampling plan. The preservative sample were properly added to preserve as per standard operating procedures (SOP) and stored immediately in ice boxes, which were ensured for appropriate temperatures. Soon after the completion of sampling, chain of custody sheets for the samples are filled in and then they were transported to laboratory for further analysis. Proper care was taken during packing and transportation of samples. All the samples reached the central laboratory within the holding times for different parameters. After ensuring the same the samples were forwarded immediately for analysis. The samples were analyzed as per the standard procedures specified in 'Standard Methods for the Examination of Water and Wastewater' published by American Public Health Association (APHA) and CPCB. The analytical techniques, the test methods adopted for testing of STP water & results are given below **Table 3.22 & 3.23**

#### 3.6.1 Waste Water Quality Monitoring Locations

Waste water sample was collected from factory STP location. The details of waste water sampling locations are given in **Table 3.21**

**Table 3.21 Details of Waste Water Quality Monitoring**

S. No.	Location Code	Location Name/ Description
1.	WW1	STP Inlet
2.	WW2	STP Outlet

#### 3.7.2 Waste water result

**Table: 3.22 STP Inlet Result**

S. No.	Parameter	Unit	Result	Protocol Used
1.	Colour	-	Yellowish	IS-3025 (P-4)
2.	Odour	-	Objectionable	IS-3025 (P-5)
3.	pH	-	7.25	IS-3025 (P-11)
4.	Chemical Oxygen Demand	Mg/l	460.00	APHA 24th Ed.
5.	BOD (at 27°C for 3 Days)	Mg/l	82.8	IS-3025 (P-44)
6.	Total Suspenden Solids	Mg/l	116.00	IS-3025 (P-17)
7.	Oil & Grease	Mg/l	8.0	IS-3025 (P-39)
8.	Total Phophorus (as P)	Mg/l	4.12	IS-3025 (P-34)
9.	Total Nitrogen (as N)	Mg/l	8.64	IS-3025 (P-31)
10.	Faecal Coliform	MPN/100ml	296	IS1622:1981

Table: 3.23 STP Outlet Result

S. No.	Parameter	Unit	Result	Standard Limits as Per NGT Guidelines	Protocol Used
1.	<b>Colour</b>	-	<b>Colourless</b>	<b>Colourless</b>	IS-3025 (P-4)
2.	<b>Odour</b>	-	<b>Odourless</b>	<b>Odourless</b>	IS-3025 (P-5)
3.	<b>pH</b>	-	<b>7.55</b>	5.5-9.0	IS-3025 (P-11)
4.	<b>Chemical Oxygen Demand</b>	Mg/l	<b>36.00</b>	50	APHA 24th Ed.
5.	<b>BOD (at 27°C for 3 Days)</b>	Mg/l	<b>6.48</b>	10	IS-3025 (P-44)
6.	<b>Total Suspended Solids</b>	Mg/l	<b>16.00</b>	20	IS-3025 (P-17)
7.	<b>Oil &amp; Grease</b>	Mg/l	<b>2.40</b>	10	IS-3025 (P-39)
8.	<b>Total Phosphorus (as P)</b>	Mg/l	<b>0.48</b>	1.0	IS-3025 (P-34)
9.	<b>Total Nitrogen (as N)</b>	Mg/l	<b>2.24</b>	10	IS-3025 (P-31)
10.	<b>Faecal Coliform</b>	MPN/100ml	<b>42.00</b>	230	IS1622:1981



**HARYANA STATE POLLUTION CONTROL  
BOARD**

**Gurgoan North Vikas Sada, 1st Floor, Near DC Court,  
Gurgaon Ph. 0124-2332775**



**Website: [www.hspcb.gov.in](http://www.hspcb.gov.in) E-Mail - [hspcb.pkl@sifymail.com](mailto:hspcb.pkl@sifymail.com)**

**Telephone No.: 0172-2577870-73**

**No. HSPCB/Consent/ : 329962319GUNOCTE7046490**

**Dated:22/11/2019**

**To.**

**M/s : DLF Cyber Park in Sector 20 Gurgaon  
Plot No. 405B, Udyog Vihar Phase II, Sector 20, Gurgaon  
GURGAON  
122010**

**Sub. : Grant of consent to Establish to M/s DLF Cyber Park in Sector 20  
Gurgaon**

Please refer to your application no. 7046490 received on dated 2019-11-19 in regional office Gurgaon North.

With reference to your above application for consent to establish,M/s DLF Cyber Park in Sector 20 Gurgaon is here by granted consent as per following specification/Terms and conditions.

<b>Consent Under</b>	AIR/WATER
<b>Period of consent</b>	19/11/2019 - 04/01/2022
<b>Industry Type</b>	Building and construction project having waste water generation more than 100 KLD
<b>Category</b>	RED
Investment(In Lakh)	154117.0
Total Land Area (Sq. meter)	47817.58
Total Builtup Area (Sq. meter)	359310.3
<b>Quantity of effluent</b>	
1. Trade	0.0 KL/Day
2. Domestic	1150.4 KL/Day
Number of outlets	1.0
<b>Mode of discharge</b>	
1. Domestic	Reuse & recycled
2. Trade	-
<b>Permissible Domestic Effluent Parameters</b>	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O & G	10 mg/l

5. pH	5.5.9.5 -
<b>Permissible Trade Effluent Parameters</b>	
1. NA	0 mg/l
Number of stacks	10
<b>Height of stack</b>	
1. Stack attached to DG set no. 1 (2500 KVA)	6 Meter
2. Stack attached to DG set no. 2 (2500 KVA)	6 Meter
3. Stack attached to DG set no. 3 (2500 KVA)	6 Meter
4. Stack attached to DG set no. 4 (2500 KVA)	6 Meter
5. Stack attached to DG set no. 5 (2500 KVA)	6 Meter
6. Stack attached to DG set no. 6 (2500 KVA)	6 Meter
7. Stack attached to DG set no. 7 (2500 KVA)	6 Meter
8. Stack attached to DG set no. 8 (2500 KVA)	6 Meter
9. Stack attached to DG set no. 9 (2500 KVA)	6 Meter
10. Stack attached to DG set no. 10 (2500 KVA)	6 Meter
<b>Permissible Emission parameters</b>	
1. NA	0
<b>Capacity of boiler</b>	
1. NA	0 Ton/hr
<b>Type of Furnace</b>	
1. NA	0 0
<b>Type of Fuel</b>	
1. Diesel	3.3 KL/day

**Regional Officer, Gurgaon North**  
**Haryana State Pollution Control Board.**

#### **Terms and conditions**

1. The industry has declared that the quantity of effluent shall be 1150.4 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 1150.4 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 24 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.

3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable

4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.

5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production

6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.

7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience

8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.

9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.

10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.

12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.

13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.

14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.

15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.

16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.

17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.

18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.

19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

### Specific Conditions

#### Other Conditions :

1. CTE so granted is on the basis of detail submitted by the unit in online application, CTE granted will be without prejudice to any violation made by unit in past & will be deemed revoked & further action will be taken as per law if any violation is observed at any stage.
2. Unit will not change the quantity of domestic effluent/trade effluent/air emission without prior permission of the Board.
3. Unit will obtain prior CTO before starting of production.
4. Unit will obtain all necessary clearance from all concerned departments.
5. The unit will install STP/ETP/APCM along with the main project.
6. The unit will install the project only on the land for which Town and Country Planning Department/HUDA/HSHDC has given license.
7. The unit will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules.
8. Unit will apply for CTO/ CTE Extension at least 90 days before expiry date of this CTE.
9. That in case any additional charges / fees / penalty etc. are found payable towards this authorization / CTO/ CTE as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office.
10. If at any stage found that unit was involved in any past violation, If at any stage found that unit was involved in any past violation regarding Environment Laws / Rules / Acts then CTE so granted shall be revoked automatically & legal action will be initiate against the project proponent.
11. Unit will use only treated effluent supplied from Sewage treatment plant during construction phase of the project
12. That this CTE will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question.
13. Unit will not discharge any type Treated or untreated effluent outside the premises of the project.
14. Unit will not use in their DG set as a fuel i.e. pet coke, furnace oil and LSHS etc.
15. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants.
16. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible.
17. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc.
18. Unit will not discharge any type of effluent outside of the premises of the project and reuse/recycle of treated waste water.
19. Continuous monitoring of effluent quality / quantity in large and medium Red Category Industries.
20. A detailed water harvesting plan may be submitted by the project proponent.
21. Unit will achieve zero discharge and install latest technology of STP and reuse/recycle of treated effluent.
22. Unit will dispose off their waste/spent oil of DG sets only 2 authorized recyclers by the HSPCB.
23. Monitoring of compliance of EC conditions may be submitted with third party audit every year.
24. The % of the CER may be least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance.
25. Unit will submit the above mentioned compliance within 90 days.

*Regional Officer, Gurgaon North*





## HARYANA STATE POLLUTION CONTROL BOARD

Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-2332775 Email:-

hspcbrgrn@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 329962324GUNOCTO25645816

Dated:29/07/2024

To.

M/s :DLF Cyber Park in Sector 20 Gurgaon  
Plot No. 405B, Udyog Vihar Phase II, Sector 20, Gurgaon

Subject: Grant of consent to operate to M/s DLF Cyber Park in Sector 20 Gurgaon.

Please refer to your application no. 25645816 received on dated 2024-06-30 in regional office Gurgaon North. With reference to your above application for consent to operate, M/s DLF Cyber Park in Sector 20 Gurgaon is hereby granted consent as per following specification/Terms and conditions.

<b>Consent Under</b>	BOTH
<b>Period of consent</b>	01/10/2024 - 30/09/2029
<b>Industry Type</b>	Building and Construction projects having waste water generation more than 100 KLD in respective of their built-up area
<b>Category</b>	RED
Investment(In Lakh)	164097.0
Total Land Area(Sq. meter)	47817.0
Total Builtup Area(Sq. meter)	306915.0
<b>Quantity of effluent</b>	
1. Trade	0.0 KL/Day
2. Domestic	1150.4 KL/Day
Number of outlets	1.0
<b>Mode of discharge</b>	
1. Domestic	reuse
2. Trade	
<b>Domestic Effluent Parameters</b>	
1. BOD	10 mg/l
2. COD	50 mg/l
3. TSS	20 mg/l
4. PH	5.5-9.0
5. Total Nitrogen	10 mg/l
6. Oil & Grease	10 mg/l
7. Total phosphorus(For discharge into Ponds, Lakes)	1 mg/l

8. Fecal Coliform( MPN/100ml)	less than 100
<b>Trade Effluent Parameters</b>	
1. NA	
Number of stacks	1
<b>Height of stack</b>	
1. DG set 10 nos ( 2250 KVA each)	6 Meter
<b>Emission parameters</b>	
1. NA	
<b>Product Details</b>	
1. N.A	Metric Tonnes/day
<b>Capacity of boiler</b>	
1. N.A	Ton/hr
<b>Type of Furnace</b>	
1. N.A	
<b>Type of Fuel</b>	
1. Diesel	3.30 KL/day
<b>Raw Material Details</b>	
N.A	Metric Tonnes/Day

## HARYANA STATE

*Regional Officer, Gurgaon North  
Haryana State Pollution Control Board.*

### Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.

7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.

8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.

9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

17. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource.

18. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of MOEF/CPCB/SPCB/NGT/ any court of law.

19. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.


#### **Specific Conditions :**

1. That the unit will run and maintain it's STP regularly and properly, will provide separate energy meter on their STP and maintain the Log Book for energy consumption of STP and chemicals used daily for the STP.
2. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the

Air/Water/EP Act 3. That the unit will adopt cleaner technology thereby reducing pollution load. 4. That the unit will provide interlocking arrangement of DG set with STP and shall have separate D.G. set to ensure regular and effective running of pollution control devices. 5. That the unit will not discharge any untreated effluent inside and outside its premises. 6. Unit will provide separate flow meter at Inlet/ Outlet of STP for which separate log book will be maintained if required. 7. That the unit will not add any air polluting process/ machinery and also not to add any process which increases the water pollution load. 8. That the unit will comply with all the provisions of Hazardous Waste Rules and submit return under HWM Rules on yearly basis. 9. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land. 10. Unit will submit analysis report from recognized laboratory under air /water act every year as applicable. 11. Unit will apply for consent to operate for further period 90 days before expiry of this consent otherwise penalty will be imposed as per policy. 12. Unit will submit copy of authorization under HWM rules issued by the board within 30 days. 15. Unit will take prior permission from CGWA before extracting groundwater. 16. Unit will ensure that rain water does not get mixed with domestic effluent. 17. Unit will install Emission control measures on DG set of capacity more than 500 KVA having minimum specified PM capturing efficiency of at least 70% approved by CPCB recognized labs or shift to gas based generator in compliance of HSPCB office order no. 4230-44 dated 25.06.2020. specific condition of the Board.

## HARYANA STATE

*Regional Officer, Gurgaon North  
Haryana State Pollution Control Board.*





**Haryana State Pollution Control Board**  
Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-  
2332775 Email:- [hspcbrogrn@gmail.com](mailto:hspcbrogrn@gmail.com)



No. :HWM/GUNO/2024/71961023

DT: 02/08/2024

To

M/s DLF Cyber Park in Sector 20 Gurgaon  
Plot No. 405B, Udyog Vihar Phase II, Sector 20, Gurgaon  
Gurgaon north

**Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016**

1. Reference of application:71961023 dated: 02/08/2024
2. DLF Cyber City Developers Limited of DLF Cyber Park in Sector 20 Gurgaon is hereby granted an authorization for generation, storage on the premises situated at Plot No. 405B, Udyog Vihar Phase II, Sector 20, Gurgaon

**HARYANA STATE**

Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Used/spent oil	Dispose to approved facility	7.9 KL/Annum
2	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Wastes/residues containing oil	Dispose to approved facility	0.150 T/Annum

1. The authorization shall be valid for a period of 01/10/2024 to 30/09/2029
2. The authorization is subject to the following general and specific conditions :-

(i) 1. The unit will submit the Annual Report under HWM Rules by 30th June and Environment Statement by 30th September every year. 2. Unit will apply for renewal of consent/Authorization at least 90 days before expiry date of the consent/Authorization. 3. The hazardous waste generated by the unit will be disposed off through authorized TSDF/recyclers / Refiners of hazardous waste. 4. Unit will comply all the applicable Law/Acts/CPCB directions under the HOWM, Rules 2016 time to time, Unit will submit Annual Return under HWM, Rules timely. 5. Unit will maintain the record of storage and sold out the waste/spent oil of dg sets and same will submit in board on yearly basis. 6. That the authorization under HWM rules so granted shall become invalid in case of violation of any of the above / any law of the land.

**Regional Officer Gurgaon North  
For Haryana State Pollution Control Board**

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.
10. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
11. The imported hazardous and other wastes shall be fully insured for transit as well for any accidental occurrence and its clean-up operation.
12. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
13. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific condition of authorisation.
14. The importer or exporter shall bear the cost of import and mitigation of damages if any.

**Regional Officer Gurgaon North  
For Haryana State Pollution Control Board**


**manish consultants**

C 8/1 ARDEE CITY, GURGAON 122002  
TEL: +91.124.4295189, +91.124.4144714  
manish@manishconsultants.com

**STRUCTURAL STABILITY CERTIFICATE**

This is to certify that, we have been retained by M/s DLF City Developers Limited for the structural design of the proposed DLF Cyber Park at Plot No. – 405 B, Sector – 20, Udyog Vihar, Gurgaon. In this regard we confirm as follows:

1. The structural design shall be in conformity with the provisions of NBC, as stipulated by the Bureau of Indian Standards.
2. The building superstructure and the foundation shall be designed for the appropriate seismic loads, all dead loads and live loads, wind pressure etc. In all cases, normal strengthening to resist distress during earthquake shall be provided in the designs.
3. The roof slab of extended basement (at ground level) external to the building shall be designed to take fire tender load up to 60MT.
4. The structural analysis and designs shall be carried out for seismic Zone – V as per IS 1893-2002, IS 13920-1993 and as per IS 456-2000.

Signature :   
Name of Structural Engineer : Manish Kumar Gupta

Stamp : **MANISH CONSULTANTS**  
C-8/01, Ardee City, Ground Floor,  
Gurgaon-122002 (Haryana)  
Tel. 0124-4205189  
Telefax: 0124-4144714

Designation : Principal Consultant

Qualification : B.E. (Civil), M.E. (Structures),

Membership Number : MIAStructE M009

On Behalf of : Manish Consultants  
C 8/01 Ardee City,  
Gurgaon 122002

From

Commissioner,  
 Municipal Corporation.  
 Gurgaon

To

M/s DLF Cyber City Developers Ltd.,  
 Shopping Mall Complex, arjun Marg,  
 DLF City, Phase-I,  
 Gurgaon.

No. FS/MCG/2012/ 1934

Dated: 19/07/12

**Sub :** Approval of fire fighting scheme from the fire safety point of view of the Cyber Park , Meas. 11.816 acres in Sector-20, Gurgaon of M/s Cyber City Developers Ltd.

Reference your letter no. NIL dated- 07.13.12 & CFC application No 201203131158 Dated 13-03-2012 on the subject cited above.

Your case for the approval of fire fighting scheme has been examined by the Fire Station Officers along with A.D.F.O., Gurgaon. The Fire fighting scheme is found as per the N.B.C. 1983 Part IV revised 2005/ guidelines. So that proposed fire fighting scheme is hereby approved from the fire safety point of view with the following conditions:-

- 1) The proposed fire fighting scheme is approved as submitted in the building plan subject to the approval of building plan by the competent authority.
- 2) Overhead & underground water tanks provided for firefighting shall be so constructed in such a way that the domestic water tank shall filled from overflow of the fire Water tanks.
- 3) As soon as the installations of fire fighting arrangements are completed, the same may be got inspected/ tested and clearance should be obtained from this office.
- 4) The Malba generated during the construction of the building as well as after completion shall be carried to the designated malba dumping site of the Municipal corporation Gurgaon.
- 5) If you fail to comply with any of the above terms & conditions you will be liable to be punished as per Chapter-III Section 31 Sub-Section 1 & 2 of Fire Act 2009 i.e. imprisonment for a term which may extend to three month or fine which may extend to five thousand rupees or both.

Asst. Divisional Fire Officer  
 For Commissioner,  
 Municipal Corporation  
 Gurgaon

**OFFICE OF THE EXECUTIVE ENGINEER, HUDA DIVISION NO.III, GURUGRAM**

To

M/s DLF Limited  
DLF Gateway Tower, 2<sup>nd</sup> Floor,  
DLF City Phase-III,  
Gurugram

Memo No. 18868

Dated 15/12/17

Subject: Assurance for Water Supply of 990 kld to DLF Cyber Park in Plot No. 405-B, Udyog Vihar, Phase-III, Sector 20, Gurugram, Haryana

Ref: Your office letter dated 12<sup>th</sup> December 2017

In this regard it is intimated that capacity of canal water supply system of Gurugram is 126 MGD, out of which present committed supply is about 70 to 80 MGD. In future 990 KLD (i.e. 0.218 MGD) canal water will be given to this project as assured vide our memo no. 1000 dated 30/1/17. After giving water to this project, balance quantity of water will remain about 46 to 56 MGD.

This is for your information and n/a please

  
EXECUTIVE ENGINEER,  
HUDA, DIVISION NO-III,  
GURUGRAM

Endst. No.

Dated

A copy of the above is forwarded to Sub Divisional Engineer, HUDA, Sub Division No. 12, Gurugram for information please.

  
EXECUTIVE ENGINEER,  
HUDA, DIVISION NO-III,  
GURUGRAM

Ref.: JLL\_Comm/2024-25/088

Date: 27<sup>th</sup> June 2024

**M/s Om Industries**  
 Jind Road  
 Rohtak (Haryana)  
 Kind Attention: Mr. Pankaj Chauhan (9873225716)

**Sub: Letter of Intent for safe disposal of hazardous waste (used lube oil, empty drums & Oil Filter).**

Dear Sir,

We are pleased to award you the LOI for collection, transportation and/or disposal of used lube oil from time to time according to the below mentioned commercial and on the terms and conditions as mentioned in Annexure 'A' of this LOI.

S. No.	Description	Qty.	Net Rate Including GST
1	Used oil of Engine and DG Sets without water – (Capacity 220 ltr. Including drum)	Per Drum	8,800.00
2	Less than 220 ltr. drum	Per Ltr.	20.00
3	Empty Drums	Nos.	650.00
4	Oil Filter	Nos.	Free of Cost

Supply Locations: As mentioned in Annexure 'B'.

This LOI shall be effective from 1<sup>st</sup> July 2024 to 30<sup>th</sup> Sep 2024. After the expiry of the term of this LOI by afflux of time, the same may be renewed in writing on the terms and conditions as may be mutually decided between the parties.

Please acknowledge the receipt and return the duplicate copy as a token of your acceptance.

For Jones Lang LaSalle  
 Building Operations Pvt. Ltd.

  
 (Authorised Signatory)

  
 James Lang LaSalle Building Operations Pvt Ltd  
 Level 12 Tower B DLF Cyber Park  
 Udyog Vihar Phase II Gurugram 122008

+91 124 460 5000 F +91 124 460 5001  
 admin.pam@ap.jll.com | jll.co.in

for Om Industries



  
 (Authorised Signatory)

Registered Office:  
 No 1110 Level 11 Ashoka Estate 24 Barakhamba Road New Delhi 110001

+91 11 4175 7099/4615 2736  
 Company CIN No. U74140DL2002PTC117573

**SCOPE OF WORK**

1. Om Industries undertakes and ensures that they shall load vehicle with the used lube oil in the presence of the authorized representative of JLLBO.
2. Om Industries ensures that the used lube oil will be stored as per the categorization and adequately segregated in accordance with the applicable laws. All precautions shall be taken by Om Industries to avoid spillage of any kind and leaching to the soil. Further Om Industries ensure that it shall depute /deploy trained, skilled, well equipped, experienced, medically fit personnel along with items/apparatus/vehicles, safety devices/ equipment's, etc. as required and as are necessary for providing the services and having requisite knowledge of type of hazardous waste being handled.
3. Om Industries shall ensure that the vehicle used for transportation of hazardous material is in perfect condition to the satisfaction of JLLBO and the deputed /deployed personal such as driver has valid driving license and other permission and necessary documents required to provide the services.
4. Om Industries will ensure that before loading all hazardous waste/ used oil, containers are labeled as per the applicable laws.
5. Om Industries shall ensure that only the permitted hazardous waste shall be removed and further undertakes that they shall not remove anything not permitted by JLLBO. In case Om Industries or any person deployed by them is found to be in violation of the above, then JLLBO shall have right to terminate the LOI forthwith and to initiate legal action as per applicable laws.

A7





## OTHER TERMS & CONDITIONS

1. Om Industries shall has assured that they shall comply with applicable laws, by-laws, rules, regulations, orders, ordinance, notifications protocols, codes, guidelines, policies, notices , directions , judgments, decree or other requirements or officials directive of any governmental Authority or person acting under the authority of any governmental authority and / or any statutory authority in India including laws relating to fire, environment, health and safety etc. whether in effect on the date of this LOI or thereafter related to the collection, treatment, transportation, storage or disposal of hazardous wastes (hereinafter to be referred as the "Applicable Laws").
2. Om Industries shall collect the used oil from various buildings at DLF Cyber City-Gurgaon & DLF Centre- Delhi intimated by JLLBO time to time as per the Applicable law and as per the terms and conditions of this LOI.
3. Om Industries undertakes to fulfill all the formalities and requirements of Government of India, Ministry of Environment and Forest and CPCB and any other concerned authorities for providing the service to JLLBO. Further Om Industries shall be responsible to comply with the applicable laws and undertakes and agrees that in the event they fail to comply with any of the applicable laws then Om Industries shall be liable and responsible for violation for the same. In the event the Om Industries found to be violating any of the above terms and conditions of this LOI and / or any applicable laws, then JLLBO have right to terminate this LOI forthwith.
4. Om Industries ensures that the hazardous waste will be loaded, stored and all the requisite documents shall be provided to JLLBO as per Applicable laws which includes copy of Term card (as per Form-9 & 10 of the hazardous waste (management and handling) rules 1989 amended 2016).
5. Om Industries will produce consent/approvals from concerned State Pollution Control Board and from Ministry of Environment & Forest and provide the same to JLLBO.
6. Payment Terms: 100% payment through Demand Draft in favour of "Jones Lang LaSalle Building Operations Pvt. Ltd." at the time of pickup of batteries from building.
7. JLLBO will receive the 7 copies of manifest from Om Industries as per Form 10 of the hazardous waste (management and handling) rules 1989 amended 2016.
  - Copy-1 (White): Copy 1 will be forwarded to SPCB/PCC by occupier.
  - Copy-2 (Yellow): Copy 2 will be retained by the occupier.
  - Copy-3 (Pink): Copy 3 will be retained by the First Party.
  - Copy-4 (Orange): Copy 4 will be returned to the transporter after accepting waste.
  - Copy-5 (Green): Copy 5 will be forwarded to Pollution Control Board after disposal.
  - Copy-6 (Blue): Copy 6 will be returned to Second party after safe disposal.
  - Copy-7 (Grey): Copy 7 will be forwarded to Pollution Control Board after disposal if recycle from other state.

AJ  
NBL  
NLP  
JL




NBL  
NLP  
JL



## Annexure-B

S. NO.	BUILDING NAME	ADDRESS
1	Building-5	DLF Building-5, DLF Cyber City, Phase-3, Gurgaon - 122001
2	Building-6	DLF Building-6, DLF Cyber City, SEZ Sector-24 & 25A, Gurgaon - 122002
3	Building-7	DLF Building-7, DLF Cyber City, Phase-3, Gurgaon - 122001
4	Building-8	DLF Building-8, DLF Cyber City, Phase-2, Gurgaon - 122001
5	Building-9	DLF Building-9, DLF Cyber City, Phase-3, Gurgaon - 122001
6	Building-10	DLF Building-10, DLF Cyber City, Phase-2, Gurgaon - 122001
7	Building-14	DLF Building-14, SEZ Sector-24 & 25, DLF Cyber City, Gurgaon - 122001
8	DLF Forum	DLF Forum, DLF Cyber City, Phase-3, Gurgaon - 122001
9	Gateway Tower	DLF Gateway Tower, DLF Cyber City, Phase-3, Gurgaon - 122001
10	Infinity Tower	DLF Infinity Tower, Cyber City, Phase-2, Gurgaon - 122001
11	Cyber Green	DLF Cyber Green, DLF Cyber City, Phase-3, Gurgaon - 122001
12	Cyber Park	Cyber Park, Opposite Trident Hotel, Udyog Vihar, Phase-IV Gurgaon-122001
13	Cyber Hub	DLF Cyber Hub, DLF Cyber City, Phase-2, Gurgaon - 122001
14	Down Town	Down Town, Shankar Chowk, Gurgaon-122001
15	DLF Centre	DLF Centre, Sansad Marg, New Delhi-110001,
16	DLF IT Park – Commercial	DLF IT Park, Plot No. 22&23, Kishangarh , Chandigarh
17	DLF IT Park – Mall	DLF IT Park, Plot No. 22&23, Kishangarh , Chandigarh




Bond

Indian-Non Judicial Stamp  
Haryana Government

Date : 24/11/2016

Certificate No. G0X2016K1805



Stamp Duty Paid : ₹ 10

(Rs. Ten Only)

GRN No. 21546810



Penalty : ₹ 0

(Rs. Zero Only)

Deponent

Name : Doodl

H.No/Floor : Na

Sector/Ward : Na

Landmark : Dif ph 3

City/Village : Gurgaon

District : Gurgaon

State : Haryana

Phone : 9811353739



Purpose : OTHER to be submitted at Gurgaon

The authenticity of this document can be verified by scanning this QRCode Through smart phone or on the website <https://egraphy.nic.in>UNDERTAKING

I, Giriraj Shah, s/o Late Mr. Sri Ram Shah, authorized signatory of M/s DLF Cyber City Developers Ltd. for the project Commercial Building "DLF Cyber Park" in Plot No. 405-B, Udyog Vihar, Phase-III, Sector-20, Gurgaon, Haryana, on behalf of the company, do hereby solemnly affirm and undertake the following:

1. That the construction work has been started at the project site after obtaining the Environmental Clearance from SEIAA Haryana vide memo no. SEIAA/HR/2015/31 dated 05.01.2015. At present construction of the basements is in progress.
2. That there is no revenue rasta passing through the project site.
3. That relevant ROW required for electrical High Tension (HT) wire shall be maintained.
4. That no groundwater is being used for construction work of the above project. Treated effluent from the existing HUDA STP is being used for construction work.
5. That ultra low sulphur diesel (ULSD) will be used as fuel for the proposed DG sets in the building.
6. That as per Amendment No. 2 of 2015 to NBC 2005, provision of Helipad is not required for the building as its height is less than 200 meter.
7. That there is no covered/ open nallah crossing the project site.

DEPONENT

VERIFICATION

It is verified that the above contents of the undertaking are true and correct to the best of my knowledge and belief.

DEPONENT

Date: 24.11.2016



## **GREEN RATING FOR INTEGRATED HABITAT ASSESSMENT**

*DLF Cyber Park Project  
Gurgaon*

*has been awarded with a*


**‘Four Star’**

*rating under*

**GRIHA Pre-Certification**



*Date of Issue: 12<sup>th</sup> June 2017*

  
**Chief Executive Officer  
GRIHA Council**

Note : Precertification has been awarded based on documentation provided by project team in compliance with the requirements of GRIHA. Any change in the specifications shall be intimated to GRIHA Council. Pre-certification is valid only as per report attached with subsequent compliance to GRIHA.



## DAKSHIN HARYANA BIJLI VITRAN NIGAM

(A Government of Haryana Undertaking)  
Office of the General Manager

Superintending Engineer 'OP' Circle  
Mehrauli Road, Gurgaon.

0124-2322427

Fax: 0124-2306590  
No:

e-mail: [se.gurgaon@gmail.com](mailto:se.gurgaon@gmail.com)

To:

✓ M/s DLF Cyber Park  
Udyog Vihar, Phase-II,  
Sector-20, Gurgaon.

Memo No. Ch- 12 /PC-GC- 971 /SU Dated: 20/10/2016

Sub: Approval for electrification plan of DLF Cyber Park area measuring 11.816acres in Udyog Vihar, Phase-II, Sector-20, Gurgaon with ultimate load of 14522KW or 16135KVA.

As per the decision taken in the technical feasibility committee meeting held on dated 14.09.2016 and M.O.M. circulated vide Chief Engineer/Commercial DHBVN, Hisar endst. No.Ch-95/SE/C/320/14/Vol-II dated 13.10.2016 through email on dated 14.10.2016, the extract in the subject cited case is under: -

CE/Op, Delhi intimated that the ultimate load of the applicant is 14522 KW or 16135 KVA, which will be fed on 66KV supply pressure from 220/66KV S/Stn. Sector-20, Gurgaon through 66KV independent feeder at the cost of the applicant. It was further intimated that since the supply is proposed to be given on 66KV, in principle approval is required for location of control room/ metering panels etc. CE/TS raised the concern that the bay cannot be kept reserved indefinitely.

The Committee considered the proposal and approved the same, subject to deposit of cost of the bay by the developer.

This is for your information & necessary action, please.

Superintending Engineer  
'OP' Circle DHBVN, Gurgaon

C.C.to: -

- 1- The XEN S/U 'OP' Divn. DHBVN, Gurgaon.
- 2- The SDO CCC Maruti S/Divn. DHBVN, Gurgaon.

DLF


**Annexure 9**

**Photographs Showing Workers Working at the Project Site**



**Annexure 10**

**Photographs Showing DG Sets at the Project Site**



# TEST REPORT

Sample Number: EPAL/AA/20/08/14018

Name &amp; address of Project : M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Report No.:

EPAL/20/08/14018

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Sample Description : Ambient Air Sample

IS:5182, EPA Method

Period of Analysis:

14/08/2025 to 18/08/2025

Sampling &amp; Analysis Protocol: IS:5182, EPA Method

Date of Receiving :

14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Gate No.- 1
- Date of Monitoring : 12/08/2025 to 13/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.15
- Duration of Monitoring (min.) : 1443 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1659.45
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/01
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS


Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	92.4	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	44.8	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	12.4	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	28.6	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.68	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL -1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	28.4	180	IS:5182 Part-9

Note: -NAAQS = National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date : 12/09/2025 Customer as per their EMPI Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14019  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14019  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Gate No.-2
- Date of Monitoring : 12/08/2025 to 13/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.15
- Duration of Monitoring (min.) : 1446 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1662.9
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/02
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter (PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	94.6	100	IS:5182 Part-23
2	Suspended Particulate Matter (PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	46.4	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	13.2	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	27.4	80	IS:5182 Part-6
5	Ammonia (NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.74	4	IS:5182 Part-10
7	Benzene (C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead (Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic (As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 1.0)	6	EPAL/QAL/STP/005, SP - 7
11	Nickel (Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone (O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	22.4	180	IS:5182 Part-9

Note: #NAAQS – National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B), (Part-II-sec-3(i))] 18.11.2009  
 \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date : Submitted by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**TEST REPORT**

Sample Number: EPAL/AA/20/08/14020  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14020  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

**AMBIENT AIR ANALYSIS TEST REPORT**
**General Information:-**

1. Sampling Location : Gate No.-4  
 2. Date of Monitoring : 12/08/2025 to 13/08/2025  
 3. Sampling flow rate (m<sup>3</sup>/min.) : 1.13  
 4. Duration of Monitoring (min.) : 1445(except CO & Ozone: 60 min.)  
 5. Total volume of air sampled (m<sup>3</sup>) : 1632.85  
 6. Sampler location w.r.t. height (m) : 3.5  
 7. Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C  
 8. Surrounding Activity : Human & Vehicular Activities  
 9. Scope of Monitoring : Regulatory Requirement  
 10. Instrument Used : RDS & FPS sampler with all Accessories  
 11. Instrument Code : EPAL/RDS-FPS/03  
 12. Instrument Calibration Status : Calibrated  
 13. Meteorological condition during monitoring : Cloudy  
 14. Control Measure if Any : No  
 15. Sample collected by : Lab Representative  
 16. Parameter Required : As per work order

**TEST RESULTS**

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	89.2	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	42.6	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	11.8	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	24.6	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.76	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL -1.0)	6	EPAL/QADV/STP/005, SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	26.8	180	IS:5182 Part-9

Note: \*NAAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date : 12/09/2025 as per Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**TEST REPORT**

Sample Number: EPAL/AA/20/08/14021  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14021  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

**AMBIENT AIR ANALYSIS TEST REPORT**
**General Information:-**

1. Sampling Location : HSD Tank
2. Date of Monitoring : 12/08/2025 to 13/08/2025
3. Sampling flow rate (m<sup>3</sup>/min.) : 1.15
4. Duration of Monitoring (min.) : 1441 (except CO & Ozone: 60 min.)
5. Total volume of air sampled (m<sup>3</sup>) : 1657.15
6. Sampler location w.r.t. height (m) : 3.5
7. Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C
8. Surrounding Activity : Human & Vehicular Activities
9. Scope of Monitoring : Regulatory Requirement
10. Instrument Used : RDS & FPS sampler with all Accessories
11. Instrument Code : EPAL/RDS-FPS/94
12. Instrument Calibration Status : Calibrated
13. Meteorological condition during monitoring : Cloudy
14. Control Measure if Any : No
15. Sample collected by : Lab Representative
16. Parameter Required : As per work order

**TEST RESULTS**

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	95.9	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	47.4	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	10.2	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	29.8	80	IS:5182 Part-6
5	Ammoneum(NH <sub>3</sub> )	( $\text{kg}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.79	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL -1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	22.4	180	IS:5182 Part-9

Note: \*NAAQS = National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (OB)], [Part-II-sec.-3(6)] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date : Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**TEST REPORT**

Sample Number: EPAL/AA/20/08/14022  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14022  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

**AMBIENT AIR ANALYSIS TEST REPORT**
**General Information:-**

1. Sampling Location : Tower No.-B Ground Level (North-side Atrium)
2. Date of Monitoring : 13/08/2025 to 14/08/2025
3. Sampling flow rate (m<sup>3</sup>/min.) : 1.12
4. Duration of Monitoring (min.) : 1446 (except CO & Ozone: 60 min.)
5. Total volume of air sampled (m<sup>3</sup>) : 1619.52
6. Sampler location w.r.t. height (m) : 3.5
7. Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
8. Surrounding Activity : Human & Vehicular Activities
9. Scope of Monitoring : Regulatory Requirement
10. Instrument Used : RDS & FPS sampler with all Accessories
11. Instrument Code : EPAL/RDS-FPS/05
12. Instrument Calibration Status : Calibrated
13. Meteorological condition during monitoring : Cloudy
14. Control Measure if Any : No
15. Sample collected by : Lab Representative
16. Parameter Required : As per work order

**TEST RESULTS**

Sr. No.	Parameters	Unit	Results	NAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	91.8	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	43.4	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	13.8	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	27.6	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono-Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.75	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL -1.0)	6	EPAL/QAD/STP/005, SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\text{ng}/\text{m}^3$ )	27.2	180	IS:5182 Part-9

Note: \*NAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (2B)], [Part-II-sec.-3(i)] 18.11.2009

\*BDL - Below Detection Limit, DL - Detection Limit

Next Due Date - Sampled by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14023

Name &amp; address of Project : M/s DLF Cyber Park

 DLF Cyber City, Phase-III,  
Gurgaon, Haryana - 122002

Sample Description : Ambient Air Sample

Sampling &amp; Analysis Protocol: IS:5182, EPA Method

Report No.:

EPAL/20/08/14023

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Basement-I, Tower-II (Northside)
- Date of Monitoring : 13/08/2025 to 14/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.16
- Duration of Monitoring (min.) : 1445(except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1676.2
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max: 34.0 °C, Min: 27.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/01
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	88.6	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	45.2	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	15.4	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	34.2	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.67	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	23.6	180	IS:5182 Part-9

Note: #NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (MBI), [Part-II-sec.-3(i)] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date : As per Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14024  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14024  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Basement-2, Tower-B (Northside)
- Date of Monitoring : 13/08/2025 to 14/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.19
- Duration of Monitoring (min.) : 1440 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1713.6
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max: 34.0 °C, Min: 27.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/02
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	NAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	86.2	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	39.9	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	13.2	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	32.8	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	(mg/m <sup>3</sup> )	0.69	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzo(a)pyrene (BaP)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	(ng/m <sup>3</sup> )	*BDL(**DL -1.0)	6	EPAL/QAD/STP/005,SP -7
11	Nickel(Ni)	(ng/m <sup>3</sup> )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	25.2	180	IS:5182 Part-9

Note: -NAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B), (Part-II-sec.-3(i))] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date: 12/09/2025 as per Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14025

Name &amp; address of Project : M/s DLF Cyber Park

 DLF Cyber City, Phase-III,  
Gurgaon, Haryana - 122002

Sample Description : Ambient Air Sample

Sampling &amp; Analysis Protocol: IS:5182, EPA Method

Report No.:

EPAL/20/08/14025

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Basement-3, Tower-B (Northside)
- Date of Monitoring : 13/08/2025 to 14/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.12
- Duration of Monitoring (min.) : 1442 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1615.04
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/03
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	91.8	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	43.2	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	11.4	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	23.6	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL-20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.71	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL-0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL-0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL-0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL-1.0)	6	EPAL/QAD/STP/005, SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL-5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	23.8	180	IS:5182 Part-9

Note: -#NAAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B), (Part-II-sec.-3(i))] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date: Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


 Checked by  
Brijesh Kumar

 Authorised  
Approved by  
Brijesh Kumar



Sample Number: EPAL/AA/20/08/14026  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14026  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

**AMBIENT AIR ANALYSIS TEST REPORT**

**General Information:-**

1. Sampling Location : Basement-4, Tower-B (Northside)
2. Date of Monitoring : 13/08/2025 to 14/08/2025
3. Sampling flow rate (m<sup>3</sup>/min.) : 1.15
4. Duration of Monitoring (min.) : 1446 (except CO & Ozone: 60 min.)
5. Total volume of air sampled (m<sup>3</sup>) : 1662.9
6. Sampler location w.r.t. height (m) : 3.5
7. Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
8. Surrounding Activity : Human & Vehicular Activities
9. Scope of Monitoring : Regulatory Requirement
10. Instrument Used : RDS & FPS sampler with all Accessories
11. Instrument Code : EPAL/RDS-FPS/04
12. Instrument Calibration Status : Calibrated
13. Meteorological condition during monitoring : Cloudy
14. Control Measure if Any : No
15. Sample collected by : Lab Representative
16. Parameter Required : As per work order

**TEST RESULTS**

Sr. No.	Parameters	Unit	Results	9NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	89.2	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	46.8	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	12.6	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	27.2	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.70	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	24.2	180	IS:5182 Part-9

Note: 9NAAQS - National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-3(i)] 18.11.2009  
 \*BDL - Below Detection Limit, DL-Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/WZA/20/08/14076  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Indoor Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14076  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## INDOOR AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Basement-1, Tower A
- Date of Monitoring : 12/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.15
- Duration of Monitoring (min.) : 486.0
- Total volume of air sampled (m<sup>3</sup>) : 558.90
- Scope of Monitoring : Regulatory Requirements
- Instrument Used : Personnel /Handy Sampler with all accessories
- Instrument Code : EPAL/HS/01
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Clear Sky
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	# OSHA Std. Limit	Protocol Used
1.	Suspended Particulate Matter (SPM)	mg/m <sup>3</sup>	0.63	15	EPAL/QAD/STP/005,SP - 3 Issue date 01.03.2024 Issue No:1
2.	Sulphur Dioxide (as SO <sub>2</sub> )	mg/m <sup>3</sup>	0.022	13	EPAL/QAD/STP/005,SP - 2 Issue date 01.03.2024 Issue No:1
3.	Nitrogen Dioxide (as NO <sub>2</sub> )	mg/m <sup>3</sup>	0.053	09	EPAL/QAD/STP/005,SP - 1 Issue date 01.03.2024 Issue No:1
4.	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.78	55	EPAL/QAD/STP/005,SP - 4 Issue date 01.03.2024 Issue No:1
5.	Carbon Dioxide (as CO <sub>2</sub> )	ppm	452.6	5000	EPAL/QAD/STP/005,SP - 4 Issue date 01.03.2024 Issue No:1

Note: -OSHA - (Occupational Safety and Health Association) By United States Department of Labour  
 Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*





## TEST REPORT

Sample Number: EPAL/N/20/08/14038  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana - 122002

Sample Description : Ambient Noise

Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14038  
 Format No.: FIRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

### AMBIENT NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	Gate No.-1
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/01
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order


### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	Lmin.	(dB)A	58.2	42.6	IS: 9989
2	Lmax.	(dB)A	64.8	54.8	IS: 9989
3	Leq.	(dB)A	61.50	48.70	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**TEST REPORT**

Sample Number: EPAL/N/20/08/14039  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14039  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

**AMBIENT NOISE LEVEL MONITORING REPORT**
General Information:-

1. Sampling Location	:	Gate No.-2
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/02
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

**TEST RESULTS**

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	Lmin.	(dB)A	54.2	41.6	IS: 9989
2	Lmax.	(dB)A	63.6	53.4	IS: 9989
3	Leq.	(dB)A	58.90	47.50	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB(A) Leg.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan/12 February 2026

\*\*\* End of Report\*\*\*



**EPA LABS PRIVATE LIMITED**  
 (Formerly known as Environment Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of law without the written approval of the lab. 3. Certified shall be not reproduced, stored in full or in part.

# TEST REPORT

Sample Number: EPAL/N/20/08/14040  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14040  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

General Information:-	
1. Sampling Location	: Gate No.-4
2. Date of Monitoring	: 12/08/2025 to 13/08/2025
3. Duration of Monitoring	: 24 Hr.
4. Ambient Temperature (°C)	: Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	: Human & Vehicular Activities
6. Scope of Monitoring	: Regulatory Requirement
7. Instrument Used	: Sound Level Meter
8. Instrument Code	: EPAL/SLM/03
9. Instrument Calibration Status	: Calibrated
10. Meteorological condition during monitoring	: Cloudy
11. Control Measure if Any	: No
12. Sample collected by	: Lab Representative
13. Parameter Required	: As per work order

## TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min.</sub>	(dB)A	55.4	45.9	IS: 9989
2	L <sub>max.</sub>	(dB)A	64.2	53.8	IS: 9989
3	L <sub>eq.</sub>	(dB)A	59.80	49.85	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq.</sub>	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026.

End of Report\*\*\*



Checklist By  
 Meenakshi Singh



Approved By  
 Priyesh Kumar



# EPA L

LABS PRIVATE LIMITED

## TEST REPORT

Sample Number:

EPAL/N/20/08/14041

Name & address of Project :

M/s DLF Cyber Park  
DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002  
Ambient Noise

Report No.:

EPAL/20/08/14041

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

Sample Description :

Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

### AMBIENT NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	HSD Tank
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/04
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

#### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min</sub>	(dB)A	55.1	46.2	IS: 9989
2	L <sub>max</sub>	(dB)A	61.6	52.8	IS: 9989
3	L <sub>eq</sub>	(dB)A	58.35	49.50	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



EPA LABS PRIVATE LIMITED  
(Formerly known as Environment Pollution Analysis Lab)

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used in a court of law without the written approval of the lab. 3. Certified shall be not necessary, unless so required.

# TEST REPORT

Sample Number: EPAL/N/20/08/14042  
Name & address of Project : M/s DLF Cyber Park

Sample Description : Ambient Noise  
Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14042  
Format No.: FRM 062  
Party Reference No.: NIL  
Reporting Date: 18/08/2025  
Date of Receiving : 14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location	:	Tower No.-B Ground Level (Northside Atrium)
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM05
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

## TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
			(dB)A	(dB)A	
1	Lmin.	(dB)A	52.8	45.6	IS: 9989
2	Lmax.	(dB)A	64.6	52.9	IS: 9989
3	Leq.	(dB)A	58.70	49.25	IS: 9989

Area Code	Category of Area/Zone	Limits as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*





## TEST REPORT

Sample Number:

EPAL/N/20/08/14043

Name &amp; address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002

Sample Description :

Ambient Noise

Sampling &amp; Analysis Protocol:

IS: 9989 &amp; CPCB Guidelines

Report No.:

EPAL/20/08/14043

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

### AMBIENT NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	Basement-I, Tower-II (Northside)
2. Date of Monitoring	:	13/08/2025 to 14/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/01
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	Lmin.	(dB)A	45.9	35.9	IS: 9989
2	Lmax.	(dB)A	62.5	50.6	IS: 9989
3	Leq.	(dB)A	54.2	43.25	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date - Suggested by Customer as per their EMP Plan, 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT

Checked By  
Alok Kumar SinghApproved By  
Brijesh Kumar

**TEST REPORT**

Sample Number:

EPAL/N/20/08/14044

Name &amp; address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Sample Description :

Ambient Noise

Sampling &amp; Analysis Protocol:

IS: 9989 &amp; CPCB Guidelines

Report No.:

EPAL/20/08/14044

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

**AMBIENT NOISE LEVEL MONITORING REPORT**
General Information:-

1. Sampling Location	:	Basement-2, Tower-B (Northside)
2. Date of Monitoring	:	13/08/2025 to 14/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/02
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

**TEST RESULTS**

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min.</sub>	(dB)A	52.6	35.1	IS: 9989
2	L <sub>max.</sub>	(dB)A	64.8	52.8	IS: 9989
3	L <sub>eq.</sub>	(dB)A	58.70	43.95	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq.</sub>	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


 Checked By  
 Akshay Singh

 Authorized by  
 Dr. Deepak Kumar



## TEST REPORT

Sample Number:

EPA L/N/20/08/14045

Name & address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Sample Description :

Ambient Noise

Sampling & Analysis Protocol:

IS: 9989 & CPCB Guidelines

Report No.:

EPA L/20/08/14045

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

### AMBIENT NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	Basement-3, Tower-B (Northside)
2. Date of Monitoring	:	13/08/2025 to 14/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max: 33.0 °C, Min: 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPA L/SLM/03
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min</sub> ,	(dB)A	53.8	35.1	IS: 9989
2	L <sub>max</sub> ,	(dB)A	63.5	49.3	IS: 9989
3	L <sub>eq</sub> ,	(dB)A	58.65	42.2	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq</sub> .	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/N/20/08/14046  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Sample Description : Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14046  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location	:	Basement-4, Tower-B (Northside)
2. Date of Monitoring	:	13/08/2025 to 14/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/04
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	Nn
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	Lmin.	(dB)A	55.9	47.9	IS: 9989
2	Lmax.	(dB)A	63.4	54.8	IS: 9989
3	Leq.	(dB)A	59.65	51.35	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number:

EPAL/AA/20/08/14018

Name &amp; address of Project :

 M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Report No.:

EPAL/20/08/14018

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Sample Description :

Ambient Air Sample

Period of Analysis:

14/08/2025 to 18/08/2025

Sampling &amp; Analysis Protocol:

IS:5182, EPA Method

Date of Receiving :

14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Gate No.- 1
- Date of Monitoring : 12/08/2025 to 13/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.15
- Duration of Monitoring (min.) : 1443 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1659.45
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/01
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	92.4	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	44.8	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	12.4	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	23.6	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.68	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL -1.0)	6	EPAL/QAD/STP/005, SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	28.4	180	IS:5182 Part-9

Note:-#NAAQS = National Ambient Air Quality Standards, Schedule-VII, [Rule 5 (3B), (Part-II-sec-36)] 18.11.2009

\*BDL=Basic Detection Limit, DL=Detection Limit

Note:- The results are issued by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



Ankita Singh



# TEST REPORT

Sample Number: EPAL/AA/20/08/14019

Name &amp; address of Project : M/s DLF Cyber Park

 DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002

 Sample Description : Ambient Air Sample  
Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.:

EPAL/20/08/14019

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Gate No.-2
- Date of Monitoring : 12/08/2025 to 13/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.15
- Duration of Monitoring (min.) : 1446 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1662.9
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/02
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	94.6	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	45.4	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	13.2	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	27.4	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	(mg/m <sup>3</sup> )	0.74	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	(ng/m <sup>3</sup> )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	(ng/m <sup>3</sup> )	*BDL(**DL -1.0)	0	EPAL/QAD/STP/005, SP - 7
11	Nickel(Ni)	(ng/m <sup>3</sup> )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	22.4	180	IS:5182 Part-9

 Note: #NAAQS – National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-II-sec-3(i)] 18.11.2009  
 \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date = Submitted by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14020  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14020  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving: 14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Gate No.-4
- Date of Monitoring : 12/08/2025 to 13/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.13
- Duration of Monitoring (min.) : 1445(except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1632.85
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/03
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	eNAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	89.2	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	42.6	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	11.8	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	24.6	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.76	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL -1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	26.8	180	IS:5182 Part-9

Note: -#NAAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)5, [Part-II-sec-3(i)] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date : 12/09/2025 as per Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14021  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14021  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location : HSD Tank
2. Date of Monitoring : 12/08/2025 to 13/08/2025
3. Sampling flow rate (m<sup>3</sup>/min.) : 1.15
4. Duration of Monitoring (min.) : 1441 (except CO & Ozone: 60 min.)
5. Total volume of air sampled (m<sup>3</sup>) : 1657.15
6. Sampler location w.r.t. height (m) : 3.5
7. Ambient Temperature (°C) : Max. 33.0 °C, Min. 24.0 °C
8. Surrounding Activity : Human & Vehicular Activities
9. Scope of Monitoring : Regulatory Requirement
10. Instrument Used : RDS & FPS sampler with all Accessories
11. Instrument Code : EPAL/RDS-FPS/04
12. Instrument Calibration Status : Calibrated
13. Meteorological condition during monitoring : Cloudy
14. Control Measure if Any : No
15. Sample collected by : Lab Representative
16. Parameter Required : As per work order

### TEST RESULTS


Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	95.9	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	47.4	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	10.2	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	29.8	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.79	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL -0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\text{jag}/\text{m}^3$ )	*BDL(**DL -0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL -1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	22.4	180	IS:5182 Part-9

Note: #NAAQS = National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B), (Part-II-sec-3(i))] 18.11.2009

\*BDL= Below Detection Limit, DL=Detection Limit

Next Due Date: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14022  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14022  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location : Tower No.-B Ground Level (North-side Atrium)
2. Date of Monitoring : 13/08/2025 to 14/08/2025
3. Sampling flow rate (m<sup>3</sup>/min.) : 1.12
4. Duration of Monitoring (min.) : 1446 (except CO & Ozone: 60 min.)
5. Total volume of air sampled (m<sup>3</sup>) : 1619.52
6. Sampler location w.r.t. height (m) : 3.5
7. Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
8. Surrounding Activity : Human & Vehicular Activities
9. Scope of Monitoring : Regulatory Requirement
10. Instrument Used : RDS & FPS sampler with all Accessories
11. Instrument Code : EPAL/RDS-FPS/05
12. Instrument Calibration Status : Calibrated
13. Meteorological condition during monitoring : Cloudy
14. Control Measure if Any : No
15. Sample collected by : Lab Representative
16. Parameter Required : As per work order

## TEST RESULTS

Sr. No.	Parameters	Unit	Results	NAAQS Limit	Protocol Used
1	Suspended Particulate Matter (PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	91.8	100	IS:5182 Part-23
2	Suspended Particulate Matter (PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	43.4	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	13.8	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	27.6	80	IS:5182 Part-6
5	Ammonia (NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.75	4	IS:5182 Part-10
7	Benzene (C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead (Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic (As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 1.0)	6	EPAL/QAD/STP/005, SP - 3
11	Nickel (Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone (O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	27.2	180	IS:5182 Part-9

Note: \*NAAQS – National Ambient Air Quality Standards; Schedule-VII, [Rule 3 (3B)], [Part-II-sec.-300] 18.11.2009

\*BDL - Below Detection Limit, DL - Detection Limit

Next Due Date - Sample to be Submitted by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number:

EPAL/AA/20/08/14023

Name &amp; address of Project :

 M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana - 122002  
 Ambient Air Sample  
 IS:5182, EPA Method

Report No.:

EPAL/20/08/14023

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

Sample Description :

Sampling &amp; Analysis Protocol:

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Basement-I, Tower-B (Northside)
- Date of Monitoring : 13/08/2025 to 14/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.16
- Duration of Monitoring (min.) : 1445(except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1676.2
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/01
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	38.6	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	45.2	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	15.4	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	34.2	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.67	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 1.0)	5	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	23.6	180	IS:5182 Part-9

Note: \*NAAQS – National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)] L [Pan-II] Sec. -5(i) 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date : Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14024  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana - 122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14024  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Basement-2, Tower-B (Northside)
- Date of Monitoring : 13/08/2025 to 14/08/2025
- Sampling flow rate (m³/min.) : 1.19
- Duration of Monitoring (min.) : 1440 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m³) : 1713.6
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/02
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	NAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	86.2	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	39.9	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	13.2	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	32.8	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.69	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	1	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 3.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	25.2	180	IS:5182 Part-9

Note: -NAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B)], [Part-II-sec. -3(i)] 18.11.2009

\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date: Advised to Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/AA/20/08/14025  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14025  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT AIR ANALYSIS TEST REPORT

### General Information:-

- Sampling Location : Basement-3, Tower-B (Northside)
- Date of Monitoring : 13/08/2025 to 14/08/2025
- Sampling flow rate (m³/min.) : 1.12
- Duration of Monitoring (min.) : 1442 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m³) : 1615.04
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/03
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order


### TEST RESULTS

Sr. No.	Parameters	Unit	Results	#NAAQS Limit	Protocol Used
1	Suspended Particulate Matter (PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	91.8	100	IS:5182 Part-23
2	Suspended Particulate Matter (PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	43.2	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	11.4	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	23.6	80	IS:5182 Part-6
5	Ammonia (NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	* BDL (**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.71	4	IS:5182 Part-10
7	Benzene (C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	* BDL (**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	* BDL (**DL - 0.5)	1	IS:5182 Part-12
9	Lendi (Pb)	( $\mu\text{g}/\text{m}^3$ )	* BDL (**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic (As)	( $\text{ng}/\text{m}^3$ )	* BDL (**DL - 1.0)	6	EPAL/QAD/STP/005, SP - 7
11	Nickel (Ni)	( $\text{ng}/\text{m}^3$ )	* BDL (**DL - 5.0)	20	IS:5182 Part-26
12	Ozone (O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	23.8	180	IS:5182 Part-9

Note: -#NAAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (3B), (Part-II-sec-3)] 18.11.2009  
 \* BDL - Below Detection Limit, DL-Detection Limit

Next Due Date : Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



**TEST REPORT**

Sample Number: EPAL/AA/20/08/14026  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14026  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

**AMBIENT AIR ANALYSIS TEST REPORT**
**General Information:-**

- Sampling Location : Basement-4, Tower-B (Northside)
- Date of Monitoring : 13/08/2025 to 14/08/2025
- Sampling flow rate (m<sup>3</sup>/min.) : 1.15
- Duration of Monitoring (min.) : 1446 (except CO & Ozone: 60 min.)
- Total volume of air sampled (m<sup>3</sup>) : 1662.9
- Sampler location w.r.t. height (m) : 3.5
- Ambient Temperature (°C) : Max. 34.0 °C, Min. 27.0 °C
- Surrounding Activity : Human & Vehicular Activities
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : RDS & FPS sampler with all Accessories
- Instrument Code : EPAL/RDS-FPS/04
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

**TEST RESULTS**

SP. No.	Parameters	Unit	Results	NAQS Limit	Protocol Used
1	Suspended Particulate Matter(PM <sub>10</sub> )	( $\mu\text{g}/\text{m}^3$ )	89.2	100	IS:5182 Part-23
2	Suspended Particulate Matter(PM <sub>2.5</sub> )	( $\mu\text{g}/\text{m}^3$ )	46.8	60	IS:5182 Part-24
3	Sulphur Dioxide (SO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	12.6	80	IS:5182 Part-2
4	Nitrogen Dioxide (NO <sub>2</sub> )	( $\mu\text{g}/\text{m}^3$ )	27.2	80	IS:5182 Part-6
5	Ammonia(NH <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 20.0)	400	IS:5182 Part-25
6	Carbon Mono Oxide (CO)	( $\text{mg}/\text{m}^3$ )	0.70	4	IS:5182 Part-10
7	Benzene(C <sub>6</sub> H <sub>6</sub> )	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.5)	5	IS:5182 Part-11
8	Benzopyrene (BaP)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 0.5)	4	IS:5182 Part-12
9	Lead(Pb)	( $\mu\text{g}/\text{m}^3$ )	*BDL(**DL - 0.05)	1	IS:5182 Part-22
10	Arsenic(As)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 1.0)	6	EPAL/QAD/STP/005,SP - 7
11	Nickel(Ni)	( $\text{ng}/\text{m}^3$ )	*BDL(**DL - 5.0)	20	IS:5182 Part-26
12	Ozone(O <sub>3</sub> )	( $\mu\text{g}/\text{m}^3$ )	24.2	180	IS:5182 Part-9

Note: -NAQS - National Ambient Air Quality Standards, Schedule-VII, [Rule 3 (2B)], [Part-II-sec.-3(i)] 18.11.2009

\*BDL- Below Detect Limit, DL-Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/WZA/20/08/14076  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Indoor Air Sample  
 Sampling & Analysis Protocol: IS:5182, EPA Method

Report No.: EPAL/20/08/14076  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## INDOOR AIR ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location : Basement-1, Tower A
2. Date of Monitoring : 12/08/2025
3. Sampling flow rate (m<sup>3</sup>/min.) : 1.15
4. Duration of Monitoring (min.) : 486.0
5. Total volume of air sampled (m<sup>3</sup>) : 558.90
6. Scope of Monitoring : Regulatory Requirement
7. Instrument Used : Personnel /Handy Sampler with all accessories
8. Instrument Code : EPAL/HS/01
9. Instrument Calibration Status : Calibrated
10. Meteorological condition during monitoring : Clear Sky
11. Control Measure if Any : No
12. Sample collected by : Lab Representative
13. Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameters	Unit	Results	# OSHA Std. Limit	Protocol Used
1.	Suspended Particulate Matter (SPM)	mg/m <sup>3</sup>	0.63	15	EPAL/QAD/STP/005,SP - 3 Issue date 01/03/2024 Issue No:1
2.	Sulphur Dioxide (as SO <sub>2</sub> )	mg/m <sup>3</sup>	0.022	13	EPAL/QAD/STP/005,SP - 2 Issue date 01/03/2024 Issue No:1
3.	Nitrogen Dioxide (as NO <sub>2</sub> )	mg/m <sup>3</sup>	0.053	09	EPAL/QAD/STP/005,SP - 1 Issue date 01/03/2024 Issue No:1
4.	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.78	55	EPAL/QAD/STP/005,SP - 4 Issue date 01/03/2024 Issue No:1
5.	Carbon Dioxide (as CO <sub>2</sub> )	ppm	452.6	5000	EPAL/QAD/STP/005,SP - 4 Issue date 01/03/2024 Issue No:1

Note: #OSHA - (Occupational Safety and Health Association) By United States Department of Labour  
 Next Due Date = Suggested by Customer as per their E&MP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/N/20/08/14038  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14038  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location	: Gate No.-I
2. Date of Monitoring	: 12/08/2025 to 13/08/2025
3. Duration of Monitoring	: 24 Hr.
4. Ambient Temperature (°C)	: Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	: Human & Vehicular Activities
6. Scope of Monitoring	: Regulatory Requirement
7. Instrument Used	: Sound Level Meter
8. Instrument Code	: EPAL/SLM/01
9. Instrument Calibration Status	: Calibrated
10. Meteorological condition during monitoring	: Cloudy
11. Control Measure if Any	: No
12. Sample collected by	: Lab Representative
13. Parameter Required	: As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	Lmin.	(dB)A	58.2	42.6	IS: 9989
2	Lmax.	(dB)A	64.8	54.8	IS: 9989
3	Leq.	(dB)A	61.50	48.70	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number:

EPAL/N/20/08/14039

Name &amp; address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Sample Description :

Ambient Noise

Sampling &amp; Analysis Protocol:

IS: 9989 &amp; CPCB Guidelines

Report No.:

EPAL/20/08/14039

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location	:	Gate No.-2
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/02
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	Lmin.	(dB)A	54.2	41.6	IS: 9989
2	Lmax.	(dB)A	63.6	53.4	IS: 9989
3	Leq.	(dB)A	58.90	47.50	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB(A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date - Suggested by Customer as per their EMP Plan 12 February 2026

\*\*\* End of Report \*\*\*


**EPA LABS PRIVATE LIMITED**  
*(Formerly known as Environment Pollution Analysis Lab)*
Approved By  
Amit Singh

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of law without the written approval of the lab. 3. Certified shall be not reproduced, except in full.

**TEST REPORT**

Sample Number: EPAL/N/20/08/14040  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14040  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving: 14/08/2025

**AMBIENT NOISE LEVEL MONITORING REPORT**
General Information:-

1. Sampling Location	:	Gate No.-4
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/03
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

**TEST RESULTS**

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min</sub>	(dB)A	55.4	45.9	IS: 9989
2	L <sub>max</sub>	(dB)A	64.2	53.8	IS: 9989
3	L <sub>eq</sub>	(dB)A	59.80	49.85	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq</sub>	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan/12 February 2026.

End of Report\*\*\*



Checked By  
Rajendra Singh



Approved By  
Rajesh Kumar



# EPA L

PA LABS PRIVATE LIMITED

## TEST REPORT

Sample Number:

EPA/L/N/20/08/14041

Name & address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Ambient Noise

Sample Description :

IS: 9989 & CPCB Guidelines

Report No.:

EPA/L/20/08/14041

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

### AMBIENT NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	HSD Tank
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/04
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

#### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min</sub>	(dB)A	55.1	46.2	IS: 9989
2	L <sub>max</sub>	(dB)A	61.6	52.8	IS: 9989
3	L <sub>eq</sub>	(dB)A	58.35	49.50	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq</sub>	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



Checked By  
Ranju Singh



Authorised  
Signatory  
Approved By  
Brijesh Kumar

EPA LABS PRIVATE LIMITED  
(Environment known as Environment Pollution Analysis Lab)

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used in a court of law without the written approval of the lab. 3. Certified shall be not construed as a guarantee.

# TEST REPORT

Sample Number: EPAL/N/20/08/14042  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14042  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving: 14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location	:	Tower No.-B Ground Level (Northside Atrium)
2. Date of Monitoring	:	12/08/2025 to 13/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM05
9. Instrument Calibration Status	:	Calibrated
10. Meteorological conditions during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

## TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min</sub>	(dB)A	52.8	45.6	IS: 9989
2	L <sub>max</sub>	(dB)A	64.6	52.9	IS: 9989
3	L <sub>eq</sub>	(dB)A	58.70	49.25	IS: 9989

Area Code	Category of Area/Zone	Limits as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq</sub>	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



EPA LABS PRIVATE LIMITED  
 (Formerly known as Environment Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full.



## TEST REPORT

Sample Number:

EPAL/N/20/08/14043

Name &amp; address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002

Sample Description :

Ambient Noise

Sampling &amp; Analysis Protocol:

IS: 9989 &amp; CPCB Guidelines

Report No.:

EPAL/20/08/14043

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

### AMBIENT NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	Basement-1, Tower-B (Northside)
2. Date of Monitoring	:	13/08/2025 to 14/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAULSM/01
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
			(dB)A	(dB)A	
1	Lmin.	(dB)A	45.9	35.9	IS: 9989
2	Lmax.	(dB)A	62.5	50.6	IS: 9989
3	Leq.	(dB)A	54.2	43.25	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/N/20/08/14044  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14044  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location	: Basement-2, Tower-B (Northside)
2. Date of Monitoring	: 13/08/2025 to 14/08/2025
3. Duration of Monitoring	: 24 Hr.
4. Ambient Temperature (°C)	: Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	: Human & Vehicular Activities
6. Scope of Monitoring	: Regulatory Requirement
7. Instrument Used	: Sound Level Meter
8. Instrument Code	: EPAL/SLM/02
9. Instrument Calibration Status	: Calibrated
10. Meteorological condition during monitoring	: Cloudy
11. Control Measure if Any	: No
12. Sample collected by	: Lab Representative
13. Parameter Required	: As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min</sub>	(dB)A	52.6	35.1	IS: 9989
2	L <sub>max</sub>	(dB)A	64.8	52.8	IS: 9989
3	L <sub>eq</sub>	(dB)A	58.70	43.95	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq</sub>	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



**EPA LABS PRIVATE LIMITED**  
 (Formerly Known as Environmental Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without written permission.



## TEST REPORT

Sample Number: EPAL/N/20/08/14045  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14045  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

### AMBIENT NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	Basement-3, Tower-B (Northside)
2. Date of Monitoring	:	13/08/2025 to 14/08/2025
3. Duration of Monitoring	:	24 Hr.
4. Ambient Temperature (°C)	:	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	:	Human & Vehicular Activities
6. Scope of Monitoring	:	Regulatory Requirement
7. Instrument Used	:	Sound Level Meter
8. Instrument Code	:	EPAL/SLM/03
9. Instrument Calibration Status	:	Calibrated
10. Meteorological condition during monitoring	:	Cloudy
11. Control Measure if Any	:	No
12. Sample collected by	:	Lab Representative
13. Parameter Required	:	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	L <sub>min</sub>	(dB)A	53.8	35.1	IS: 9989
2	L <sub>max</sub>	(dB)A	63.5	49.3	IS: 9989
3	L <sub>eq</sub>	(dB)A	58.65	42.2	IS: 9989

Area Code	Category of Area/Zone	Limit as per E(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) L <sub>eq</sub> .	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/N/20/08/14046  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Sample Description : Ambient Noise  
 Sampling & Analysis Protocol: IS: 9989 & CPCB Guidelines

Report No.: EPAL/20/08/14046  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## AMBIENT NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location	Basement-4, Tower-B (Northside)
2. Date of Monitoring	13/08/2025 to 14/08/2025
3. Duration of Monitoring	24 Hr.
4. Ambient Temperature (°C)	Max. 33.0 °C, Min. 24.0 °C
5. Surrounding Activity	Human & Vehicular Activities
6. Scope of Monitoring	Regulatory Requirement
7. Instrument Used	Sound Level Meter
8. Instrument Code	EPAL/SLM/04
9. Instrument Calibration Status	Calibrated
10. Meteorological condition during monitoring	Cloudy
11. Control Measure if Any	No
12. Sample collected by	Lab Representative
13. Parameter Required	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise level Day (06:00 am to 10:00 pm)	Noise level Night (10:00 pm to 06:00 am)	Protocol Used
1	Lmin.	(dB)A	55.9	47.9	IS: 9989
2	Lmax.	(dB)A	63.4	54.8	IS: 9989
3	Leq.	(dB)A	59.65	51.35	IS: 9989

Area Code	Category of Area/Zone	Limit as per L(P)A 1986 (The Noise Pollution Regulation & Control Rule, 2000) in dB (A) Leq.	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



Checked By  
Rajendra Singh



Authorised  
Signature  
Approved By  
Brijesh Kumar



## TEST REPORT

Sample Number: EPAL/W/20/08/14058  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Domestic Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24thEd.

Report No.: EPAL/20/08/14058  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025  
 ULR No.: TC110072500000407F

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	Tower-C, Basement-3 (WTP)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 + 1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

### TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.85	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	192.40	200 max	600 max	IS:3025 Part-21
6.	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th.3111 B
7.	Chloride,(as Cl)	mg/l	49.50	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (R.F.C)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness,(as Ca)	mg/l	15.85	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness,(as Mg)	mg/l	18.00	30 max	100 max	APHA 24th.3500 B
11.	Total Dissolved Solids	mg/l	425.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate,(as SO <sub>4</sub> )	mg/l	28.6	200 max	400 max	APHA 24th.4500 SO <sub>4</sub> E
13.	Fluoride,(as F)	mg/l	0.68	1.0 max	1.5 max	APHA 24th.4500 F
14.	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	99.30	200 max	600 max	IS:3025 Part-23
15.	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th.3111 B
16.	Nitrate,(as NO <sub>3</sub> )	mg/l	11.6	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th.3111 B
18.	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th.3111 B
20.	Manganese,(as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th.3111 B
21.	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111 B
22.	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th.3111 B
23.	Ammonium Nitrogen (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Boron (as B)	mg/l	0.42	0.5 max	1.0	APHA 24th.4500 B C



Checked By  
Ankit Singh



Approved By  
Brijesh Kumar

# TEST REPORT

Sample Number: EPAL/W/20/08/14058

Report No.: EPAL/20/08/14058

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS:3025 Part-52
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th.3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th.3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS:3025 Part-29
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th.3111 B
<b>Bacteriological Examinations</b>						
31.	Coliform organism	Per 100 ml	Absent	Should not be detectable in 100 ml	IS:15185:2016	
32.	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml	IS:15185:2016	

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


 SAVE WATER

- SAVE ENVIRONMENT -





**TEST REPORT**

Sample Number:

Name & address of Project :  
M/s DLF Cyber Park  
DLF Cyber City, Phase-III,  
Gurgaon, Haryana - 122002

Sample Description :  
Sampling & Analysis Protocol: Drinking Water Sample  
IS:3025, APHA 24th Ed.

Report No.: EPAL/20/08/14050  
Format No.: FRM 062  
Party Reference No.: NIL  
Reporting Date: 18/08/2025  
Period of Analysis: 14/08/2025 to 18/08/2025  
Date of Receiving : 14/08/2025  
ULR No.: TC110072500000399F

**DRINKING WATER ANALYSIS TEST REPORT**

**General Information:-**

1. Sampling Location	Basement-I, Tower-A (From Water Cooler-3)
2. Date of Monitoring	12/08/2025
3. Sample Quantity	5 + 1 Ltr.
4. Sampling Type	Grah
5. Sample Preservation	Refrigerated
6. Scope of Monitoring	Regulatory Requirement
7. Control Measure if Any	No
8. Sample collected by	Lab Representative
9. Parameter Required	As per work order
10. Environmental Monitoring	Cloudy

**TEST RESULTS**

S.No.	Parameter	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS-3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS-3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS-3025 Part-10
4.	pH	—	7.70	6.5 – 8.5	No relaxation	IS-3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	182.00	200 max	600 max	IS-3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride (as Cl)	mg/l	59.30	250 max	1000 max	IS-3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS-3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	56.77	75 max	200 max	IS-3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	11.04	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	251.00	500 max	2000 max	IS-3025 Part-16
12.	Sulphate (as SO <sub>4</sub> )	mg/l	14.2	200 max	400 max	APHA 24th 4500 SO4 E
13.	Phosphate (as P)	mg/l	0.38	1.0 max	1.5 max	APHA 24th 4500 P
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	139.30	200 max	600 max	IS-3025 Part-23
15.	Chromium Total (as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate (as NO <sub>3</sub> )	mg/l	6.28	45 max	No Relaxation	IS-3025 Part-34
17.	Zinc (as Zn)	mg/l	*BDL (**DL-0.02)	3 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS-3025 Part-43
19.	Copper (as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.02)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead (as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium (as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Aquarium Nitrogen (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS-3025 Part-34
24.	Residual Cl <sup>-</sup>	mg/l	0.29	0.5 max	1.0	



Checked By  
Ankita Singh



Authenticated  
Supervisory  
Prakash Kumar

# TEST REPORT

Sample Number: EPAL/W/20/08/14050

Report No.: EPAL/20/08/14050

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th.3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th.3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-26
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th.3111 B
Bacteriological Examinations						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable at 100 ml		IS-15185:2016
32.	E-coli	Per 100 ml	Absent	Should not be detectable at 100 ml		IS-15185:2016

Remark: \*BDL- Below Detection Limit, DL- Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number:	EPAL/W/20/08/14051	Report No.:	EPAL/20/08/14051
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Drinking Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	18/08/2025
		Period of Analysis:	14/08/2025 to 18/08/2025
		Date of Receiving :	14/08/2025
		ULR No.:	TC11007250000400F

## DRINKING WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	:	Basement-3, Tower-A (From Water Cooler-2)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 + 1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

### TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used:
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour		Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.71	6.5 – 8.5	No Relaxation	IS:3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	166.40	200 max	600 max	IS:3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride (as Cl)	mg/l	49.63	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	45.85	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	12.50	30 max	100 max	APHA 24th 3300 B
11.	Total Dissolved Solids	mg/l	226.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate (as SO <sub>4</sub> )	mg/l	8.24	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride (as F)	mg/l	0.24	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	119.40	200 max	600 max	IS:3025 Part-23
15.	Chromium Total (as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate (as NO <sub>3</sub> )	mg/l	2.24	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc (as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper (as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead (as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium (as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonium Nitrate (as NH <sub>4</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-44
24.	Iron (as Fe)	mg/l	0.26	0.5 max	1.0	APHA 24th 4500 F



# TEST REPORT

Sample Number: EPAL/W/20/08/14051

Report No.: EPAL/20/08/14051

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.005)	0.05 max	No Relaxation	IS-3025 Part-20
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
<b>Bacteriological Examinations</b>						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016
32.	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2025

\*\*\* End of Report \*\*\*


 Checked By  
Ankita Singh

 Approved By  
Anil Kumar

# TEST REPORT

Sample Number:

Name &amp; address of Project :

Sample Description :

Sampling &amp; Analysis Protocol:

EPAL/W/20/08/14052

 M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Drinking Water Sample

IS:3025, APHA 24th Ed.

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Date of Receiving :

ULR No.:

EPAL/20/08/14052

FRM 062

NIL

18/08/2025

14/08/2025 to 18/08/2025

14/08/2025

TC110072500000401F

## DRINKING WATER ANALYSIS TEST REPORT

### General Information:

1. Sampling Location	BMS Office (From Water Cooler)
2. Date of Monitoring	12/08/2025
3. Sample Quantity	5 + 1 Ltr.
4. Sampling Type	Grab
5. Sample Preservation	Refrigerated
6. Scope of Monitoring	Regulatory Requirement
7. Control Measure if Any	No
8. Sample collected by	Lab Representative
9. Parameter Required	As per work order
10. Environmental Monitoring	Cloudy

## TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazes	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.17	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	104.00	200 max	600 max	IS:3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride (as Cl <sup>-</sup> )	mg/l	39.70	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	39.70	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	11.34	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	140.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate (as SO <sub>4</sub> <sup>2-</sup> )	mg/l	5.28	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride (as F <sup>-</sup> )	mg/l	0.28	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	95.52	200 max	600 max	IS:3025 Part-23
15.	Chromium Total (as Cr <sup>6+</sup> )	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrite (as NO <sub>2</sub> )	mg/l	1.21	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc (as Zn <sup>2+</sup> )	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper (as Cu <sup>2+</sup> )	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead (as Pb <sup>2+</sup> )	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Boron (as B)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 4500 B
23.	Ammonical Nitrogen (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Brown water Index	mg/l	0.22	0.5 max	1.0	APHA 24th 4500 B



## TEST REPORT

Sample Number: EPAL/W/26/08/14052


Report No.: EPAL/26/08/14052

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500-2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111
27	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111
28	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111
30	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111
<b>Bacteriological Examinations</b>						
31.	Coliform organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016
32.	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date ~ Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


 Checked By  
Aukita Singh

 Approved By  
Brijesh Kumar



## TEST REPORT

Sample Number: EPAL/W/20/08/14053  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: Drinking Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/20/08/14053  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving: 14/08/2025  
 ULR No.: TC110072500000402F

### DRINKING WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	Food Court (From Water Cooler)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 + 1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

### TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazdo	1.0	5 max	15 max	IS 3025 Part-4
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS 3025 Part-10
4.	pH	-	6.80	6.5 - 8.5	No Relaxation	IS 3025 Part-11
5.	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	62.40	200 max	600 max	IS 3025 Part-21
6.	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride,(as Cl)	mg/l	29.78	250 max	1000 max	IS 3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS 3025 Part-26
9.	Calcium Hardness,(as Ca)	mg/l	12.30	75 max	200 max	IS 3025 Part-40
10.	Magnesium Hardness,(as Mg)	mg/l	7.51	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	138.00	500 max	2000 max	IS 3025 Part-16
12.	Sulphate,(as SO <sub>4</sub> )	mg/l	5.28	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride,(as F)	mg/l	0.26	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	59.70	200 max	600 max	IS 3025 Part-23
15.	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrite,(as NO <sub>2</sub> )	mg/l	1.14	45 max	No Relaxation	IS 3025 Part-34
17.	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS 3025 Part-43
19.	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese,(as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonium (NH <sub>4</sub> +) (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS 3025 Part-34
24.	Bacteria (cfu B)	mg/l	0.22	0.5 max	1.0	APHA 24th 4360 B.C



Checked by  
Amit Singh

# TEST REPORT

Sample Number: EPAL/W/20/08/14053

Report No.: EPAL/20/08/14053

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-53
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
Bacteriological Examinations						
31.	Coliform organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185/2016
32.	Escherichia coli (E. coli)	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185/2016

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



**TEST REPORT**

Sample Number: EPAL/W/20/08/14054  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana - 122002

Sample Description: Drinking Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/20/08/14054  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving: 14/08/2025  
 ULR No.: TC11007250000483F

**DRINKING WATER ANALYSIS TEST REPORT**
**General Information:-**

1. Sampling Location	:	Basement-3, Tower-C (From Water Cooler-45)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 +1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Monitoring	:	Cloudy

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Drinking Water Specification (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.29	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	78.00	200 max	600 max	IS:3025 Part-21
6.	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride,(as Cl)	mg/l	59.56	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness, (as Ca)	mg/l	20.84	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness,(as Mg)	mg/l	6.29	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	182.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate,(as SO <sub>4</sub> )	mg/l	8.52	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride,(as F)	mg/l	0.38	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	99.50	200 max	600 max	IS:3025 Part-23
15.	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate,(as NO <sub>3</sub> )	mg/l	4.24	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese,(as Mn)	mg/l	*BDL (**DL-0.02)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amino Total Nitrogen (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Chloride (as Cl)	mg/l	0.28	0.5 max	1.0	APHA 24th 4500 SO4 E



**TEST REPORT**

Sample Number: EPAL/W/26/08/14054

Report No.: EPAL/26/08/14054

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26.	Antimony (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
<b>Bacteriological Examinations</b>						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185 2016
32.	E.coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185 2016

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date: - Suggested by Customer as per their EMPI Plan: 12 February 2026

\*\*\* End of Report \*\*\*


**EPA LABS PRIVATE LIMITED**

(Formerly known as Environmental Pollution Analysis Lab)

**ENVIRONMENT TESTING**
**FOOD TESTING**
**BIOLOGICAL TESTING**

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of law without the written approval of the lab. 3. Certified shall be not reproduced, copied in full, without written written permission of the lab.

**TEST REPORT**

Sample Number: EPAL/W/20/08/14055  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana - 122002  
 Sample Description: Drinking Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.  
 Report No.: EPAL/20/08/14055  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving: 14/08/2025  
 ULR No.: TC110072500000404F

**DRINKING WATER ANALYSIS TEST REPORT**
**General Information:**

1. Sampling Location	:	Basement-1, Tower-C (From Water Cooler-06)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 +1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-6
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	-	7.28	6.5 - 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	52.00	200 max	600 max	IS:3025 Part-21
6.	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride,(as Cl)	mg/l	47.69	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness, (as Ca)	mg/l	14.89	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness,(as Mg)	mg/l	3.77	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	148.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate,(as SO <sub>4</sub> )	mg/l	6.32	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride,(as F)	mg/l	0.30	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	79.60	200 max	600 max	IS:3025 Part-23
15.	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate,(as NO <sub>3</sub> )	mg/l	2.28	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese,(as Mn)	mg/l	*BDL (**DL-0.02)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonium Nitrogen,(as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Boron,(as B)	mg/l	0.26	0.5 max	1.0	APHA 24th 4500 B.C


 Approved by  
Anita Singh

**TEST REPORT**

Sample Number: EPAL/W/20/08/14055


Report No.: EPAL/20/08/14055

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25	Hexa Chromium (as Cr-6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-32
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th.3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th.3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-20
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th.3111 B
Bacteriological Examinations						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016
32.	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026


\*\*\* End of Report \*\*\*


 EPA LABS PRIVATE LIMITED  
 (Formerly known as Environment Pollution Analysis Lab)

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING



Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of law without the written approval of the lab. 3. Certified shall be not recommended, except in full, without reservation, upon the basis of the results of this test.



Sample Number:

Name & address of Project :

Sample Description :

Sampling & Analysis Protocol:

EPAL/W/20/08/14056

M/s DLF Cyber Park  
DLF Cyber City, Phase-III,  
Gurgaon, Haryana-122002  
Drinking Water Sample  
IS:3025, APHA 24thEd.

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Date of Receiving:

ULR No.:

EPAL/20/08/14056

FRM 062

NIL

18/08/2025

14/08/2025 to 18/08/2025

14/08/2025

TC110072500000405F

**DRINKING WATER ANALYSIS TEST REPORT**

General Information:-

1. Sampling Location	:	Basement-4, Tower-A, DG Room (Water Cooler-04)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5+1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500-2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	-	7.10	6.5 - 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	41.60	200 max	600 max	IS:3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride (as Cl)	mg/l	39.70	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	12.50	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	2.51	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	124.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate (as SO <sub>4</sub> )	mg/l	6.28	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride (as F)	mg/l	0.24	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	43.78	200 max	600 max	IS:3025 Part-23
15.	Chromium Total (as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate (as NO <sub>3</sub> )	mg/l	3.43	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc (as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper (as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead (as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium (as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonia Nitrogen (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Chlorine (as Cl)	mg/l	0.24	0.5 max	1.0	APHA 24th 4500 B C



Approved By  
Ankita Singh



# TEST REPORT

Sample Number: EPAL/W/20/08/14056

Report No.: EPAL/20/08/14056

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111 B
27	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
<b>Bacteriological Examinations</b>						
31	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016
32	E.coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016

 Remark: - \*BDL- Below Detection Limit, DL-Detection Limit  
 Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



Certified By

Ankita Singh



# TEST REPORT

Sample Number:	EPAL/W/20/08/14072	Report No.:	EPAL/20/08/14072
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Body Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

## WATER ANALYSIS TEST REPORT

### General Information:

1. Sampling Location	:	Tower- A (Ground Floor)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Cloudy

## TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



## EPAL LABS PRIVATE LIMITED

(Earlier known as Environment Pollution Analysis Lab)

Note 1: The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISObMEC 17025:2017, NABL ACCREDITED LAB, # MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P-201310

Contact Info : +91-9759427231, +91-7685363821, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab.: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com),

NOIDA

BIHWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

**TEST REPORT**

Sample Number:	EPAL/W/20/08/14073	Report No.:	EPAL/20/08/14073
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Body Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

**WATER ANALYSIS TEST REPORT**
**General Information:-**

1. Sampling Location	:	Tower- B (Ground Floor)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No.
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Cloudy

**TEST RESULTS**

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2025

\*\*\* End of Report \*\*\*

SERVE ENVIRONMENT


**EPALABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025-2017, NABL ACCREDITED LAB, # MOEF &amp; CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA G8 Nager, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363321, Tel: 01493-294594, www.epalabs.com

Lab : 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com,

NOIDA

BHAWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

# TEST REPORT

Sample Number: EPAL/W/20/08/14074  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Water Body Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/20/08/14074  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving : 14/08/2025

## WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location : Tower- C(Ground Floor)
2. Date of Monitoring : 12/08/2025
3. Sample Quantity : 250 ml.
4. Sampling Type : Grab
5. Sample Preservation : Refrigerated
6. Scope of Monitoring : Regulatory Requirement
7. Control Measure if Any : No
8. Sample collected by : Lab Representative
9. Parameter Required : As per work order
10. Any Other Information : This test was performed using BCYE Agar.
11. Environmental Condition : Cloudy

## TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date - Suggested by Customer as per their EMP Plan 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



Checked By  
Ankita Singh



Authorised  
Approved By  
Brijesh Kumar

## EPALABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Encasement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, & MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201313

Contact Info : +91-9759427231, +91-7665363921, Tel : 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : [environmentpol.bhiwadi@gmail.com](mailto:environmentpol.bhiwadi@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

## TEST REPORT

Sample Number:	EPAL/W/25/08/14078	Report No.:	EPAL/25/08/14078
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	Nil
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	DG Cooling Tower- 1, Tower- A Terrace
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT



**EPAL LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab.)

Note 1: The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2: This report can not be used as evidence in a court of Law without the written approval of the lab. 3: Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB. & MOEF & CC Recognized Govt. Approved Lab.

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363821, Tel.: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number: EPAL/W/25/08/14079  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/08/14079  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving : 14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	: DG Cooling Tower- 2, Tower- A Terrace
2. Date of Monitoring	: 12/08/2025
3. Sample Quantity	: 250 ml.
4. Sampling Type	: Grab
5. Sample Preservation	: Refrigerated
6. Scope of Monitoring	: Regulatory Requirement
7. Control Measure if Any	: No
8. Sample collected by	: Lab Representative
9. Parameter Required	: As per work order
10. Any Other Information	: This test was performed using BCYE Agar.
11. Environmental Condition	: Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT



### **EPA LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, & MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 54, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-8759427231, +91-7665363921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab : 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

## TEST REPORT

Sample Number:	EPAL/W/25/08/14080	Report No.:	EPAL/25/08/14080
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	: DG Cooling Tower- 3, Tower- A Terrace
2. Date of Monitoring	: 12/08/2025
3. Sample Quantity	: 250 ml.
4. Sampling Type	: Grab
5. Sample Preservation	: Refrigerated
6. Scope of Monitoring	: Regulatory Requirement
7. Control Measure if Any	: No
8. Sample collected by	: Lab Representative
9. Parameter Required	: As per work order
10. Any Other Information	: This test was performed using BCYE Agar,
11. Environmental Condition	: Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT



**EPA LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab)

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7866363921, Tel: 01483-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com),

NOIDA

BHAWNAI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14081	Report No.:	EPAL/25/08/14081
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	: DG Cooling Tower- 4, Tower- A Terrace
2. Date of Monitoring	: 12/08/2025
3. Sample Quantity	: 250 ml.
4. Sampling Type	: Grab
5. Sample Preservation	: Refrigerated
6. Scope of Monitoring	: Regulatory Requirement
7. Control Measure if Any	: No
8. Sample collected by	: Lab Representative
9. Parameter Required	: As per work order
10. Any Other Information	: This test was performed using BCYE Agar.
11. Environmental Condition	: Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan : 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT



### EPA LABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1: The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3 Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, # MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 54, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363621, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com),

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14082	Report No.:	EPAL/25/08/14082
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	DG Cooling Tower- 5, Tower- A Terrace
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



SAVE ENVIRONMENT



### EPALABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Encumbrance of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3 Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, IS MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DACHA GR Nagar, Greater Noida, U.P.-201310

Contact Info: +91-9759427231, +91-7865363921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hara Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email: [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

# TEST REPORT

Sample Number: EPAL/W/25/08/14083  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/08/14083  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving : 14/08/2025

## WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	:	HVAC Cooling Tower-1
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

## TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMF Plan: 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT



## EPA LABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-9759427231, +91-7665363921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hansa Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14084	Report No.:	EPAL/25/08/14084
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana - 122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	HVAC Cooling Tower-2
2. Date of Monitoring	12/08/2025
3. Sample Quantity	250 ml.
4. Sampling Type	Grab
5. Sample Preservation	Refrigerated
6. Scope of Monitoring	Regulatory Requirement
7. Control Measure if Any	No
8. Sample collected by	Lab Representative
9. Parameter Required	As per work order
10. Any Other Information	This test was performed using BCYE Agar.
11. Environmental Condition	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their BMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



### EPAL LABS PRIVATE LIMITED

(Formerly Known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, & MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-8758427231, +91-7885363921, Tel: 01483-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NODA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14085	Report No.:	EPAL/25/08/14085
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	HVAC Cooling Tower-3
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



**EPAL LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, M/oEF & DC Recognized Govt. Approved Lab

Registered Address: Plot No.: 84, DA/DHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363821, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hana Complex, Near Police Chowk, Bhilwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHILWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

# TEST REPORT

Sample Number: EPAL/W/25/08/14086  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/08/14086  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving : 14/08/2025

## WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	:	HVAC Cooling Tower-4
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

## TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



## EPA LABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall not be reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310

Contact Info: +91-9759427231, +91-7985363921, Tel.: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab.: 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com); [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BIHAWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

# TEST REPORT

Sample Number: EPAL/N/20/08/14047  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : DG Noise  
 Sampling & Analysis Protocol: IS: 4758:1968 & CPCB Guidelines

Report No.: EPAL/20/08/14047  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location : DG Room
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise Level Inside (When DG Set On)	Noise Level Outside (When DG Set On)	Insertion Loss	Protocol Used
1	Leq.	(dB)A	97.8	74.6	27.2	IS:4758:1968
2	Limit	(dB)A		75.0		-

Outside- 1 meter distance from DG room.

Noise Limit- 75.0 dB(A) max outside from DG/DG room applicable for less than 1000 KVA

Minimum insertion loss should be 25 dB (A) or maximum 75 dB (A) at the outside of DG Room applicable for more than 1000 KVA.

Next Due Date - Suggested by Customer as per their EMP Plan. 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



# TEST REPORT

Sample Number:

Name &amp; address of Project :

Sample Description :

Sampling &amp; Analysis Protocol:

EPAL/N/20/08/14049

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Pump House Noise

IS: 4758:1968 &amp; CPCB Guidelines

Report No.:

EPAL/20/08/14049

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

## NOISE LEVEL MONITORING REPORT

### General Information:

1. Sampling Location : HVAC
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	Lmin.	(dB)A	75.9	—	IS:4758:1968
2	Lmax.	(dB)A	92.6	—	IS:4758:1968
3	Lexp	(dB)A	84.25	85.0	IS:4758:1968

\*Standard limits are as per OSHA

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



## TEST REPORT

Sample Number: EPAL/N/20/08/140148  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana - 122002  
 Sample Description: Pump House Noise  
 Sampling & Analysis Protocol: IS: 4758:1968 & CPCB Guidelines

Report No.: EPAL/20/08/14048  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving: 14/08/2025

### NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	Pump Room
2. Date of Monitoring	:	12/08/2025
3. Duration of Monitoring (min.)	:	30 min.
4. Scope of Monitoring	:	Regulatory Requirement
5. Instrument Used	:	Sound Level Meter
6. Instrument Code	:	EPAL/SLM-02
7. Instrument Calibration Status	:	Calibrated
8. Meteorological condition during monitoring	:	Cloudy
9. Control Measure if Any	:	No
10. Sample collected by	:	Lab Representative
11. Parameter Required	:	As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	Lmin.	(dB)A	72.6	—	IS:4758:1968
2	Lmax.	(dB)A	92.6	—	IS:4758:1968
3	Leq.	(dB)A	82.6	85.0	IS:4758:1968

\*Standard limits are as per OSHA.

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAFETY ENVIRONMENT



# TEST REPORT

Sample Number: EPAL/N/20/08/14077  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Pump House Noise  
 Sampling & Analysis Protocol: IS: 4758:1968 & CPCB Guidelines

Report No.: EPAL/20/08/14077  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location : STP Room, Basement 1 Tower C
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	L <sub>min</sub>	(dB)A	74.1	—	IS: 4758:1968
2	L <sub>max</sub>	(dB)A	92.5	—	IS: 4758:1968
3	L <sub>eq</sub>	(dB)A	83.30	85.0	IS: 4758:1968

\*Standard limits are as per Factory Act, 1948.

Next Due Date - Suggested by Customer as per their E&MP Plan: 32 February 2026

\*\*\* End of Report \*\*\*

RESERVE ENVIRONMENT





# TEST REPORT

Sample Number: EPAL/S/20/08/14027  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255 , IS: 13270

Report No.: EPAL/20/08/14027  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-I with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	40.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	240.0
12. Velocity of Stack Gases (m/sec.)	:	10.98
13. Flow rate of PM (LPM)	:	27.26
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	46.5	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	32.8	—	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	325.4	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	28.7	100	IS: 11255,Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	45.6	100	IS:13270

Note: -CPCB -Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/S/20/08/14028  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255 , IS: 13270

Report No.: EPAL/20/08/14028  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack -II with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	44.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	237.0
12. Velocity of Stack Gases (m/sec.)	:	10.95
13. Flow rate of PM (LPM)	:	27.34
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isookinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	44.8	50	IS: 11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	26.4	—	IS: 11255 Part-2
3.	Oxides of Nitrogen (NO <sub>x</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	382.6	650	IS: 11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	27.4	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	38.2	100	IS: 13270

Note: \*CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/S/20/08/14029  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/20/08/14029  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack -III with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	45.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	228.0
12. Velocity of Stack Gases (m/sec.)	:	10.85
13. Flow rate of PM (LPM)	:	27.58
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/03
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	43.2	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	24.8	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	379.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	24.8	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	44.7	100	IS:13270

Note: -CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**EPA LABS PRIVATE LIMITED**

(Formerly known as Environmental Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used in a court of law without the written approval of the lab. 3. Certified shall be not construed as a guarantee.

**TEST REPORT**

Sample Number: EPAL/S/20/08/14030  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255 , IS: 13270

Report No.: EPAL/20/08/14030  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

**STACK EMISSION TEST REPORT**
General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-IV with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	41.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	250.0
12. Velocity of Stack Gases (m/sec.)	:	11.09
13. Flow rate of PM (LPM)	:	27.00
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	42.8	50	IS:11255 Part-1
2.	Sulphur-dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	22.4	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>x</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	398.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbo(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	28.6	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	40.8	100	IS:13270

Note: -CPCB - Central Pollutant Control Board.

Next Due Date = Suggested by Customer as per their IMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number: EPAL/S/20/08/14031  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/20/08/14031  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-V with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	42.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	247.0
12. Velocity of Stack Gases (m/sec.)	:	11.05
13. Flow rate of PM (LPM)	:	27.07
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Result	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	45.7	50	IS:11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	32.2	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>2</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	386.4	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	26.5	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.4	100	IS:13270

Note: - CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/S/20/08/14032  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/20/08/14032  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-VI with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	43.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	248.0
12. Velocity of Stack Gases (m/sec.)	:	11.06
13. Flow rate of PM (LPM)	:	27.05
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	43.8	50	IS:11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	20.8	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>x</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	354.6	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	22.4	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	44.8	100	IS:13270

Note: - CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*





## TEST REPORT

Sample Number:

Name & address of Project :

EPAL/S/20/08/14034

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Sample Description :

D.G. Stack Emission

Sampling & Analysis Protocol:

IS:11255, IS: 13270

Report No.:

EPAL/20/08/14034

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

### STACK EMISSION TEST REPORT

#### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-VII with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	41.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	245.0
12. Velocity of Stack Gases (m/sec.)	:	11.03
13. Flow rate of PM (LPM)	:	27.13
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

### TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.6	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	38.4	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	369.2	650	IS:11255 Part-7
4.	Non-Methane Hydro-Carbon(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	18.4	100	IS:11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	40.1	100	IS:13270

Note: -CPCB—Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*





**TEST REPORT**

Sample Number:

EPAL/S/20/08/14035

Report No.:

EPAL/20/08/14035

Name & address of Project :

M/s DLF Cyber Park

Format No.:

FRM 062

DLF Cyber City, Phase-III,

Party Reference No.:

NIL

Gurgaon, Haryana -122002

Reporting Date:

18/08/2025

Sample Description :

D.G. Stack Emission

Period of Analysis:

14/08/2025 to 18/08/2025

Sampling & Analysis Protocol:

IS:11255, IS: 13270

Date of Receiving :

14/08/2025

Date of Receiving :

14/08/2025

**STACK EMISSION TEST REPORT**

General Information:

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-VIII
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	37.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	260.0
12. Velocity of Stack Gases (m/sec.)	:	11.19
13. Flow rate of PM (LPM)	:	26.74
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	No
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.6	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	32.4	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>2</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	397.1	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	32.8	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	84.6	100	IS:13270

Note: - CPCB - Central Pollution Control Board.

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



Checked By  
Ankita Singh



Authorised  
Signatory  
Anujesh Kumar



## TEST REPORT

Sample Number:

Name &amp; address of Project :

Sample Description :

Sampling &amp; Analysis Protocol:

EPAL/S/20/08/14036

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

D.G. Stack Emission

IS:11255, IS: 13270

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Date of Receiving:

EPAL/20/08/14036

FRM 062

NIL

18/08/2025

14/08/2025 to 18/08/2025

14/08/2025

### STACK EMISSION TEST REPORT

#### General Information:

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-IX
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	36
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	241.0
12. Velocity of Stack Gases (m/sec.)	:	10.99
13. Flow rate of PM (LPM)	:	27.23
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/03
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	No
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

### TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	49.8	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	30.4	—	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	412.8	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	34.2	100	IS: 11255 Part-15
5.	Carbon Monoxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	91.4	100	IS:13270

Note: -CPCB - Central Pollution Control Board.

Next Due Date = Suggested by Customer/ as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number:

EPAL/S/20/08/14037

Name &amp; address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Sample Description :

D.G. Stack Emission

Sampling &amp; Analysis Protocol:

IS:11255, IS: 13270

Report No.:

EPAL/20/08/14037

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack
3. Capacity Of Emission Source	:	2250 KVA -X
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	96 Meter
7. Diameter of stack	:	10 inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	41.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	248.0
12. Velocity of Stack Gases (m/sec.)	:	11.06
13. Flow rate of PM (LPM)	:	27.05
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	No
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

### TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.4	50	IS:11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	37.3	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>2</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	416.8	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	29.6	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	73.5	100	IS:13270

Note: -@CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


**EPA LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note: 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used in a court of law without the written approval of the lab. 3. Certified shall be our responsibility, otherwise not.

# TEST REPORT

Sample Number:

EPAL/WW/20/08/14061

Report No.:

EPAL/20/08/14061

Name &amp; address of Project :

M/s DLF Cyber Park

Format No.:

FRM 062

 DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002

Party Reference No.:

NIL

Sample Description :

Untreated Sewage Water Sample

Reporting Date:

18/08/2025

Sampling &amp; Analysis Protocol:

IS:3025, APHA 24th Ed.

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

## WASTE WATER ANALYSIS TEST REPORT

### General Information:

1. Sampling Location	:	STP Inlet
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	2.0Ltr.
4. Sample Preservation	:	Refrigerated
5. Scope of Monitoring	:	Regulatory Requirement
6. Control Measure if Any	:	No
7. Sample collected by	:	Lab Representative
8. Parameter Required	:	As per work order
9. Environmental Condition	:	Cloudy

## TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1.	Colour	-	Yellowish	IS:3025 Part-4
2.	Odour	-	Objectionable	IS:3025 Part-5
3.	pH	-	7.25	IS:3025 Part-11
4.	Chemical Oxygen Demand	mg/l	460.00	APHA 24th Ed. 5220 B
5.	BOD (at 27°C for 3 days)	mg/l	82.8	IS:3025 Part-44
6.	Total Suspended Solids	mg/l	116.00	IS:3025 Part-17
7.	Oil & Grease	mg/l	8.0	IS:3025 Part-39
8.	Total Phosphorous (as P)	mg/l	4.12	IS:3025 Part-34
9.	Total Nitrogen (as N)	mg/l	8.64	IS:3025 Part-31
10.	Fecal coliform	MPN/100ml	295	IS 1622:1981

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*





**TEST REPORT**

Sample Number:

Name & address of Project :

Sample Description :

Sampling & Analysis Protocol:

EPAL/WW/20/08/14060

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Treated Sewage Water Sample

IS:3025, APHA 24th Ed.

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Date of Receiving :

EPAL/20/08/14060

FRM 062

NIL

18/08/2025

14/08/2025 to 18/08/2025

14/08/2025

**WASTE WATER ANALYSIS TEST REPORT**

General Information:-

1. Sampling Location	:	STP Outlet
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	2.0Ltr.
4. Sample Preservation	:	Refrigerated
5. Scope of Monitoring	:	Regulatory Requirement
6. Control Measure if Any	:	No
7. Sample collected by	:	Lab Representative
8. Parameter Required	:	As per work order
9. Environmental Condition	:	Cloudy

**TEST RESULTS**

S. No.	Parameters	Unit	Results	Standard limits as per CPCB Guidelines	Protocol Used
1.	Colour	-	Colourless	Colourless	IS:3025 Part-4
2.	Odour	-	Odourless	Odourless	IS:3025 Part-5
3.	pH	-	7.55	5.5 - 9.0	IS:3025 Part-11
4.	Chemical Oxygen Demand	mg/l	36.00	50	APHA 24th Ed. 5220 B
5.	BOD (at 27°C for 3 days)	mg/l	6.48	10	IS:3025 Part-44
6.	Total Suspended Solids	mg/l	16.00	20	IS:3025 Part-17
7.	Oil & Grease	mg/l	2.40	10	IS:3025 Part-39
8.	Total Phosphorous (as P)	mg/l	0.48	1.0	IS:3025 Part-34
9.	Total Nitrogen (as N)	mg/l	2.24	10	IS:3025 Part-31
10.	Fecal coliform	MPN/100ml	42	230	IS 1622:1981

Note: Standard limits as per Central Pollution Control Board Guidelines

Next Due Date = Suggested by Customer as per their EMPP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



Checked by  
Kirti Singh



Authorised By  
Rakesh Kumar



## TEST REPORT

Sample Number: EPAL/W/20/08/14058  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Domestic Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24thEd.

Report No.: EPAL/20/08/14058  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025  
 ULR No.: TC110072500000407F

### WATER ANALYSIS TEST REPORT

#### General Information:-


1. Sampling Location	:	Tower-C, Basement-3 (WTP)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 + 1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

### TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.85	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	192.40	200 max	600 max	IS:3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th.3111 B
7.	Chloride (as Cl)	mg/l	49.50	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	45.85	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	13.00	30 max	100 max	APHA 24th.3500 B
11.	Total Dissolved Solids	mg/l	425.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate (as SO <sub>4</sub> )	mg/l	28.5	200 max	400 max	APHA 24th.4500 SO4 E
13.	Fluoride (as F)	mg/l	0.68	1.0 max	1.5 max	APHA 24th.4500 F
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	99.50	200 max	600 max	IS:3025 Part-23
15.	Chromium Total (as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th.3111 B
16.	Nitrate (as NO <sub>3</sub> )	mg/l	11.6	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc (as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th.3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper (as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th.3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th.3111 B
21.	Lead (as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111 B
22.	Cadmium (as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th.3111 B
23.	Amonium Nitrogen (as NH <sub>4</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Boron (as B)	mg/l	0.42	0.5 max	1.0	APHA 24th.4500 B G



Chaired By  
Ankita Singh



Approved By  
Brijesh Kumar



**TEST REPORT**

Sample Number: EPAL/W/20/08/14058

Report No.: EPAL/20/08/14058

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25	Hexam Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS:3025 Part-52
26	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th.3111 B
27	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th.3111 B
28	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS:3025 Part-29
29	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111 B
30	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th.3111 B
Bacteriological Examinations						
31	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185/2016	
32	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185/2016	

Remark: \*BDL - Below Detection Limit, \*\*DL-Detection Limit


Next Due Date: Suggested by Customer as per their EMP Plus: 12 February 2026

\*\*\* End of Report\*\*\*



SAVE WATER

ENVIRONMENT





**TEST REPORT**

Sample Number: EPAL/W/20/08/14050 Report No.: EPAL/20/08/14050  
 Name & address of Project : M/s DLF Cyber Park Format No.: FRM 062  
 DLF Cyber City, Phase-III, Party Reference No.: NIL  
 Gurgaon, Haryana - 122002 Reporting Date: 18/08/2025  
 Sample Description : Drinking Water Sample Period of Analysis: 14/08/2025 to 18/08/2025  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed. Date of Receiving : 14/08/2025  
 ULR No.: TC110072500000399F

**DRINKING WATER ANALYSIS TEST REPORT**

**General Information:-**

1. Sampling Location	:	Basement-I, Tower-A (From Water Cooler-3)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 +1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Monitoring	:	Cloudy

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	1.5 max	IS 3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS 3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS 3025 Part-10
4.	pH	—	7.70	6.5 - 8.5	No relaxation	IS 3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	182.00	200 max	600 max	IS 3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride (as Cl)	mg/l	59.30	250 max	1000 max	IS 3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS 3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	56.77	75 max	200 max	IS 3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	10.04	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	251.00	300 max	2000 max	IS 3025 Part-16
12.	Sulphate (as SO <sub>4</sub> )	mg/l	14.2	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride (as F)	mg/l	0.38	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	139.30	200 max	600 max	IS 3025 Part-23
15.	Chromium Total (as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate (as NO <sub>3</sub> )	mg/l	6.28	45 max	No Relaxation	IS 3025 Part-34
17.	Zinc (as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS 3025 Part-43
19.	Copper (as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.02)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead (as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium (as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonium Nitrogen (as NH <sub>4</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS 3025 Part-34
24.	Iron (as Fe)	mg/l	0.29	0.5 max	1.0	APHA 24th 3500 B



Checked By  
Ankita Singh



Autographed  
Suprajeet Kaur

# TEST REPORT

Sample Number: EPAL/W/20/08/14050

Report No.: EPAL/20/08/14050

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
Bacteriological Examinations						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2016	
32.	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2016	

Remark - \*BDL- Below Detection Limit, DL- Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*





**TEST REPORT**

Sample Number: EPAL/W/20/08/14051 Report No.: EPAL/20/08/14051  
 Name & address of Project : M/s DLF Cyber Park Format No.: FRM 062  
 DLF Cyber City, Phase-III, Party Reference No.: NIL  
 Gurgaon, Haryana -122002 Reporting Date: 18/08/2025  
 Sample Description : Drinking Water Sample Period of Analysis: 14/08/2025 to 18/08/2025  
 Sampling & Analysis Protocol: IS:3025, APHA 24thEd. Date of Receiving : 14/08/2025  
 ULR No.: TC110072500000400F

**DRINKING WATER ANALYSIS TEST REPORT**

**General Information:-**

1. Sampling Location	:	Basement-3, Tower-A (From Water Cooler-2)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 +1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour		Agreeable	Agreeable	Agreeable	IS:3025 Part-3
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.78	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	166.40	200 max	600 max	IS:3025 Part-21
6.	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride,(as Cl)	mg/l	49.63	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness,(as Ca)	mg/l	45.85	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness,(as Mg)	mg/l	12.16	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	226.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate,(as SO <sub>4</sub> )	mg/l	8.24	200 max	400 max	APHA 24th 4500 SO <sub>4</sub> E
13.	Fluoride,(as F)	mg/l	0.24	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	119.40	200 max	600 max	IS:3025 Part-23
15.	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate,(as NO <sub>3</sub> )	mg/l	2.24	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese,(as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonium Nitrogen,(as NH <sub>4</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	APHA 24th 3111 B
24.	Boron (as B)	mg/l	0.36	0.5 max	1.0	APHA 24th 4300 B



# TEST REPORT

Sample Number: EPAL/W/20/08/14051


Report No.: EPAL/20/08/14051

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max.	0.05	APHA 24th 3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
Bacteriological Examinations						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016
32.	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016

Remark: \*BDL- Below Detection Limit, DL- Detection Limit

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



# TEST REPORT

Sample Number:

Name &amp; address of Project :

Sample Description :

Sampling &amp; Analysis Protocol:

EPAL/W/20/08/14052

 M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Drinking Water Sample

IS:3025, APHA 24th Ed.

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Date of Receiving :

ULR No.:

EPAL/20/08/14052

FRM 062

NIL

18/08/2025

14/08/2025 to 18/08/2025

14/08/2025

TC110072500000401F


## DRINKING WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	BMS Office (From Water Cooler)		
2. Date of Monitoring	12/08/2025		
3. Sample Quantity	5 + 1 Ltr.		
4. Sampling Type	Grab		
5. Sample Preservation	Refrigerated		
6. Scope of Monitoring	Regulatory Requirement		
7. Control Measure if Any	No		
8. Sample collected by	Lab Representative		
9. Parameter Required	As per work order		
10. Environmental Monitoring	Cloudy		

### TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazes	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	-	7.17	6.5 - 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	194.00	200 max	600 max	IS:3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride (as Cl)	mg/l	39.70	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	39.70	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	11.34	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	140.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate (as SO <sub>4</sub> )	mg/l	5.28	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride (as F)	mg/l	0.28	1.0 max	1.5 max	APHA 24th 4300 F
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	93.52	200 max	600 max	IS:3025 Part-23
15.	Chromium Total (as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrite (as NO <sub>2</sub> )	mg/l	1.21	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc (as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper (as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead (as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Chromium (as Cr)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Ammonical Nitrogen (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-24
24.	Boron (as B)	mg/l	0.22	0.5 max	1.0	APHA 24th 4300 B



# TEST REPORT

Sample Number: EPAL/W/20/08/14052

Report No.: EPAL/20/08/14052

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th.3111
27	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th.3111
28	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111
30	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th.3111
<b>Bacteriological Examinations</b>						
31	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2016	
32	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2016	

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*





## TEST REPORT

Sample Number: EPAL/W/20/08/14053  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Drinking Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/20/08/14053  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025  
 ULR No.: TC110072500000402F

### DRINKING WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	Food Court (From Water Cooler)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 + 1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

### TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1	Colour	Human	1.0	5 max	15 max	IS:3025 Part-8
2	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4	pH	—	6.80	6.5 – 8.5	No relaxation	IS:3025 Part-11
5	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	62.40	200 max	600 max	IS:3025 Part-21
6	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7	Chloride,(as Cl)	mg/l	29.78	250 max	1000 max	IS:3025 Part-32
8	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9	Calcium Hardness,(as Ca)	mg/l	12.30	75 max	200 max	IS:3025 Part-40
10	Magnesium Hardness,(as Mg)	mg/l	7.57	30 max	100 max	APHA 24th 3500 B
11	Total Dissolved Solids	mg/l	138.00	500 max	2000 max	IS:3025 Part-16
12	Sulphate,(as SO <sub>4</sub> )	mg/l	5.23	200 max	400 max	APHA 24th 4500 SO4 E
13	Fluoride,(as F)	mg/l	0.26	1.0 max	1.5 max	APHA 24th 4500 F
14	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	39.70	200 max	600 max	IS:3025 Part-23
15	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16	Nitrate,(as NO <sub>3</sub> )	mg/l	1.14	45 max	No Relaxation	IS:3025 Part-34
17	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20	Manganese,(as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23	Amonium (NH <sub>4</sub> ), (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24	BOD <sub>5</sub> (as B)	mg/l	0.22	0.5 max	1.0	APHA 24th 4500 BLC



## TEST REPORT

Sample Number: EPAL/W/20/08/14053

Report No.: EPAL/20/08/14053

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25	Hexam Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111 B
27	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
Bacteriological Examinations						
31	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2016	
32	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2016	

Remark: -\*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


 Checked By  
Alok Kumar Singh

 Authorised  
By  
Rakesh Kumar

# TEST REPORT

Sample Number: EPAL/W/20/08/14054  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: Drinking Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/20/08/14054  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving: 14/08/2025  
 ULR No.: TC11007250000483F

## DRINKING WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	:	Basement-3, Tower-C (From Water Cooler-05)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 + 1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Monitoring	:	Cloudy

## TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS:10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	15 max	IS:3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.29	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	28.00	200 max	600 max	IS:3025 Part-21
6.	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride,(as Cl)	mg/l	59.56	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RPC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness, (as Ca)	mg/l	20.84	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness, (as Mg)	mg/l	6.29	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	182.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate,(as SO <sub>4</sub> )	mg/l	8.52	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride,(as F)	mg/l	0.38	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	99.50	200 max	600 max	IS:3025 Part-23
15.	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate,(as NO <sub>3</sub> )	mg/l	4.24	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese,(as Mn)	mg/l	*BDL (**DL-0.02)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonium Nitrogen,(as NH <sub>4</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Boron,(as B)	mg/l	0.28	0.5 max	1.0	APHA 24th 4500 B-C


 APPROVED BY  
 Akriti Singh

 APPROVED BY  
 Deepak Kumar

**TEST REPORT**

Sample Number: EPAL/W/26/08/14054


Report No.: EPAL/26/08/14054

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS-3025 Part-52
26.	Ammonium (as NH <sub>4</sub> )	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th 3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th 3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS-3025 Part-29
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th 3111 B
Bacteriological Examinations						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185 2016
32.	E.coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185 2016

Remark: \*BDL-Below Detection Limit, DL-Detection Limit

Next Due Date ~ Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



**TEST REPORT**

Sample Number: EPAL/W/20/08/14055  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: Drinking Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.  
 Report No.: EPAL/20/08/14055  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving: 14/08/2025  
 ULR No.: TC11007250000404F

**DRINKING WATER ANALYSIS TEST REPORT**
General Information:-

1. Sampling Location	:	Basement-1, Tower-C (From Water Cooler-06)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	5 +1 Ltr.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Environmental Condition	:	Cloudy

**TEST RESULTS**

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazin	1.0	5 max	15 max	IS:3025 Part-8
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.28	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness,(as CaCO <sub>3</sub> )	mg/l	52.00	200 max	600 max	IS:3025 Part-21
6.	Iron,(as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride,(as Cl)	mg/l	41.69	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness,(as Ca)	mg/l	14.29	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness,(as Mg)	mg/l	3.77	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	148.00	500 max	2000 max	IS:3025 Part-16
12.	Sulphate,(as SO <sub>4</sub> )	mg/l	6.32	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride,(as F)	mg/l	0.30	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity,(as CaCO <sub>3</sub> )	mg/l	79.60	200 max	600 max	IS:3025 Part-23
15.	Chromium Total,(as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate,(as NO <sub>3</sub> )	mg/l	2.28	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc,(as Zn)	mg/l	*BDL (**DL-0.02)	5 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds,(as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper,(as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese,(as Mn)	mg/l	*BDL (**DL-0.02)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead,(as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium,(as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Amonium Nitrogen,(as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Bacteria (B)	mg/l	0.26	0.5 max	1.0	APHA 24th 4500 B C



**TEST REPORT**

Sample Number: EPAL/W/20/08/14055


Report No.: EPAL/20/08/14055

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25.	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS:3025 Part-52
26.	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th.3111 B
27.	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th.3111 B
28.	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS:3025 Part-29
29.	Selenium (as Se)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th.3111 B
30.	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th.3111 B
Bacteriological Examinations						
31.	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016
32.	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml		IS-15185:2016

Remark: \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date = Suggested by Customer as per their EMP Plus: 12 February 2026

\*\*\* End of Report \*\*\*


 EPA LABS PRIVATE LIMITED  
 (Formerly known as Environment Pollution Analysis Lab)


ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1: The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not manufactured, except in full, without prior written permission of the lab.



# TEST REPORT

Sample Number:

Name & address of Project :

Sample Description :

Sampling & Analysis Protocol:

EPAL/W/20/08/14056

M/s DLF Cyber Park  
DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002  
Drinking Water Sample  
IS:3025, APHA 24thEd.

Report No.:

Format No.:

Party Reference No.:

Reporting Date:

Period of Analysis:

Date of Receiving :

ULR No.:

EPAL/20/08/14056

FRM 062

NIL

18/08/2025

14/08/2025 to 18/08/2025

14/08/2025

TC11007250000405F

## DRINKING WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	Basement-4, Tower-A, DG Room (Water Cooler-04)
2. Date of Monitoring	12/08/2025
3. Sample Quantity	5 ± 1 Ltr.
4. Sampling Type	Grab
5. Sample Preservation	Refrigerated
6. Scope of Monitoring	Regulatory Requirement
7. Control Measure if Any	No
8. Sample collected by	Lab Representative
9. Parameter Required	As per work order
10. Environmental Condition	Cloudy

## TEST RESULTS

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 – 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
1.	Colour	Hazen	1.0	5 max	13 max	IS:3025 Part-4
2.	Odour	—	Agreeable	Agreeable	Agreeable	IS:3025 Part-5
3.	Turbidity	NTU	1	1 max	5 max	IS:3025 Part-10
4.	pH	—	7.10	6.5 – 8.5	No relaxation	IS:3025 Part-11
5.	Total Hardness (as CaCO <sub>3</sub> )	mg/l	41.60	200 max	600 max	IS:3025 Part-21
6.	Iron (as Fe)	mg/l	*BDL (**DL-0.02)	0.3 max	No Relaxation	APHA 24th 3111 B
7.	Chloride (as Cl)	mg/l	39.70	250 max	1000 max	IS:3025 Part-32
8.	Residual Free Chlorine (RFC)	mg/l	*BDL (**DL-0.02)	0.2	1 max	IS:3025 Part-26
9.	Calcium Hardness (as Ca)	mg/l	12.50	75 max	200 max	IS:3025 Part-40
10.	Magnesium Hardness (as Mg)	mg/l	2.31	30 max	100 max	APHA 24th 3500 B
11.	Total Dissolved Solids	mg/l	124.80	500 max	2000 max	IS:3025 Part-16
12.	Sulphate (as SO <sub>4</sub> )	mg/l	6.28	200 max	400 max	APHA 24th 4500 SO4 E
13.	Fluoride (as F)	mg/l	0.24	1.0 max	1.5 max	APHA 24th 4500 F
14.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	43.78	200 max	600 max	IS:3025 Part-23
15.	Chromium Total (as Cr)	mg/l	*BDL (**DL-0.02)	0.05 max	No Relaxation	APHA 24th 3111 B
16.	Nitrate (as NO <sub>3</sub> )	mg/l	3.43	45 max	No Relaxation	IS:3025 Part-34
17.	Zinc (as Zn)	mg/l	*BDL (**DL-0.02)	3 max	15 max	APHA 24th 3111 B
18.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH)	mg/l	*BDL (**DL-0.0004)	0.001 max	0.002 max	IS:3025 Part-43
19.	Copper (as Cu)	mg/l	*BDL (**DL-0.02)	0.05 max	1.5 max	APHA 24th 3111 B
20.	Manganese (as Mn)	mg/l	*BDL (**DL-0.001)	0.1 max	0.3 max	APHA 24th 3111 B
21.	Lead (as Pb)	mg/l	*BDL (**DL-0.001)	0.01 max	No Relaxation	APHA 24th 3111 B
22.	Cadmium (as Cd)	mg/l	*BDL (**DL-0.001)	0.003 max	No Relaxation	APHA 24th 3111 B
23.	Ammonium Nitrogen (as NH <sub>3</sub> )	mg/l	*BDL (**DL-0.05)	0.5 max	No Relaxation	IS:3025 Part-34
24.	Chloride (as Cl)	mg/l	0.24	0.5 max	1.0	APHA 24th 4500 E C



# TEST REPORT

Sample Number: EPAL/W/20/08/14056

Report No.: EPAL/20/08/14056

S.No.	Parameters	Unit	Results	Drinking Water Specifications (As per IS-10500 - 2012)		Protocol Used
				Desirable Limits	Permissible Limits in the absence of better alternate source	
25	Hexa Chromium (as Cr+6)	mg/l	*BDL (**DL-0.02)	—	—	IS:3025 Part-52
26	Arsenic (as As)	mg/l	*BDL (**DL-0.0001)	0.01 max	0.05	APHA 24th.3111 B
27	Aluminum (as Al)	mg/l	*BDL (**DL-0.02)	0.03 max	0.2	APHA 24th.3111 B
28	Cyanide (as CN)	mg/l	*BDL (**DL-0.008)	0.05 max	No Relaxation	IS:3025 Part-29
29	Selenium (as Se)	mg/l	*BDL (**DL-0.0001)	0.01 max	No Relaxation	APHA 24th.3111 B
30	Mercury (as Hg)	mg/l	*BDL (**DL-0.0001)	0.001 max	No Relaxation	APHA 24th.3111 B
Bacteriological Examinations						
31	Coli form organisms	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2010	
32	E. coli	Per 100 ml	Absent	Should not be detectable in 100 ml	IS-15185:2016	

Remark: - \*BDL- Below Detection Limit, DL-Detection Limit

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*



EPA LABS PRIVATE LIMITED

(Formerly known as Environmental Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1: The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without written permission of the laboratory.

# TEST REPORT

Sample Number:	EPAL/W/20/08/14072	Report No.:	EPAL/20/08/14072
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Body Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24thEd.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

## WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	:	Tower- A (Ground Floor)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 mL
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Cloudy

## TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



## EPALABS PRIVATE LIMITED

(Earlier known as Environment Pollution Analysis Lab)

Note 1: The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, M/oEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-9759427231, +91-7686363821, Tel : 01493-294594, www.epalabs.com

Lab.: 2nd Floor, Hana Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

NOIDA

BIHWADI

KANPUR

BANGALORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

# TEST REPORT

Sample Number:	EPAL/W/20/08/14073	Report No.:	EPAL/20/08/14073
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Body Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

## WATER ANALYSIS TEST REPORT

### General Information:-

1. Sampling Location	:	Tower- B (Ground Floor)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 mL
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Cloudy

## TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



**EPA LABS PRIVATE LIMITED**

(Earlier known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, # MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7665363921, Tel: 01433-294594, www.epalabs.com

Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com,

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

**TEST REPORT**

Sample Number: EPAL/W/20/08/14074 Report No.: EPAL/20/08/14074  
 Name & address of Project : M/s DLF Cyber Park Format No.: FRM 062  
 DLF Cyber City, Phase-III, Party Reference No.: NIL  
 Gurgaon, Haryana -122002 Reporting Date: 23/08/2025  
 Sample Description : Water Body Water Sample Period of Analysis: 14/08/2025 to 23/08/2025  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed. Date of Receiving : 14/08/2025

**WATER ANALYSIS TEST REPORT**
**General Information:-**

1. Sampling Location	:	Tower- C(Ground Floor)
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Cloudy

**TEST RESULTS**

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT


**EPALABS PRIVATE LIMITED**

(Earlier known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9750427231, +91-766538921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email: [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BIHAWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14078	Report No.:	EPAL/25/08/14078
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	Nil
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	DG Cooling Tower- 1, Tower- A Terrace
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT



**EPA LABS PRIVATE LIMITED**

(Earlier known as Environment Pollution Analysis Lab)

Note 1: The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7065363021, Tel: 01493-294594, www.epalabs.com

Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email: environmentpollutionlab@gmail.com, info@epalabs.com

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number: EPAL/W/25/08/14079  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/08/14079  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving: 14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:


1. Sampling Location	:	DG Cooling Tower- 2, Tower- A Terrace
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan. 12 February 2026

\*\*\* End of Report \*\*\*



SAVE WATER

SAVE ENVIRONMENT



**EPA LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab.)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, # MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-8759427231, +91-7665363921, Tel: 01493-294594, www.epalabs.com

Lab.: 2nd Floor, Hans Complex, Near Police Chowk, Bhilwadi-301010 (Raj.)

Email : environmentpollutionlab@gmail.com, info@epalabs.com

NOIDA

BHILWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number: EPAL/W/25/08/14080  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/08/14080  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving : 14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location : DG Cooling Tower- 3, Tower- A Terrace
2. Date of Monitoring : 12/08/2025
3. Sample Quantity : 250 ml.
4. Sampling Type : Grab
5. Sample Preservation : Refrigerated
6. Scope of Monitoring : Regulatory Requirement
7. Control Measure if Any : No
8. Sample collected by : Lab Representative
9. Parameter Required : As per work order
10. Any Other Information : This test was performed using BCYE Agar.
11. Environmental Condition : Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



**EPA LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, # MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA-GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7685363921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com),

NOIDA

BHINNADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14081	Report No.:	EPAL/25/08/14081
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	DG Cooling Tower- 4, Tower- A Terrace
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMF Plan: 12 February 2026

\*\*\* End of Report \*\*\*

SAVE ENVIRONMENT



**EPA LABS PRIVATE LIMITED**

(Earlier known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB. # MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DAODHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info : +91-9759427231, +91-7865363921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab.: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING



## TEST REPORT

Sample Number:	EPAL/W/25/08/14082	Report No.:	EPAL/25/08/14082
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	DG Cooling Tower- 5, Tower- A Terrace
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



SAVE ENVIRONMENT



### EPA LABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, M/oEF & CG Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info: +91-9759427231, +91-7865363821, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowk, Bhawali-301019 (Raj.)

Email: [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NODA

BHAWALI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number: EPAL/W/25/08/14083  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/08/14083  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving : 14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

- Sampling Location : HVAC Cooling Tower-1
- Date of Monitoring : 12/08/2025
- Sample Quantity : 250 ml.
- Sampling Type : Grab
- Sample Preservation : Refrigerated
- Scope of Monitoring : Regulatory Requirement
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order
- Any Other Information : This test was performed using BCYE Agar.
- Environmental Condition : Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



### **EPAL LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab.)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 46001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADIHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-9759427231, +91-7665363821, Tel: 01493-284594, [www.epalabs.com](http://www.epalabs.com)

Lab.: 2nd Floor, Hansa Complex, Near Police Chowki, Bhawali-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHAWALI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIODIVERSITY TESTING

## TEST REPORT

Sample Number: EPAL/W/25/08/14084  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Water Sample  
 Sampling & Analysis Protocol: IS:3025, APHA 24th Ed.

Report No.: EPAL/25/08/14084  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 23/08/2025  
 Period of Analysis: 14/08/2025 to 23/08/2025  
 Date of Receiving : 14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:

- Sampling Location : HVAC Cooling Tower-2
- Date of Monitoring : 12/08/2025
- Sample Quantity : 250 ml.
- Sampling Type : Grab
- Sample Preservation : Refrigerated
- Scope of Monitoring : Regulatory Requirement
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order
- Any Other Information : This test was performed using BCYE Agar.
- Environmental Condition : Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



SAVE ENVIRONMENT



### EPA LABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MDEQ & CC Recognized Govt. Approved Lab

Registered Address: Plot No. 94, DADHA GB Nagar, Greater Noida, U.P.-201310.

Contact Info: +91-9759427231, +91-7665363921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email: [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14085	Report No.:	EPAL/25/08/14085
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24thEd.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	HVAC Cooling Tower-3
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



### EPAL LABS PRIVATE LIMITED

(Earlier known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 94, DADHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-9758427231, +91-7665363821, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab.: 2nd Floor, Hans Complex, Near Police Chowk, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com)

NOIDA

BHIWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

## TEST REPORT

Sample Number:	EPAL/W/25/08/14086	Report No.:	EPAL/25/08/14086
Name & address of Project :	M/s DLF Cyber Park DLF Cyber City, Phase-III, Gurgaon, Haryana -122002	Format No.:	FRM 062
Sample Description :	Water Sample	Party Reference No.:	NIL
Sampling & Analysis Protocol:	IS:3025, APHA 24th Ed.	Reporting Date:	23/08/2025
		Period of Analysis:	14/08/2025 to 23/08/2025
		Date of Receiving :	14/08/2025

### WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	HVAC Cooling Tower-4
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	250 ml.
4. Sampling Type	:	Grab
5. Sample Preservation	:	Refrigerated
6. Scope of Monitoring	:	Regulatory Requirement
7. Control Measure if Any	:	No
8. Sample collected by	:	Lab Representative
9. Parameter Required	:	As per work order
10. Any Other Information	:	This test was performed using BCYE Agar.
11. Environmental Condition	:	Sunny

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1	Legionella	Per 100 ml	Absent	ISO:11731

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



### EPALABS PRIVATE LIMITED

(Formerly known as Environment Pollution Analysis Lab)

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certified shall be not reproduced, except in full, without prior written approval of the laboratory.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified, ISO/IEC 17025:2017, NABL ACCREDITED LAB, MOEF & CC Recognized Govt. Approved Lab

Registered Address: Plot No.: 34, DADHA GB Nagar, Greater Noida, U.P.-201310

Contact Info : +91-9759427231, +91-7985363921, Tel: 01493-294594, [www.epalabs.com](http://www.epalabs.com)

Lab: 2nd Floor, Hans Complex, Near Police Chowki, Bhiwadi-301019 (Raj.)

Email : [environmentpollutionlab@gmail.com](mailto:environmentpollutionlab@gmail.com), [info@epalabs.com](mailto:info@epalabs.com),

NOIDA

BIHAWADI

KANPUR

BANGLORE

MUMBAI

ENVIRONMENT TESTING

FOOD TESTING

BIOMEDICAL TESTING

# TEST REPORT

Sample Number: EPAL/N/20/08/14047  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : DG Noise  
 Sampling & Analysis Protocol: IS: 4758:1968 & CPCB Guidelines

Report No.: EPAL/20/08/14047  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location : DG Room
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Noise Level Inside (When DG Set On)	Noise Level Outside (When DG Set On)	Insertion Loss	Protocol Used
1	Leq.	(dB)A	97.8	74.6	27.2	IS:4758:1968
2	Limit	(dB)A		75.0		-

Outside= 1 meter distance from DG room

Noise Limit- 75.0 dB(A) max outside from GG/DG room applicable for less than 1000 KVA.

Minimum insertion loss should be 25 dB (A) or maximum 75 dB (A) at the outside of DG Room applicable for more than 1000 KVA.

Next Due Date = Suggested by Customer as per their EMPI Plan: 12 February 2026

\*\*\* End of Report \*\*\*

CONSERVE ENVIRONMENT



checked by  
Neeta Singh



Approved By  
Rakesh Kumar

# TEST REPORT

Sample Number: EPAL/N/20/08/14049  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Pump House Noise  
 Sampling & Analysis Protocol: IS: 4758:1968 & CPCB Guidelines

Report No.: EPAL/20/08/14049  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## NOISE LEVEL MONITORING REPORT

### General Information:-

1. Sampling Location : HVAC
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	Lmin,	(dB)A	75.9	—	IS:4758:1968
2	Lmax,	(dB)A	92.6	—	IS:4758:1968
3	Leq,	(dB)A	84.25	85.0	IS:4758:1968

\*Standard limits are as per OSHA

Next Due Date = Suggested by Customer as per their EMP Plan: 12-February-2026

\*\*\* End of Report \*\*\*



## TEST REPORT

Sample Number: EPAL/N/20/08/140148  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: Pump House Noise  
 Sampling & Analysis Protocol: IS: 4758:1968 & CPCB Guidelines

Report No.: EPAL/20/08/14048  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving: 14/08/2025

### NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location : Pump Room
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	Lmin.	(dB)A	72.6	--	IS:4758:1968
2	Lmax.	(dB)A	92.6	--	IS:4758:1968
3	Leg.	(dB)A	82.6	85.0	IS:4758:1968

\*Standard limits are as per OSIA.

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

RESERVE ENVIRONMENT



Checked By  
Ankita Singh



Approved By  
Brijesh Kumar



## TEST REPORT

Sample Number: EPAL/N/20/08/14077  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : Pump House Noise  
 Sampling & Analysis Protocol: IS: 4758:1968 & CPCB Guidelines

Report No.: EPAL/20/08/14077  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

### NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location : STP Room, Basement 1 Tower C
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

#### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	L <sub>min</sub> ,	(dB)A	74.1	--	IS: 4758:1968
2	L <sub>max</sub> ,	(dB)A	92.5	--	IS: 4758:1968
3	L <sub>eq</sub> ,	(dB)A	83.30	85.0	IS: 4758:1968

\*Standard limits are as per Factory Act 1948.

Next Due Date = Suggested by Customer as per their EMF Plan 12 February 2026.

\*\*\* End of Report \*\*\*





## TEST REPORT

Sample Number:

Name & address of Project :

EPAL/S/20/08/14027

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Sample Description :

D.G. Stack Emission

Sampling & Analysis Protocol:

IS:11255 , IS: 13270

Report No.:

Format No.:

EPAL/20/08/14027

FRM 062

NIL

Party Reference No.:

18/08/2025

Reporting Date:

14/08/2025 to 18/08/2025

Period of Analysis:

14/08/2025

Date of Receiving :

14/08/2025

### STACK EMISSION TEST REPORT

#### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-I with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	40.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	240.0
12. Velocity of Stack Gases (m/sec.)	:	10.98
13. Flow rate of PM (LPM)	:	27.26
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isookinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

### TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	46.5	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	32.8	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	325.4	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbons(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	28.7	100	IS: 11255,Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	45.6	100	IS:13270

Note: -CPCB -Central Pollution Control Board.

Next Due Date - Suggested by Customer as per their EMP Plan

\*\*\* End of Report\*\*\*



Authored By  
Ankita Singh



Authored By  
Neeraj Kumar

# TEST REPORT

Sample Number: EPAL/S/20/08/14028  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255 , IS: 13270

Report No.: EPAL/20/08/14028  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack -II with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	44.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	237.0
12. Velocity of Stack Gases (m/sec.)	:	10.95
13. Flow rate of PM (LPM)	:	27.34
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	44.8	50	IS:11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	26.4	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	382.6	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	27.4	100	IS:11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	38.2	100	IS:13270

Note: - CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**EPA LABS PRIVATE LIMITED**

(Formerly known as Environment Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

MOLECULAR TESTING

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2 This report can not be used as evidence in a court of Law without the written approval of the lab. 3 Certified shall be and remain the property of the lab.

# TEST REPORT

Sample Number: EPAL/S/20/08/14029  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255 , IS: 13270

Report No.: EPAL/20/08/14029  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack -III with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	45.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	228.0
12. Velocity of Stack Gases (m/sec.)	:	10.85
13. Flow rate of PM (LPM)	:	27.58
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/03
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	43.2	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	24.8	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	379.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	24.8	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	44.7	100	IS:13270

Note: -CPCB - Central Pollution Control Board

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**EPA LABS PRIVATE LIMITED**

(Formerly known as Environmental Pollution Analysis Lab)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of Law without the written approval of the lab. 3. Certificate shall be valid for one year.

# TEST REPORT

Sample Number: EPAL/S/20/08/14030  
 Name & address of Project: M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description: D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/20/08/14030  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving: 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-IV with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	41.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	250.0
12. Velocity of Stack Gases (m/sec.)	:	11.09
13. Flow rate of PM (LPM)	:	27.00
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	42.8	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	22.4	—	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	398.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbons(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	28.6	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	40.8	100	IS:13270

Note: -CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*





## TEST REPORT

Sample Number: EPAL/S/20/08/14031  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/20/08/14031  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

### STACK EMISSION TEST REPORT

#### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-V with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	42.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	247.0
12. Velocity of Stack Gases (m/sec.)	:	11.05
13. Flow rate of PM (LPM)	:	27.07
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

### TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	45.7	50	IS:11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	32.2	—	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>2</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	386.4	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	26.5	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.4	100	IS:13270

Note: - CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*





## TEST REPORT

Sample Number: EPAL/S/20/08/14032  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255, IS: 13270

Report No.: EPAL/20/08/14032  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

### STACK EMISSION TEST REPORT

#### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-VI with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	43.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	248.0
12. Velocity of Stack Gases (m/sec.)	:	11.06
13. Flow rate of PM (LPM)	:	27.05
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

### TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	43.8	50	IS:11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	20.8	--	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>2</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	354.6	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbons (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	22.4	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	44.8	100	IS:13270

Note: - CPCB - Central Pollution Control Board

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number: EPAL/S/20/08/14034  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255 , IS: 13270

Report No.: EPAL/20/08/14034  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-VII with RECD
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	41.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	245.0
12. Velocity of Stack Gases (m/sec.)	:	11.03
13. Flow rate of PM (LPM)	:	27.13
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	RECD
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.6	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	38.4	--	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	369.2	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbons(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	18.4	100	IS:11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	40.1	100	IS:13270

Note: -CPCB - Central Pollution Control Board.

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



# TEST REPORT

Sample Number:

Name &amp; address of Project :

EPAL/S/20/08/14035

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Sample Description :

D.G. Stack Emission

Sampling &amp; Analysis Protocol:

IS:11255, IS: 13270

Report No.:

EPAL/20/08/14035

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

## STACK EMISSION TEST REPORT

### General Information:

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-VIII
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	37.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	260.0
12. Velocity of Stack Gases (m/sec.)	:	11.19
13. Flow rate of PM (LPM)	:	26.74
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/02
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	No
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.6	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	32.4	-	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>2</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	397.1	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	32.8	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	84.6	100	IS:13270

Note: -ACPCB - Central Pollution Control Board.

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


 Checked By  
Ankit Singh

 Authorised  
Signatory  
Approved By  
Arvind Kumar

# TEST REPORT

Sample Number: EPAL/S/20/08/14036  
 Name & address of Project : M/s DLF Cyber Park  
 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002  
 Sample Description : D.G. Stack Emission  
 Sampling & Analysis Protocol: IS:11255 , IS: 13270

Report No.: EPAL/20/08/14036  
 Format No.: FIRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Period of Analysis: 14/08/2025 to 18/08/2025  
 Date of Receiving : 14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack-IX
3. Capacity Of Emission Source	:	2250 KVA
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 Inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	36
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	241.0
12. Velocity of Stack Gases (m/sec.)	:	10.99
13. Flow rate of PM (LPM)	:	27.23
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/03
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	No
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Result	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	49.8	50	IS:11255 Part-1
2.	Sulphur dioxide(SO <sub>2</sub> )	mg/Nm <sup>3</sup>	30.4	**	IS:11255 Part-2
3.	Oxides of Nitrogen(NO <sub>2</sub> )(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	417.8	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon(NMHC)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	34.2	100	IS: 11255 Part-15
5.	Carbon Mono Oxide(CO)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	91.4	100	IS:13270

Note: -CPCB - Central Pollution Control Board,

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



**EPA LABS PRIVATE LIMITED**  
(Formerly known as Environment Pollution Analysis Lab.)



ENVIRONMENT TESTING

FOOD TESTING

BIOLOGICAL TESTING

Note 1. The result given are related to the tested sample and mentioned parameters. Endorsement of product is neither inferred nor implied. 2. This report can not be used as evidence in a court of law without the written approval of the lab. 3. Certified shall be not reproduced, except in full.

# TEST REPORT

Sample Number:

EPAL/S/20/08/14037

Name &amp; address of Project :

M/s DLF Cyber Park

Sample Description :

 DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002

Sampling &amp; Analysis Protocol:

 D.G. Stack Emission  
IS:11255, IS: 13270

Report No.:

EPAL/20/08/14037

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

## STACK EMISSION TEST REPORT

### General Information:-

1. Name of Plant/Section	:	D.G. Section
2. Stack Attached to	:	D.G. Stack
3. Capacity Of Emission Source	:	2250-KVA -X
4. Date of Sampling	:	12/08/2025
5. Type of Fuel Used	:	HSD
6. Stack Height	:	66 Meter
7. Diameter of stack	:	10 inch
8. Point of Sample Collection	:	From Port Hole of Stack
9. Duration of Monitoring (min.)	:	41.0
10. Ambient Temperature-Ta (°C)	:	Max. 33.0 °C, Min. 24.0 °C
11. Temperature of Stack Gases-Ts (°C)	:	248.0
12. Velocity of Stack Gases (m/sec.)	:	11.06
13. Flow rate of PM (LPM)	:	27.05
14. Flow rate of Gas (LPM)	:	2.0
15. Sampling Condition	:	Isokinetic
16. Scope of Monitoring	:	Regulatory Requirement
17. Instrument Used	:	Stack sampler with all Accessories
18. Instrument Code	:	EPAL/SS/01
19. Instrument Calibration Status	:	Calibrated
20. Meteorological condition during monitoring	:	Cloudy
21. Control Measure if Any	:	No
22. Sample collected by	:	Lab Representative
23. Parameter Required	:	As per work order

## TEST RESULTS

S.No.	Parameters	Unit	Results	Standard Limits	Protocol Used
1.	PM (Particulate Matter)(at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	48.4	50	IS:11255 Part-1
2.	Sulphur dioxide (SO <sub>2</sub> )	mg/Nm <sup>3</sup>	37.3	--	IS:11255 Part-2
3.	Oxides of Nitrogen (NO <sub>x</sub> ) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	416.8	650	IS:11255 Part-7
4.	Non-Methane Hydro Carbon (NMHC) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	29.6	100	IS: 11255 Part-15
5.	Carbon Mono Oxide (CO) (at 15% O <sub>2</sub> )	mg/Nm <sup>3</sup>	73.5	100	IS:13270

Note: -CPCB-Central Pollution Control Board.

Next Due Date - Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*





## TEST REPORT

Sample Number:

EPAL/WW/20/08/14061

Report No.:

EPAL/20/08/14061

Name & address of Project :

M/s DLF Cyber Park

Format No.:

FRM 062

DLF Cyber City, Phase-III,

Party Reference No.:

NIL

Gurgaon, Haryana - 122002

Reporting Date:

18/08/2025

Sample Description :

Untreated Sewage Water Sample

Period of Analysis:

14/08/2025 to 18/08/2025

Sampling & Analysis Protocol:

IS:3025, APHA 24th Ed.

Date of Receiving :

14/08/2025

### WASTE WATER ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location	:	STP Inlet
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	2.0 Ltr.
4. Sample Preservation	:	Refrigerated
5. Scope of Monitoring	:	Regulatory Requirement
6. Control Measure if Any	:	No
7. Sample collected by	:	Lab Representative
8. Parameter Required	:	As per work order
9. Environmental Condition	:	Cloudy

### TEST RESULTS

S. No.	Parameters	Unit	Results	Protocol Used
1.	Colour	-	Yellowish	IS:3025 Part-4
2.	Odour	-	Objectionable	IS:3025 Part-5
3.	pH	-	7.25	IS:3025 Part-11
4.	Chemical Oxygen Demand	mg/l	460.00	APHA 24th Ed. 5220 B
5.	BOD (at 27°C for 3 days)	mg/l	82.8	IS:3025 Part-44
6.	Total Suspended Solids	mg/l	116.00	IS:3025 Part-17
7.	Oil & Grease	mg/l	8.0	IS:3025 Part-39
8.	Total Phosphorous (as P)	mg/l	4.12	IS:3025 Part-34
9.	Total Nitrogen (as N)	mg/l	8.64	IS:3025 Part-31
10.	Fecal coliform	MPN/100ml	296	IS 1622:1981

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*





**TEST REPORT**

Sample Number:

Name & address of Project :

EPAL/WW/20/08/14060

M/s DLF Cyber Park  
DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002

Treated Sewage Water Sample  
IS:3025, APHA 24th Ed.

Report No.:

EPAL/20/08/14060

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

Sample Description :

Sampling & Analysis Protocol:

**WASTE WATER ANALYSIS TEST REPORT**

General Information:-

1. Sampling Location	:	STP Outlet
2. Date of Monitoring	:	12/08/2025
3. Sample Quantity	:	2.0Ltr.
4. Sample Preservation	:	Refrigerated
5. Scope of Monitoring	:	Regulatory Requirements
6. Control Measure if Any	:	No
7. Sample collected by	:	Lab Representative
8. Parameter Required	:	As per work order
9. Environmental Condition	:	Cloudy

**TEST RESULTS**

S. No.	Parameters	Unit	Results	Standard limits as per CPCB Guidelines	Protocol Used
1.	Colour	-	Colourless	Colourless	IS:3025 Part-4
2.	Odour	-	Odourless	Odourless	IS:3025 Part-5
3.	pH	-	7.55	5.5 - 9.0	IS:3025 Part-11
4.	Chemical Oxygen Demand	mg/l	36.00	50	APHA 24th Ed. 5220 B
5.	BOD (at 27°C for 3 days)	mg/l	6.48	10	IS:3025 Part-44
6.	Total Suspended Solids	mg/l	16.00	20	IS:3025 Part-17
7.	Oil & Grease	mg/l	2.40	10	IS:3025 Part-39
8.	Total Phosphorous (as P)	mg/l	0.48	1.0	IS:3025 Part-34
9.	Total Nitrogen (as N)	mg/l	2.24	10	IS:3025 Part-31
10.	Fecal coliform	MPN/100ml	42	230	IS 1622:1981

Note: Standard limits as per Central Pollution Control Board Guidelines

Next Due Date = Suggested by Customer as per their EMP Plan, 12 February 2026

\*\*\* End of Report\*\*\*



checked by  
Akila Singh



Authorised By  
Rakesh Kumar

Sample Number:  
 Name & address of Project :

 Sample Description :  
 Sampling & Analysis Protocol:

EPAL/N/20/08/14047

M/s DLF Cyber Park

 DLF Cyber City, Phase-III,  
 Gurgaon, Haryana -122002

DG Noise

IS: 4758:1968 &amp; CPCB Guidelines

 Report No.: EPAL/20/08/14047  
 Format No.: FRM 062  
 Party Reference No.: NIL  
 Reporting Date: 18/08/2025  
 Date of Receiving : 14/08/2025

## TEST REPORT

### NOISE LEVEL MONITORING REPORT

#### General Information:-

- Sampling Location : DG Room
- Date of Monitoring : 12/08/2025
- Duration of Monitoring (min.) : 30 min.
- Scope of Monitoring : Regulatory Requirement
- Instrument Used : Sound Level Meter
- Instrument Code : EPAL/SLM-02
- Instrument Calibration Status : Calibrated
- Meteorological condition during monitoring : Cloudy
- Control Measure if Any : No
- Sample collected by : Lab Representative
- Parameter Required : As per work order

#### TEST RESULTS

Sr. No.	Parameter	Unit	Noise Level Inside (When DG Set On)	Noise Level Outside (When DG Set On)	Insertion Loss	Protocol Used
1	Leq.	(dB)A	97.8	74.6	27.2	IS:4758:1968
2	Limit	(dB)A		75.0		-

Outside= 1 meter distance from DG room.

Noise Limit:- 75.0 dBA max outside from GG/DG room applicable for less than 1000 KVA.

Minimum insertion loss should be 25 dB (A) or maximum 75 dB (A) at the outside of DG Room applicable for more than 1000 KVA.

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report \*\*\*


 Checked By  
 Ankita Singh

 Authorised  
 Approved By  
 Brijesh Kumar



Sample Number:

Name & address of Project :

Sample Description :

Sampling & Analysis Protocol:

EPAL/N/20/08/14049

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Pump House Noise

IS: 4758:1968 & CPCB Guidelines

## TEST REPORT

Report No.:

EPAL/20/08/14049

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

### NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location : HVAC
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

#### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	Lmin.	(dB)A	75.9	--	IS:4758:1968
2	Lmax.	(dB)A	92.6	--	IS:4758:1968
3	Leq.	(dB)A	84.25	85.0	IS:4758:1968

\*Standard limits are as per OSHA

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



## TEST REPORT

Sample Number:

Name & address of Project :

Sample Description :

Sampling & Analysis Protocol:

EPAL/N/20/08/140148

M/s DLF Cyber Park

DLF Cyber City, Phase-III,  
Gurgaon, Haryana - 122002

Pump House Noise

IS: 4758:1968 & CPCB Guidelines

Report No.:

EPAL/20/08/14048

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

### NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location : Pump Room
2. Date of Monitoring : 12/08/2025
3. Duration of Monitoring (min.) : 30 min.
4. Scope of Monitoring : Regulatory Requirement
5. Instrument Used : Sound Level Meter
6. Instrument Code : EPAL/SLM-02
7. Instrument Calibration Status : Calibrated
8. Meteorological condition during monitoring : Cloudy
9. Control Measure if Any : No
10. Sample collected by : Lab Representative
11. Parameter Required : As per work order

#### TEST RESULTS


Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	Lmin.	(dB)A	72.6	--	IS:4758:1968
2	Lmax.	(dB)A	92.6	--	IS:4758:1968
3	Leq.	(dB)A	82.6	85.0	IS:4758:1968

\*Standard limits are as per OSHA

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT





Sample Number:

EPAL/N/20/08/14077

Name & address of Project :

M/s DLF Cyber Park

DLF Cyber City, Phase-III,

Gurgaon, Haryana -122002

Pump House Noise

Sample Description :

IS: 4758:1968 & CPCB Guidelines

## TEST REPORT

Report No.:

EPAL/20/08/14077

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Date of Receiving :

14/08/2025

### NOISE LEVEL MONITORING REPORT

#### General Information:-

1. Sampling Location	:	STP Room, Basement 1 Tower C
2. Date of Monitoring	:	12/08/2025
3. Duration of Monitoring (min.)	:	30 min.
4. Scope of Monitoring	:	Regulatory Requirement
5. Instrument Used	:	Sound Level Meter
6. Instrument Code	:	EPAL/SLM-02
7. Instrument Calibration Status	:	Calibrated
8. Meteorological condition during monitoring	:	Cloudy
9. Control Measure if Any	:	No
10. Sample collected by	:	Lab Representative
11. Parameter Required	:	As per work order

#### TEST RESULTS

Sr. No.	Parameter	Unit	Results	*Standard Limit	Protocol Used
1	Lmin.	(dB)A	74.1	--	IS: 4758:1968
2	Lmax.	(dB)A	92.5	--	IS: 4758:1968
3	Leq.	(dB)A	83.30	85.0	IS: 4758:1968

\*Standard limits are as per Factory Act 1948.

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*

SAVE ENVIRONMENT



Checked By  
Ankita Singh



Approved By  
Brijesh Kumar



Sample Number:

Name & address of Project :

Sample Description :

Sampling & Analysis Protocol:

EPAL/SO/20/08/14062

M/s DLF Cyber Park

DLF Cyber City, Phase-III,  
Gurgaon, Haryana -122002

Soil Sample

IS: 2720, EPA

## TEST REPORT

Report No.:

EPAL/20/08/14062

Format No.:

FRM 062

Party Reference No.:

NIL

Reporting Date:

18/08/2025

Period of Analysis:

14/08/2025 to 18/08/2025

Date of Receiving :

14/08/2025

### SOIL ANALYSIS TEST REPORT

#### General Information:-

1. Sampling Location
2. Date of Monitoring
3. Sample Quantity
4. Sample Preservation
5. Scope of Monitoring
6. Control Measure if Any
7. Sample collected by
8. Parameter Required

Garden Area(Ground Floor, Tower-C)

12/08/2025

2.0 Kg.

N.A.

Regulatory Requirement

No

Lab Representative

As per work order

### TEST RESULTS

S.No.	Parameters	Unit	Results	Protocol Used
1.	Conductivity	µS/cm	516	S:14767
2.	Water holding capacity	%	22.8	EPAL/QAD/STP/004,SP-5
3.	Bulk density	gm/cc	1.32	IS:2720 Part- 3
4.	Chloride	mg/100gm	32.84	EPAL/QAD/STP/004,SP-9
5.	Calcium as Ca	mg/100gm	18.6	EPAL/QAD/STP/004,SP-7
6.	Sodium	mg/100gm	28.4	EPAL/QAD/STP/004,SP-8
7.	Potassium	kg /hec	8.4	EPAL/QAD/STP/004,SP-8
8.	Organic Matter	%	3.24	IS:2720 Part-22
9.	Magnesium as Mg	mg/100gm	4.4	EPAL/QAD/STP/004,SP-7
10.	Manganese	mg/100gm	0.48	USEPA 3050 B

Next Due Date = Suggested by Customer as per their EMP Plan: 12 February 2026

\*\*\* End of Report\*\*\*



Checked By  
Ankita Singh




Autonym  
Approved By  
Brijesh Kumar

**Annexure 12**

**Photographs Showing Green Cover at the Project Site**



**Annexure 13****Photographs Showing Parking Facilities at the Project Site**



**OFFICE OF THE EXECUTIVE ENGINEER HUDA DIVISION NO.I GURUGRAM.**

To

M/s DLF Ltd.  
3<sup>rd</sup> Floor, Shopping Mall Complex  
DLF City Phase-I  
Arjun Marg, Gurugram.

Memo No *DB - 2630* Dated *29/12/17*

**Sub: - Up-gradation of HUDA Road project from NH-8 to Sector-55/56, Gurugram.  
(Traffic management and traffic decongestion plan in and around DLF cyber park  
and DLF cyber city)**

With reference to the above cited subject and your letter dated 20.12.2017. Please find enclosed herewith the report of the above said project.

DA/- as above.

*Wu*  
Executive Engineer,  
HUDA Division No. I  
Gurugram

**Upgradation of HUDA Sector Road from NH8 to Sectors 55/56  
(Traffic Management and Traffic Decongestion Plan  
in and around DLF Cyber Park and DLF Cyber City, Gurugram, Haryana)**


The upgradation plan was approved by HUDA, Govt. of Haryana, on 22nd August 2012. Most of the work has already been completed by HUDA in joint venture with DLF on cost sharing basis.

The site for DLF Cyber Park is located north of the intersection of NH8 Service Road and Shankar Chowk Road on the left hand side of NH8 Service Road. Prime access to the site shall be provided by the surrounding road network comprising of NH8 Service Road and HUDA Sector Road connecting NH8 with Sector 55-56. Majority of the traffic accessing DLF Cyber Park shall be using NH8 service road only.

Surrounding area also include major developments such as DLF Cyber City, Gateway Tower, etc. Traffic generation from all these developments earlier create congestion. In order to mitigate congestion and upgrade level of service of surrounding road network, HUDA undertook and implemented a major road upgradation plan comprising of network including NH8 Service road and HUDA Sector Road.

The above mentioned road upgradation plan considering traffic survey of DLF Cyber City, DLF Cyber Park, upto Sectors 55/56 and nearby area within a radius of more than 5 km is certified and validated consisting the following:

1. Widening of NH8 Service Road from 3 lanes to 7 lanes on both sides.
2. Straight underpass along NH8 Service Road below Indus-Ind Bank Metro Station
3. 8 lane main carriageway with grade separators with 4 lane service road either on HUDA Sector Road.



DLF LIMITED

NODAL OFFICER-CUM-EXECUTIVE ENGINEER  
HUDA, DIVISION NO.-I  
GURUGRAM



# भारतीय विमानपत्तन प्राधिकरण

## AIRPORTS AUTHORITY OF INDIA

AAI/RHQ/NR/ATM/NOC/2016/19/885-889

Date: 24.05.2017

(Revised Height - By Appellate Committee)

To,  
 M/s DLF limited,  
 3<sup>rd</sup> floor, Shopping Mall Complex,  
 Arjun Marg, DLF Phase-1,  
 Gurgaon-122002.

**Sub: Issuance of Revised Height Clearance.**

This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order GSR.751(E) dated 30<sup>th</sup> September 2015 for Safe and Regular Aircraft Operations

**1. References:**

NOC ID	PALM/NORTH/B/012716/119981(OLD)
AAI Reference	CHQ's Letter no. AAI/20012/35/2017-ARI(NOC) dated 22.05.2017
Earlier Issued NOC letter no.	AAI/RHQ/NR/ATM/NOC/2016/19/123-126 DATED 01.02.2016

**2. NOC Details for Height Clearance:**

Applicant Name*	M/s DLF limited
Type of Structure*	BUILDING
Site Address*	Block -C, Cyber Park, 405-B, Sector-20, Udyog Vihar, Gurgaon
Site Boundary Coordinates*	28 30 08.533 N - 77 05 24.755 E, 28 30 10.206 N - 77 05 26.331 E, 28 30 06.458 N - 77 05 27.578 E, 28 30 08.130 N - 77 05 29.153 E.
Permissible Top Elevation	314.44 Mtrs AMSL (Three Hundred Fourteen Decimal Four Four)

\* As provided by Applicant.

**3. This NOC is subject to the terms and conditions as given below:**

- (A) Permissible Top elevation has been issued on the basis of Site coordinates and Site Elevation submitted by Applicant. AAI neither owns the responsibility nor authenticates the correctness of the site coordinates and site elevation provided by the applicant. If at any stage it is established that the actual data is different, this NOC will stand null and void and action will be taken as per law. The office in-charge of the concerned aerodrome may initiate action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994".
- (B) The structure height (including any superstructure) shall be calculated by subtracting the site elevation in AMSL from the Permissible Top Elevation in AMSL i.e. Maximum Structure Height = Permissible Top elevation minus (-) Site Elevation.
- (C) The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by buildings and trees etc.) Rules, 1994.



24-05-2017

(D) No radio/TV Antenna, lighting arresters, staircase, Mumtee, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation of 314.44 Mtrs AMSL, as indicated in para 2.

(E) Only use of oil fired or electric fired furnace is permissible, within 8 KM of the Aerodrome Reference Point.

(F) The certificate is valid for a period of 5 years from the date of its issue. If the construction of structure/Chimney is not commenced within the period, a fresh 'NOC' from the Designated Officer of Airports Authority of India shall be obtained. However, if construction work has commenced, onetime revalidation request, for a period not exceeding 8 years from the date of issue of NOC in respect of building/structure and for a period not exceeding 12 years from the date of issue of NOC in respect of chimney, may be considered by AAI. The date of completion of the Structure should be intimated to this office.

(G) No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights.

(H) The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

(I) Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: [www.dgca.nic.in](http://www.dgca.nic.in).

(J) The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearance is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

(K) This NOC has been issued w.r.t. the Civil Airports. Applicant needs to seek separate NOC from Defence, if the site lies within their jurisdiction.

(L) In case of any discrepancy/interpretation of NOC letter, English version shall be valid.

(M) In case of any dispute w.r.t. site elevation and /or AGL height, top elevation in AMSL shall prevail.

(N) This NOC is issued as per the approval of the Appellate Committee of Ministry of Civil Aviation in its meeting held on 28.04.2017.

(O) The Height being issued vide this letter is restricted to the building coordinates mentioned above and shall not extend to rest of the plot.

(P) This building height has been cleared through Aeronautical study and therefore the building shall not give shielding benefit to any other structures.


The Following risk mitigation measures shall be adopted to fulfill the requirements of:

(a) A pilot's need to be made aware of potentially hazardous condition; and

*JPS Singh*  
24-05-2017

- (b) The responsibility of the state to publish deviations from standards that would otherwise be assumed under licensing status.
- (c) The Airport Operator should publish the obstacle, to fulfill the above requirement, before its penetration of the Obstacle Limitation Surface. It is the responsibility of the applicant/ owner to notify the Airport Operator/Airport Director accordingly.
- (d) The day marking and night lighting shall be provided by the applicant/owner as per the guidelines specified in DGCA Civil Aviation Requirement Series B Part-1, Section-4, in Co-ordination with and to the satisfaction of the Airport Operator/ Airport Director.
- (e) Any Temporary structure such as crane, being used for the purpose of construction, should not exceed the permissible top elevation without the written permission of the Airport operator/Airport Director.

This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Permissible Top Elevation as indicated in Para 2.



24-05-2017

(G.P.Singh)  
Deputy General Manager (ATM-NOC)  
For Regional Executive Director, NR

**Copy to:**

1. The Executive Director (ASM), AAI, Rajiv Gandhi Bhawan, Safdarjung Airport, New Delhi-110003
2. The Chief Executive Officer, DIAL, New Uddan Bhawan, Terminal-3, IGI Airport, New Delhi- 110037
3. The Distt Town Planner, Gurgaon, HUDA complex, Sector-14, Gurgaon (HR)
4. Guard File

TUESDAY | JANUARY 13 | 2015


# Silicon Valley investors see more rotals to cart money in education

Jan 12

THE EDUCATION technology business is chock-full of fledgling companies whose innovative ideas have not yet proved effective—or profitable. But that is itself as the go-to e-commerce platform, and this could be an important category expansion for them,” said John Choi, a Hong Kong-based Internet analyst at Daiwa Capital Markets.

JD.com’s deal late last week was the company’s biggest ever, with its share of the investment in Bitauto valued at \$1.35 billion.

Reuters



vestors compared with China.

Indian home buyers by tradition work with local brokers. But with a property market already estimated by KPMG to be worth \$121 billion in 2013, the Internet offers people the ability to compare house prices hundreds of kilometres away. “A single broker

458-1/16, Sohna Road, Opposite New Court, Gurgaon-122 001, inter-alia:

1. To consider and approve Un-Audited Quarterly Financial Statements for the 3rd quarter ended on 31st December, 2014.
2. To consider the declaration of Interim Dividend for the financial year 2014-15, if any.

Pursuant to Clause 15, 16 & 19 and any other clause, if applicable, of the Listing Agreement, the Company has fixed Thursday, the 29th day of January, 2015 as Record Date for the purpose of payment of Interim Dividend, if declared, to those members whose names appears on the Register of Members of the Company and/or the Register of beneficial owners maintained by the Depositories as on the close of Thursday, 29th January, 2015. The transfer documents received up to the close of Thursday, 29th January, 2015 will be reckoned for the purpose of payment of Interim Dividend as above.

For Jullundur Motor Agency (Delhi) Limited

to retire by

Total numb  
FAVOUR o  
Section 15:  
Total numb  
the Ordinar  
152 of Con

RESOLUT  
Sarkar, Di

Total numb  
FAVOUR o  
Section 26:  
Total numb  
the Specia  
of Compa

The Votes  
December  
1 & Resol

Place: Gurgaon  
Date: 12.01.2015

Sd/-  
Sachin Saluja  
(Company Secretary)

Place: Ne  
Date: 12.01.2015

Date: January 12, 2015  
Place: Noida (U.P.)

HCL

## INDRAPRASHTHA MEDICAL CORPORATION LTD.

Regd. Office : Sarita Vihar, Delhi-Mathura Road, New Delhi - 110 078 (India)  
Corporate Identity Number : L24232DL1988PLC030958  
Phone : 91-11-26925856, 26925801, Fax : 91-11-26823629  
E-mail: imci@apollohospitals.com, Website : apollohospdelhi.com

### NOTICE OF LOSS OF SHARE CERTIFICATE

Notice is hereby given that the following share certificates issued by the Company have been reported to be lost or misplaced and the shareholders have applied for issue of duplicate share certificates :-

Name of the shareholder(s)	Certificate Nos. (Distinctive Nos.)
A Prem Kumar (1000 shares)	43428 (71762601-71762700) 44258-62 (71845601-71846100) 49651-52 (73118601-73118800) 95647-48 (77718201-77718400)
Jaganathan (1500 shares) Jt. Shikant Jaganathan	13988-14002 (68818601-68820100)

The public is cautioned against purchasing or dealing in any way, with the above share certificates. Any person(s) who has/have any claim(s) in respect of the said share certificates should lodge such claim(s) with the Company at its registered office within 15 days of publication of this notice, after which no claim will be entertained and the Company will proceed to issue duplicate share certificates.

Place: New Delhi  
Date: 12.01.2015

Ajay Kumar Singhal  
Vice President cum Company Secretary

## DLF CYBER CITY DEVELOPERS LIMITED

Gateway Tower (10th Floor), R-Block, DLF City Phase-III, Gurgaon-122010, Phone: 124-4769000

### PUBLIC NOTICE

General Public is hereby informed that the State Environment Impact Assessment Authority (SEIAA), Haryana, Bay No. 55-58, Prayatan Bhawan, Sector-2, Panchkula vide their letter No. SEIAA/HR/2015/31 dated 05.01.2015 has accorded the “Revision of Environmental Clearance” to M/s DLF Cyber City Developers Limited (the Developer) for “DLF Cyber Park” in Udyog Vihar, Sector-20, Gurgaon, Haryana in accordance with the Environment (Protection) Act, 1986. General Public is further informed that copy of the said Environmental Clearance letter is available with the office of the Haryana State Pollution Control Board, Panchkula and the office of SEIAA, Haryana. This public notice is issued in compliance to the General Condition no. (vii) of the Environmental Clearance letter.

Sunil Koul

Place: Gurgaon  
Date: 09.01.2015  
(Authorized Signatory)  
for DLF Cyber City Developers Limited

**NOTICE**  
Unique Medicem Private Limited  
BEFORE THE REGIONAL DIRECTOR,  
NORTHERN REGION, NOIDA  
In the matter of Section 13(4) of the Companies  
Act, 2013

AND

In the matter of Unique Medicem Private Limited (CIN : U51397DL2004PTC130051) having its Registered Office At 203, Progressive House, Rohit Kunj Pitampura, Delhi- 110034.....Petitioner

NOTICE is hereby given that the Company proposes to file a petition, after one month from the date of publication of this notice before the Regional Director, Northern Region, A-14, Sector -1, PDIL Bhawan, NOIDA (Uttar Pradesh) for confirmation to alter Clause II of the Memorandum of Association of the Company to enable the company to shift its Registered Office from the National Capital Territory Delhi to the Gurgaon in the State of Haryana within the jurisdiction of Registrar of Companies, NCT of Delhi and Haryana in terms of Special Resolution passed at the Extraordinary General Meeting held on Thursday 8<sup>th</sup> January, 2015

Any person whose interest is likely to be affected by the proposed alteration may communicate or cause to be communicated within 21 (Twenty one) days of the publication of this notice, the nature of interest and grounds of opposition, if any, duly supported by an affidavit, in original, to the Regional Director, Northern Region, at the address given above with a copy served on the petitioner Company at its registered office.

For Unique Medicem Private Limited

Sd/-

Bhupender Singh Yadav  
(Director)  
Place : New Delhi  
Date : 09/01/2015  
DIN: 00145520  
V.P.O. Sidhrawali,  
Gurgaon, 122001, Haryana, India

A-20, Hosiery Complex, Distt Gautam Budh Na

Place : New Delhi  
Date : 07.01.2015

**SyndicateBank**  
सिंडिकेटबैंक  
SyndicateBank  
माना संस्कार कर उपकरण A Govt. of India Under  
Faithful  
Friendly

Possession Noti

[Append

Where as, the undersigned being the authorized of Financial Assets and Enforcement of Security / (2) read with 3 of the Security Interest (Enforcement) the borrower and also owner of the property/sure (One Crore Ninety One Lacs Thirty Four Thousand 73,84,186/- (Seventy Three Lacs Eighty Four Thousand Interest upto date within 60 Days from the date of The Owner of property M/s Syndicate Binders repay the amount, notice is hereby given to the taken possession of the property described here (4) of the said Act read with rule 8 of the said r The owner of property in particular and the put any dealings with the property will be subject to Place, New Delhi - 110019 for an amount of Rs Hundred and Six Only) in respect of M/s Syndic Hundred Sixty Six Only) in respect of Syndic Descripti

A-20, Hosiery Complex, Distt Gautam Budh Na

Place : New Delhi  
Date : 07.01.2015

# खिलाड़ियों को पुरस्कारों के पीछे नहीं भागना चाहिए: आडवाणी

कोलकाता, 12 जनवरी (भाषा)। पदम भूषण को लेकर हाल के विवाद की आलोचना करते हुए भारतीय क्यू खिलाड़ी पंकज आडवाणी ने कहा कि खिलाड़ी को अपने प्रदर्शन के जरिए जवाब देना चाहिए और सरकारी पुरस्कारों के पीछे नहीं भागना चाहिए।

दस बार के विश्व स्नूकर एवं विलियार्स खिताब विजेता आडवाणी ने यहां राष्ट्रीय विलियार्स एवं स्नूकर चैंपियनशिप से इतर पत्रकारों से कहा, 'मैं कभी पुरस्कारों की मांग या उसके लिए विरोध नहीं करूंगा। आपको इस तरह के पुरस्कार अंजित करने पड़ते हैं आपको उनके लिए लालायित नहीं रहना चाहिए। मैं भी फैसले का इत्तजार कर रहा हूं। उन्होंने

खिताब जात जाकर जारी कराया

मैं दूसरे स्थान पर रहे।

लाहिड़ी ने सीआइएवी नियांगा इंडोनेशिया मास्टर्स के साथ भारत के बाहर अपना पहला खिताब जीता। जबकि वह वेनेशियन मकाऊ ओपन का खिताब भी जीतने में सफल रहे। वह एशियाई टूर पर अब तक पांच खिताब जीत चुके हैं। यह भारतीय गोल्फर हालांकि आईर आफ मेरिट की बैड में अमेरिका के डेविड लिप्स्की से पिछड़ गया।

लाहिड़ी ने इस मौके पर कहा, 'अपने मित्रों और प्रतिस्पर्धियों को इस पुरस्कार के लिए चुने जाने से मैं सम्मानित महसूस कर रहा हूं। इससे पहले जीवन मिल्डा सिंह और थोंगचाई जैदी जैसे एशियाई गोल्फ के दिग्ज खिलाड़ी इस पुरस्कार को हासिल कर चुके हैं और उनके बीच गिनती होना प्रेरणादायी है।' इसके अलावा आस्ट्रेलिया के कैमरन स्पिथ को साल का सर्वश्रेष्ठ उदयमान खिलाड़ी चुना गया। यह 21 साल का खिलाड़ी 2014 में एशियाई टूर पर एक भी कंट नहीं चूका और सात बार शीर्ष 10 में जगह बनाने में सफल रहा।

बासीलोना ने एटलेटिको को हराया

बासीलोना, 12 जनवरी (एपी)। लियोनल मैसी ने एक गोल दागने के अलावा नेमार और लुइस सुअरेज के गोलों में सूत्रधार की भूमिका निभाई जिससे बासीलोना ने ला लीगा पुटबाल लीग में यहां गत चौथियन एटलेटिको दि मैट्रिक्स को 3-1 से हरा दिया।



है और यदि सरकार को लगता है कि मैं इसका हकदार नहीं हूं तो फिर टीक है। मुझे विश्वास है कि सरकार की ओर निश्चित प्रक्रिया होगी।'

ओलंपिक पदक विजेता साइना नेहवाल और विजेदर सिंह के पदम पुरस्कारों के लिए नाराजगी जताने के बारे में आडवाणी ने कहा, 'उन्होंने सही कहा या गलत मैं इस पर टिप्पणी नहीं कर सकता। मैं इतना जानता हूं कि मैं ऐसा काम नहीं करूंगा।'

आडवाणी की राष्ट्रीय विलियार्स में आसान जीत कोलकाता: मौजूदा राष्ट्रीय चैंपियन सौरव कोतारी और स्टार क्यू खिलाड़ी पंकज आडवाणी ने राष्ट्रीय विलियार्स एवं स्नूकर चैंपियनशिप में सोमवार को यहां सीनियर विलियार्स में स्थान पर पहुंच

## पेस शी सो और जीत पर

नई दिल्ली, कर रेनिस डिग्गज पर टूर्नामेंट के फाइनल इस ताजा विश्व यूजर्ल हो गए हैं लेकिन यहां ही पायदान नीचे गिरी है।

पेस और नीचे जीत दर्ज की और उसे रेलवे

कोनस अंक के साथ जीत दर्ज की और उसे रेलवे के खिलाफ प्रबल दावेदार माना जा रहा है जिसे अब तक जीतना पड़ा है। विकेटकीपर बल्लेबाज महेश सवत की आगुआइ वाली रेलवे की टीम अब तक एक भी जीत दर्ज नहीं कर पाई है और टीम के चार मैनों में नीं अंक हैं।

जम्मू-कश्मीर के खिलाफ वापसी करना चाहेगा बंगाल

कोलकाता: सौरव गांगुली से मिली सलाह और रिद्धिमान राहा की वापसी से मजबूत बनी बंगाल की टीम जम्मू-कश्मीर के खिलाफ आज से शुरू होने वाले रणनी ट्राफी मुप ए क्रिकेट मैच में वापसी करने की कोशिश करेगी।

बंगाल क्रिकेट संघ के संयुक्त सचिव गांगुली ने आस्ट्रेलिया से लौटने के बाद खिलाड़ियों से बात की। उन्होंने कोच अशोक मल्होत्रा, कपान लक्ष्मी रतन शुक्ला, बल्लेबाज मनोज तिवारी और तेज गेंदबाज अशोक डिंडा से भी अपने केबिन में अलग से बात की। विकेटकीपर बल्लेबाज साहा भी आस्ट्रेलिया से वापस आ गए हैं।

	(No.)				
Jayshree Bharat Shah Bharat Chimanlal Shah	212857	2/-	312857	289760947-968	22
Devang Chordia H Prakash Chand Chordia	9436	4/-	9609	124948514-563	50

Any person(s) who has/have any claim(s) in respect of the said share certificates should lodge such claim(s) with the Company or its Registrar & Shares Transfer Agent, along with sufficient proof, within 10 days of publication of this notice, after which no claim(s) shall be entertained and the Company will proceed to issue duplicate share certificates. The public is hereby warned against purchasing or dealing in any way with the above share certificates. Any person dealing with the above share certificates shall be doing so solely at his/her own risk as to costs and consequences and the Company shall not be responsible for it in any manner whatsoever.

For HCL Technologies Limited

Manish Anand  
Company Secretary

Our Transfer Agent:  
Alankit Assignments Limited  
(Unit: HCL Technologies Limited)

205-208, Anarkali Market

Jhandewalan Extension,

New Delhi-110055

Date: January 12, 2015

Place: Noida (U.P.)

**HCL**

डीएलएफ साइबर सिटी डेवलपर्स लिमिटेड  
गेटवे टॉवर (10वां तल), आर-ब्लॉक, डीएलएफ सिटी  
फेज-III, गुडगांव-122010, फोन: 124-4769000

### सार्वजनिक सूचना

जनसाधारण को एतदद्वारा सूचित किया जाता है कि राज्य पर्यावरण प्रभाव मूल्यांकन प्राधिकरण (एसईआईएए), हरियाणा, खंड सं. 55-58, पर्यटन भवन, सेक्टर-2, पंचकुला ने अपने पत्र सं. एसईआईएए/एचआर/2015/31, दिनांक 05.01.2015, द्वारा मैं डी एल एफ साइबर सिटी डेवलपर्स लिमिटेड (द डेवलपर्स) को सेक्टर-20, उद्योग विहार, गुडगांव, हरियाणा में 'डीएलएफ साइबर पार्क' के लिए पर्यावरण (सरक्षण) अधिनियम, 1986 के अनुसार 'पर्यावरण स्वीकृति में पुनरीक्षण' प्रदान कर दिया है। जनसाधारण को सूचित किया जाता है कि उक्त स्वीकृति पत्र की प्रतिलिपि हरियाणा राज्य प्रदूषण नियंत्रण बोर्ड, पंचकुला तथा एसईआईएए कार्यालय, हरियाणा में उपलब्ध हैं। यह सार्वजनिक सूचना पर्यावरण स्वीकृति पत्र की सामान्य शर्त सं. (vii) के अनुपालन में जारी की गई है।

सुनील कौल

(अधिकृत हस्ताक्षरकर्ता)

स्थान: गुडगांव

दिनांक: 09.01.2015 कृते डीएलएफ साइबर सिटी डेवलपर्स लिमिटेड

अनुसूची-3  
नेस किये गये नियांग के उपकरण चल सम्पत्तियों का विवरण:

TEER LOADER INVOICE NO. GECSI/PI/UP/2012/010102

DATE Jan 06, 2012 Rs: 519276.80/-

SC130 218283

TEER LOADER INVOICE NO. GECSI/PI/UP/2012/010102

DATE Jan 06, 2012 Rs: 519276.80/-

SC130 218302

TEER LOADER INVOICE NO. GECSI/PI/HARYANA/2012/010101

DATE Jan 06, 2012 Rs: 517584.01/-

SC130 218289

TEER LOADER INVOICE NO. GECSI/PI/TN/2012/010101

DATE Jan 06, 2012 Rs: 504081.99/-

SC130 216924

TEER LOADER INVOICE NO. GECSI/PI/KAR/2012/010101

DATE Jan 06, 2012 Rs: 513875.46/-

SC130 217377

TEER LOADER INVOICE NO. GECSI/PI/DELHI/2012/010101

DATE Jan 06, 2012 Rs: 514701.68/-

SC130 218293

SHETTER CONCRETE INVOICE NO. GECSI/PI/KAR/2012/010102

DATE Jan 06, 2012 Rs: 768364.95/-

SC130 3500, Sr No 1879

STEERLOADER INVOICE NO. GECSI/PI/KAR/2012/010102

DATE Jan 06, 2012 Rs: 513875.46/-

SC130 217378

STEER LOADER INVOICE NO. GECSI/PI/KAR/2012/010101

DATE Jan 06, 2012 Rs: 513875.46/-

SC130 921783

INCRETE PUMP INVOICE NO. GECSI/PI/UP/2012/010101

DATE Jan 06, 2012 Rs: 526632.95/-

SC130 3500, Sr No 1805

INCRETE PUMP INVOICE NO. GECSI/PI/UP/2012/010101

DATE Jan 06, 2012 Rs: 527792.93/-

SC130 920420917

G SHETTER CONCRETE INVOICE NO. GECSI/PI/MAH/2012/010101

DATE Jan 06, 2012 Rs: 7758254.88/-

SC130 3500, Sr No 1805

INCRETE PUMP INVOICE NO. GECSI/PI/UP/2012/010101

DATE Jan 06, 2012 Rs: 527792.93/-

SC130 920420913

GER HOIST, 1MT SINGLE CAGE INVOICE NO. 034

DATE 17/01/2012 Rs: 234000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 234000/-

SC100BD

NTI OVERLOAD DEVICE INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

NTI OVERLOAD DEVICE INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

NTI OVERLOAD DEVICE INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

NTI OVERLOAD DEVICE INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034

DATE 17/01/2012 Rs: 334000/-

SC100BD

INSTEAD CALLING SYSTEM INVOICE NO. 034



---

## Regarding submission of half yearly compliance report\_EC letter no. F.No. 21-275/2017-1A-III dated 27.08.2018

---

DLF LIMITED <dlflimitedgurugram@gmail.com>

Fri, May 29, 2020 at 3:43 PM

To: ronz.chd-mef@nic.in

Cc: "R.C. Bakhshi" <bakhshi-rc@dlf.in>, dutta-abhijit@dlf.in, shah-giriraj@dlf.in

Respected Sir,

This is with reference to the aforesaid subject and Environmental Clearance letter obtained vide letter number **F.No. 21-275/2017-1A-III dated 27.08.2018** to our project "Expansion of DLF Cyber Park" in Udyog Vihar, Sector-20, Gurgaon, Haryana by DLF Cyber City Developers Limited.

In compliance to the Ministry of Environment, Forest and Climate Change Notification dated 26<sup>th</sup> November, 2018, we are hereby submitting (attached) the six monthly compliance report for the period October, 2019 to March, 2020 for your kind reference & records please.

Thank You for your kind consideration.

Yours sincerely  
For DLF Cyber City Developers Limited  
**Giri Raj Shah**  
Mobile No.: 9811015208

---

 **SMR-2020-05-Cyber Park.pdf**  
19117K



DLF LIMITED &lt;dlflimitedgurugram@gmail.com&gt;

---

## Regarding submission of half yearly compliance report\_EC letter no. F.No. 21-275/2017-1A-III dated 27.08.2018

---

DLF LIMITED &lt;dlflimitedgurugram@gmail.com&gt;

Fri, May 29, 2020 at 3:44 PM

To: seiaa.hry@gmail.com

Cc: "R.C. Bakhshi" &lt;bakshi-rc@dlf.in&gt;, dutta-abhijit@dlf.in, shah-giriraj@dlf.in

Respected Sir,

This is with reference to the aforesaid subject and Environmental Clearance letter obtained vide letter number **F.No. 21-275/2017-1A-III dated 27.08.2018** to our project "Expansion of DLF Cyber Park" in Udyog Vihar, Sector-20, Gurgaon, Haryana by DLF Cyber City Developers Limited.

In compliance to the Ministry of Environment, Forest and Climate Change Notification dated 26<sup>th</sup> November, 2018, we are hereby submitting (attached) the six monthly compliance report for the period October, 2019 to March, 2020 for your kind reference & records please.

Thank You for your kind consideration.

Yours sincerely  
For DLF Cyber City Developers Limited  
**Giri Raj Shah**  
Mobile No.: 9811015208

---

 **SMR-2020-05-Cyber Park.pdf**  
19117K



DLF LIMITED &lt;dlflimitedgurugram@gmail.com&gt;

---

## Regarding submission of half yearly compliance report\_EC letter no. F.No. 21-275/2017-1A-III dated 27.08.2018

---

DLF LIMITED &lt;dlflimitedgurugram@gmail.com&gt;

Fri, May 29, 2020 at 3:44 PM

To: hspcb@hry.nic.in

Cc: "R.C. Bakhshi" &lt;bakshi-rc@dlf.in&gt;, dutta-abhijit@dlf.in, shah-giriraj@dlf.in

Respected Sir,

This is with reference to the aforesaid subject and Environmental Clearance letter obtained vide letter number **F.No. 21-275/2017-1A-III dated 27.08.2018** to our project "Expansion of DLF Cyber Park" in Udyog Vihar, Sector-20, Gurgaon, Haryana by DLF Cyber City Developers Limited.

In compliance to the Ministry of Environment, Forest and Climate Change Notification dated 26<sup>th</sup> November, 2018, we are hereby submitting (attached) the six monthly compliance report for the period October, 2019 to March, 2020 for your kind reference & records please.

Thank You for your kind consideration.

Yours sincerely  
For DLF Cyber City Developers Limited  
**Giri Raj Shah**  
Mobile No.: 9811015208

---

 **SMR-2020-05-Cyber Park.pdf**  
19117K



**National Accreditation Board for  
Testing and Calibration Laboratories**  
(A Constituent Board of Quality Council of India)



**CERTIFICATE OF ACCREDITATION**

**J. M. ENVIRO LAB PVT. LTD.**

has been assessed and accredited in accordance with the standard

**ISO/IEC 17025:2005**

**"General Requirements for the Competence of Testing & Calibration Laboratories"**

for its facilities at

424, Ground Floor, Udyog Vihar, Phase-IV, Gurugram, Haryana

in the field of

**TESTING**

**Certificate Number** TC-6821

**Issue Date** 28/03/2018

**Valid Until** 27/03/2020

This certificate remains valid for the Scope of Accreditation as specified in the annexure subject to continued satisfactory compliance to the above standard & the relevant requirements of NABL.

(To see the scope of accreditation of this laboratory, you may also visit NABL website [www.nabl-india.org](http://www.nabl-india.org))

Signed for and on behalf of NABL

N. Venkateswaran  
Program Director



89076970100030000825

Anil Relia  
Chief Executive Officer

# Validity Extension

Inbox



A

Ashutosh Tatwaw... 7:09 PM

to me ▾



Dear Mr. Tandon,

I'm pleased to inform you of the extension of validity for your accredited lab till 30.06.2020.

You can claim accreditation for your lab.

Kindly follow NABL 131 and NABL 133 (latest version).

Thanking you,

**Ashutosh D. Tatwawadi.**

Deputy Director.

**Quality Council of India (Board- NABL).**

Department for Promotion of Industry and Internal Trade, Ministry of Commerce.

NABL House

Plot- 45, Sector 44,

Gurugram- 122002. Haryana.

(Near HUDA City Centre Metro Station, Behind Fortis Hospital)

Tel. no.: +91-124-4679700 (30 lines); 4679766 (direct).

Fax: +91-124-4679799

[www.nabl-india.org](http://www.nabl-india.org)

26.06.2020

### Extension in Validity of Accreditation

**NABL Policy:** It is decided to extend the validity of accreditation for a period of one year to all conformity assessment bodies (CABs) where renewal of accreditation is to take place and accreditation validity date is between 01.01.2020 and 30.06.2022 **subject to the following:**

1. Providing satisfactory documents based on NABL-218 wrt compliance to the requirements of the relevant Standard and NABL requirements.
2. The CABs are required to conduct additional internal audit to ensure compliance with the standard requirements (by increasing the existing frequency of their audit plan) and submit the document.
3. The CABs are required to provide control charts and trends for assuring the validity of results.
4. CABs are required to provide an undertaking to undergo unannounced assessment (onsite and/or remotely, depending on the situation) and actions as per NABL-216 thereof, at any point of time during the validity period.
5. Making payment of **annual accreditation fee** for the extended period.

**Examples:**

- Accredited CABs with date of issue 15.01.2018 and valid till 14.01.2020, then their Accreditation validity will be extended till 14.01.2021.
- Accredited CABs with date of issue 15.02.2019 and valid till 14.02.2021, then their Accreditation validity will be extended till 14.02.2022.
- Accredited CABs with date of issue 15.06.2020 and valid till 14.06.2022, then their Accreditation validity will be extended till 14.06.2023

**NOTE:**

1. The above will be applicable to the laboratories for which transition to ISO/IEC 17025:2017 version has been completed. For the laboratories which are accredited as per ISO/IEC 17025:2005 version, they have to undergo transition assessment (onsite and/or remotely, depending on the situation) and follow transition plan defined.
2. The above is not applicable to CABs where there will be a change in name of CAB and/or legal identity change and/or Premises change.
3. Also, **the above is not applicable to the CABs which are not registered in portal** (exemption- International accredited CABs).
4. Routine assessments will take place for any scope extension /addition.
5. Payment due to NABL can be deferred (postpone the payment) upto a period of Six (6) months. There will be no waive-off of any fee for any CABs. If payments are not made, then action as per procedure (NABL-216) will be initiated. There will be no relaxations wrt payment from 01.01.2021.



**N.Venkateswaran**  
**CEO, NABL**

## CORPORATE SOCIAL RESPONSIBILITY: DLF FOUNDATION

### About DLF Foundation:

- DLF Foundation was established in 2008 as the philanthropic arm of DLF Ltd to provide structure and focus to the ongoing social responsibility initiatives of the company. The Foundation has been formed with an express mission of empowering communities and creating opportunities for the underprivileged in areas of Education, Training, Employment ,Healthcare and Environment , to ensure sustainable and inclusive growth which is both environment friendly and socially uplifting. A number of rural Education, Training Health and Environment initiatives have been taken by the foundation since its incorporation and it looks forward to creating new innovative precedents in areas of Rural Education and Labor care.

### Mission

- Empowering communities by creating multiple opportunities and providing platform for the underprivileged by promoting inclusive growth which is Holistic, Sustainable and Socially Uplifting, thus enabling them to emerge as significant contributor's in India's growth story.

### Vision

- Building India's human and social capital by nurturing /ensuring healthy educated, enterprising and sustainable communities.

### What We Do for Society

- Skill Development Programme: DLF has established series of Skill Training Centers with aim of training 1 million youth over next 10 years. The objective is to not only provide training but also employment to the poor . The training is being imparted in the trades of hospitality, customer relations, sales, IT enabled services and construction. Market linkages have been established to ensure employment of trainees. 30 DLF Skill Centres are today operational across regions.
- Talent Nurturing Programme: Financial support to the meritorious underprivileged to ensure quality education in quality private schools enrolled by DLF Foundation. Constant monitoring, nurturing and empowering them by organising bi-annual workshops/programs. 634 students from rural government schools in Haryana have so far benefitted and received financial support for their education which has enabled them to pursue their education in private English medium schools of repute.

- Village Cluster Development : In village cluster development we provide in every village cluster a Primary Health Center, periodic inoculation, fumigation and eye camps, waste management system, multi speciality health camps, Rural Learning Excellence Centres and rural mobile library, to inculcate reading habits among children of all ages. A total of 20 villages have been adopted under the Rural Cluster Development Programme

### Our Contributions for the Society

- Swachh Bharat: DLF Foundation in association with RWA has organised "Swachh Bharat" drive in DLF City Gurgaon
- Relief J & K Floods: With help of Indian air Force dropped 12 tonnes of food supplies, drinking water, life saving medicines and blankets.
- Relief Uttarakhand Disaster: DLF employees voluntarily contributed one month salary and matching grant was contributed to the PM Relief Fund. DLF Foundation sent food items and relief material to the flood hit areas.
- 18 Skill training centers opened in current financial year.
- 65 most meritorious students under Ch Raghvendra Scholarship Programme selected from 26 Villages in Gurgaon district this year.
- Additionally 108 talented students from underprivileged background being supported in areas of Medical, Engineering, IT, MSW, Fine Arts and MBA.
- DLF Rural Learning Excellence Centers train students in 22 Government Schools in rural areas of Gurgaon.
- DLF has 4 Swapan Sarthak and Slum schools spread over major villages of Gurgaon catering to slum dwellers education.
- DLF has established 30 rural schools in partnership with Satya Bharati
- SBM Senior Secondary School in Delhi has 780 students coming from low income families.
- DLF is running 5 Rural Primary Health Centers in Haryana and Punjab equipped with diagnostic labs.
- In association with Arunodaya Eye Center eye care camps organised in rural areas around Gurgaon.
- CGS Hospital for Animal care is India's first state of the art hospital in Gurgaon.
- Under labor welfare programme, DLF has started Mobile Medicare Programme for all construction workers working in Gurgaon in DLF Projects.
- DLF provides free meals everyday to 300 disabled persons at India Gate lawns and to 600 poor workers in Gurgaon through ISKCON
- About 4 lac trees have been planted in and around Gurgaon by DLF

## DLF Foundation- Photographs



Relief for flood victims of J&K




Education Programme



Health Camp



Vocational Training



Support to Uttarakhand Flood



Scholarship summer workshop