

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	SEIAA/HR/2021/409
Compliance ID	597731378
Compliance Number(For Tracking)	EC/M/COMPLIANCE/597731378/2025
Reporting Year	2025
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	27-11-2025
RO/SRO Name	Shri Satya Prakash Negi
RO/SRO Email	jhk119@ifs.nic.in
State	HARYANA
RO/SRO Office Address	Integrated Regional Offices, Chandigarh
Note:- SMS and E-Mail has been sent to Shri Satya Prakash Negi, HARYANA with Notification to Project Proponent.	

Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram, Haryana for period of April 2025 to September 2025.

1 message

Six Monthly Report <smcompliancereport@gmail.com>

Mon, Dec 1, 2025 at 2:12 PM

To: Environment Wing IRO Chandigarh <eccompliance-nro@gov.in>

Sir,

In accordance to the condition of Environmental Clearance for the above project received from State Environmental Impact Authority (SEIAA), Haryana, vide Identification no. **EC22B039HR127912** File No. **SEIAA/HR/2021/409** dated 28/04/2022; we are submitting herewith six monthly Compliance report of stipulated condition of Environmental Clearance (in soft copy "as notification in Gazette of India on 28th November 2018") for the period of April 2025 to September 2025.

Thanking you!

Yours Sincerely,

For **M/s DLF LIMITED**



DLF Sec-93 SMCR Dec 2025.pdf

8136K

DLF LIMITED.

Correspondence Address: -
DLF Gateway Tower, DLF Cyber City,
Gurgaon – 122 002(INDIA)
Tel: +91-124-4339000



To,
The Joint Director/ Scientist 'D'
Northern Regional Office
Ministry OF Environment, Forest & Climate Change (MoEF&CC)
Bays No. 24-25, Sector 31-A, Dakshin Marg
Chandigarh

Date: 01-12-25

Sub: Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram, Haryana for period of April 2025 to September 2025.

Sir,

In accordance to the condition of Environmental Clearance for the above project received from State Environmental Impact Authority (SEIAA), Haryana, vide Identification no. **EC22B039HR127912** File No. **SEIAA/HR/2021/409** dated 28/04/2022; we are submitting herewith six monthly Compliance report of stipulated condition of Environmental Clearance (in soft copy "as notification in Gazette of India on 28th November 2018") for the period of April 2025 to September 2025.

Thanking you!

Yours Sincerely,



01.12.2025

Copy to:

1. Chairman, Haryana State Pollution Control Board (HSPCB), C-11, Sector-6, Panchkula, Haryana.
- ✓ 2. The Member Secretary, State Environment Impact Assessment Authority (SEIAA), Haryana, Bay no. 55-58, Prayavan Bhawan, Sector-2, Panchkula, Haryana

DLF LIMITED.

Correspondence Address: -
DLF Gateway Tower, DLF Cyber City,
Gurgaon – 122 002(INDIA)
Tel: +91-124-4339000



To,
The Joint Director/ Scientist 'D'
Northern Regional Office
Ministry OF Environment, Forest & Climate Change (MoEF&CC)
Bays No. 24-25, Sector 31-A, Dakshin Marg
Chandigarh

Date: 01/12/25

Sub: Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram, Haryana for period of April 2025 to September 2025.

Sir,

In accordance to the condition of Environmental Clearance for the above project received from State Environmental Impact Authority (SEIAA), Haryana, vide Identification no. **EC22B039HR127912** File No. **SEIAA/HR/2021/409** dated 28/04/2022; we are submitting herewith six monthly Compliance report of stipulated condition of Environmental Clearance (in soft copy "as notification in Gazette of India on 28th November 2018") for the period of April 2025 to September 2025.

Thanking you!

Yours Sincerely,



Alio 1/12/25
Haryana State Pollution Control Board
C-11, Sector 6, Panchkula

Copy to:

- ✓ Chairman, Haryana State Pollution Control Board (HSPCB), C-11, Sector-6, Panchkula, Haryana.
- The Member Secretary, State Environment Impact Assessment Authority (SEIAA), Haryana, Bay no. 55-58, Prayavan Bhawan, Sector-2, Panchkula, Haryana

DLF LIMITED.

Correspondence Address: -
DLF Gateway Tower, DLF Cyber City,
Gurgaon – 122 002(INDIA)
Tel: +91-124-4339000



To,
The Joint Director/ Scientist 'D'
Northern Regional Office
Ministry OF Environment, Forest & Climate Change (MoEF&CC)
Bays No. 24-25, Sector 31-A, Dakshin Marg
Chandigarh

Date:

Sub: Submission of Six-monthly Compliance Report of Stipulated Conditions of Environmental Clearance for Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram, Haryana for period of April 2025 to September 2025.

Sir,

In accordance to the condition of Environmental Clearance for the above project received from State Environmental Impact Authority (SEIAA), Haryana, vide Identification no. **EC22B039HR127912** File No. **SEIAA/HR/2021/409** dated 28/04/2022; we are submitting herewith six monthly Compliance report of stipulated condition of Environmental Clearance (in soft copy "as notification in Gazette of India on 28th November 2018") for the period of April 2025 to September 2025.

Thanking you!

Yours Sincerely,



For M/s DLF LIMITED

Copy to:

1. Chairman, Haryana State Pollution Control Board (HSPCB), C-11, Sector-6, Panchkula, Haryana.
2. The Member Secretary, State Environment Impact Assessment Authority (SEIAA), Haryana, Bay no. 55-58, Prayavan Bhawan, Sector-2, Panchkula, Haryana

**Six-Monthly Environmental Compliance Report of
Stipulated Conditions of Environmental Clearance
(April 2025 to September 2025)**

FOR

**Affordable Plotted Housing Colony under Deen Dayal Jan Awas
Yojana (DDJAY) over land area measuring 26.91875 acres in
Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram**

M/S DLF LIMITED

**Submission to:
Ministry of Environment, Forests & Climate Change
(MoEF&CC)**

**Submitted by:
M/S DLF LIMITED**

November, 2025

TABLE OF CONTENTS

Sl. No.	Contents	Page No.
Chapter 1	Introduction and Project Description	
1.1	Introduction	4
1.2	Project Description	4
1.3	Present Status	4
1.4	Purpose of the Report	4
Chapter 2	Compliance of Stipulated Conditions of Environmental Clearance	
	Specific Conditions for buildings in operational phase	
Part A	Specific Conditions	6
Part B	Standard Conditions	10
Chapter 3	Details of Environmental Monitoring	
3.1	Ambient Air Quality Monitoring	25
3.1.1	Ambient Air Quality Monitoring Station	25
3.1.2	Ambient Air Quality Monitoring Methodology	25
3.1.3	Ambient Air Quality Monitoring Results	26
3.1.4	Discussion on Ambient Air Quality in the Study Area	26
3.2	Ambient Noise Monitoring	27
3.2.1	Ambient Noise Monitoring Location	27
3.2.2	Methodology of Noise Monitoring	27
3.2.3	Ambient Noise Monitoring Results	28
3.2.4	Discussion on Ambient Noise Levels in the Study Area	28
3.3	Groundwater Quality Monitoring	28
3.4	Soil Monitoring	28
3.4.1	Soil Monitoring Location	28
3.4.2	Methodology of Soil Monitoring	28
3.4.3	Soil Monitoring Results	29
3.4.4	Discussion on Soil Characteristics in the Study Area	29
Tables		
3.1	Details of Ambient Air Quality Monitoring Station	25
3.2	Techniques used for Ambient Air Quality Monitoring	26
3.3	Ambient Air Quality Monitoring Results	26
3.4	Details of Ambient Noise Monitoring Station	27
3.5	Ambient Noise Monitoring Results	27
3.6	Details of Soil Quality Monitoring Location	28
3.7	Physico-Chemical Characteristics of Soil in the Study Area	29
Annex		
1.	Environment Clearance Letter	
2.	Revenue Rasta Letter and layout	

Sl. No.	Contents	Page No.
3.	Tree Cutting Permission NOC from Forest Department	
4.	CTE	
5.	NOC from Forest Department & Aravali NOC	
6.	Environment Monitoring Report	
7.	Site Photographs	
8.	Water Assurance letter	
9.	Green Belt Plan	
10.	Public Notice	
11.	Environmental Policy	

CHAPTER-1

INTRODUCTION AND PROJECT DESCRIPTION

1.1 INTRODUCTION

The Proposed Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram, M/S DLF LIMITED

This project has been granted environmental clearance **Identification No. EC22B039HR127912** & File no **SEIAA/HR/2021/409 dated 28th April, 2022** by the State Level Environment Impact Assessment Authority, Haryana copy of the same is attached as **annexure-1**.

1.2 PROJECT DESCRIPTION

Table 1.1: Brief Description of project (As per Approved EC)

Sr. No.	Particulars	
01	Plot Area	108936.316 sqm
02	Net Plot Area	108831.098 sqm
03	Proposed Ground Coverage	36154.09 sqm(Residential) 2606 sqm (Commercial)
04	Proposed FAR	Residential- 130900.800 sqm Commercial- 7636 sqm
05	Non-FAR Area	133051.459 sqm
06	Total Built Up area	271588.259 sqm
07	Total Green Area with %	6524.370sqm (21.467% of net plot area)
08	Rain Water Storage Tanks	27 Nos.
09	STP Capacity	725 KLD
10	Total Parking	1621 ECS
11	Organic Waste Converter	04 No.
12	Total Green Area	15251.08 sqm

1.3 PRESENT STATUS

The Project is in Construction phase.

1.4 PURPOSE OF THE REPORT

- Monitoring compliances and status of implementations to adhere with EC conditions.
- Transparency and accountancy by providing record of environment performance and compliance efforts.
- Protection of environment through adoption of various mitigation measures for environmental components with support of monitoring data.

CHAPTER-2

COMPLIANCE OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE

Name of Project	Proposed Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram
EC Identification No.	EC22B039HR127912 Dated: - 28/04/2022
File No.	SEIAA/HR/2021/409
Period of compliance Report	April 2025 to September 2025

PART A – SPECIFIC CONDITIONS

I.	Sewage shall be treated in the STP based on latest Technology with tertiary treatment i.e. Ultra Filtration to achieve standards ordered by NGT. The Treated effluent from STP shall be recycled /reused for flushing. DG cooling and Gardening. The Dimension of each component of STP should be properly designed as per Norms.	STP of capacity 725 KLD will be installed based on MBBR technology for treatment of waste water generated up to tertiary level so as to achieve desired standards and treated water will be used in non-contact purposes such as gardening, Flushing DG cooling etc.
II.	The PP should provide separate services across revenue Rasta or carry out construction after approval of Competent Authority.	Approval from the Commissioner of Municipal corporation, Manesar has been taken. Copy of the same is attached as Annexure 02.
III.	The PP shall spend Rs.5 lakhs on various wildlife conservation activities like artificial nests on the tree, digging of ponds and construction of feeding platforms through Environment Management Plan.	The necessary resources will be allocated to enhance both the quantity and quality of habitats, along with implementing additional measures for wildlife conservation
IV.	The PP shall handover the 10% of the area for community development to the authorities as per approval.	PP will hand over 10% of the area for community development to the authorities as per the approved guidelines.
V.	The PP shall also develop the Miyawaki Forest as proposed in the EMP with the capital cost of 7.5 lakhs in the area of 1200 sqm outside the project area and maintain the same. The Miyawaki forest shall be develop under the guideline of MD forest corporation Haryana	1200 sqm area will be develop under Miyawaki forest under as per the guideline of MD forest corporation Haryana. Undertaking/affidavit has already been submitted at the time of appraisal.
VI.	The Project Proponent would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coli forms and other pathogenic bacteria.	Noted. Same will be complied in operation phase.
VII.	The PP shall ensure that total 2% of the cost of project shall be spent on EMP Budget. However, the amount and component shown in EMP table above shall also be included for the purpose of	EMP budget is being spent as per the details given for the constriction phase. For Operational phase, EMP will be spent as per the details given in the EC letter.

	2% amount. The EMP cost on Socio Economic activities shall be used before the commencement of the project & EMP recurring inside the project shall be implemented throughout the operation of the project. The PP shall establish Environment monitoring cell as per documents submitted.	Environmental monitoring cells has been created for the project.
VIII.	The PP shall not carry out any construct above and below revenue rasta passing through the project and ensure that permission of the competent authority shall be obtained before carry out any construction above or below the revenue rasta. The PP shall put notice board on the revenue rasta for the passer byes.	No construction will be carried out on or above or below the revenue rasta. Approval from the Commissioner of Municipal corporation, Manesar has been taken. Copy of the same is attached as Annexure 02.
IX.	The project proponent shall upload the status of compliance of the basic details (given in above tables), stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Six-monthly compliance report is being uploaded regularly on the website of the company.
X.	The Project Proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	Noted. Same will be done in operation phase of the project site
XI.	Separate wet and dry bins must be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage and inert materials. Wet Garbage shall be composted in Organic waste convertor. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The Inert waste from the project will be sent to solid waste dumping site through authorized vender.	Separate wet and dry bins have been provided for segregation of waste at the construction site. Solid waste is being handed over to authorized vendor for safe disposal/recycle in Construction phase. During Operation phase Bio-degradable waste will be composted in organic waste convertor and non-biodegradable waste will be handed over to authorized vendor for safe disposal/recycle.
XII.	Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is marinated and improved upon after the implementation of the project. This plan should	Traffic management plan has been submitted with EC application and will be implemented in later and sprit. The project is within the master plan of Gurugram.

	be based on cumulative impact of all development and increased habilitation being carried out or purpose to be carried out by the project or other agencies in this 05kms radius of the site in different scenarios of space and time.	
XIII.	No tree cutting has been proposed in the instant project. A minimum of 1 tree for every 80sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 15251.08sqm (14% of net plot area) shall be provided for Green Area development for whole project.	<p>A total of 41 trees have been removed at the project site, for which permission has been obtained from the Forest Department. A copy of the permission is attached as Annexure 03.</p> <p>Compensatory plantation will be carried out at the appropriate stage of site development. The number of trees to be planted has been calculated in accordance with the prescribed criteria. Selected plant species are primarily indigenous, broad-leaved, and low water-demand varieties, suitable for the local environment</p>
XIV.	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	License, zoning approvals and building plan approvals has been obtained from town planning authority before start of Construction work. Construction work of building is being carried out in accordance of the approved building plans.
XV.	Consent to establish/operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of pollution) Act, 1981 and the Water (Prevention and control of pollution) Act, 1974.	Consent to Established from State pollution Control Board has been obtained vide letter no. 329962322GUNOCTE24509503 , dated 17/06/2022 valid upto 27/04/2032, before the start of construction. Copy of CTE is attached as Annexure 04 .
XVI.	The Approval of the Competent Authority shall be obtained for structural safety of building code due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightening etc.	The approvals from competent authority regarding Structure safety, earthquake and firefighting are not required as it is plotted housing colony.
XVII.	The PP shall obtain the Fire NOC from the Competent Authority before taking the occupation of the building.	NOC from fire department is not required as it is a plotted housing colony..
XVIII.	The PP shall install the Eco-Friendly Green Transformer based on ester oil to reduce the carbon footprint. The PP shall shift to gas based generator set when the gas is available. The PP shall install APCM for the DG set. The PP shall reduce the So2 load by 30% if HSD is used. The DG sets will be operated for maximum 04 hours during power failure through Executing Agency	<p>Eco Friendly Green Transformer will be provided at appropriate stage of site development.</p> <p>All the DG sets during operation phase will be of "enclosed type" to prevent noise pollution and should conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards. Stack height will kept as per CPCB norms. Low-sulphur fuel</p>

		will be used and the DG sets will be operated only during power failure.
XIX.	The PP shall not give occupation or possession before the water supply and sewage connection permitted by the competent authority.	Occupation or possession will be provided after obtaining the permission from competent authority.
XX.	The PP shall not give occupation or possession before the electricity connection permitted by the competent Authority.	Occupation or possession will be provided after getting electricity connection.
XXI.	The PP shall obtain the permission regarding withdrawal of ground water from HWRA/CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from HWRA/CGWA.	Ground water abstraction is prohibited in Gurgaon. So, no Ground water abstraction will be done at any stage of project.
XXII.	The PP shall carry out the quarterly awareness programs for the stakeholders of the project	Quarterly environmental and safety awareness programs is being carried out at the project site involving the construction staffs on quarterly basis.
XXIII.	27 Rain water harvesting recharge pits shall be provided for ground water recharging as per the CGWB norms including plots.	27 no. of Rain water harvesting pits will be provided at appropriate stage of site development.
XXIV.	The PP shall install Digital water level recorder for monitoring the water recharge and carry out quarterly maintenance and cleaning of 27 RWH pits.	Digital water level recorder will be provided for monitoring of water recharge. Maintenance and cleaning of RWH pits will be done as per norms.
XXV.	The PP shall provide the Anti smog gun mounted on vehicle in the project for suppression of dust during construction & operational phase and shall use the treated water, if feasible.	Anti-smog guns are available at site. Regular water sprinkling is being done to suppress dust generated from project site during construction.
XXVI.	The PP shall take all preventive measures including water sprinkles to control dust during construction and operational phase.	Required nos. of Anti-smog guns are available for regular water sprinkling at the project site.
XXVII.	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.	For any change in planning, new EC will be obtained.
XVIII.	The excess treated water shall be reused in nearby DLF Project for construction purpose.	Noted and will be complied.
XXIX.	The PP shall provide the separate services without crossing the revenue rasta in three pocket i.e. zone A, B&C	Approval from the Commissioner of Municipal corporation Manesar has been taken. Copy of the same is attached as Annexure 02.
XXX.	The PP shall install Retrofit emission control devices for DG sets approved by CPCB to further reduce the emission by intervening the exhaust. The emission level shall comply with the CPCB guidelines of Norms.	DG sets complying CAQM guidelines is provided at the project site.
XXXI.	Adequate studies have been carried out to ascertain that there would not be any obstruction or impediment in general traffic in	Traffic study has been carried out and same has been submitted along with EC application.

	vicinity of the project due to the said expansion of the project	
XXII.	The PP shall install the DG set of 4000 KVA capacity and reduce the power backup undertaking.	DG sets of 4000 KVA will be installed in operation phase of the Project. DG sets will be only used as the Power Backup.
XXIII.	The PP shall install the DG set based on multi fuel injection system and capacity and will shift DG set on the gas as and when available.	Noted and Same will be complied.
XXIV.	before starting of the construction, Project proponent shall obtain requisite sewer connection/permission from the competent Authority.	Permission from competent authority will be obtained before operation of the project.

PART B– Standard Conditions/Statutory compliance:

1.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority for ground coverage, FAR and should be in accordance with zoning plan approved by competent authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	License, zoning approvals and building plan approvals have been obtained from town planning authority before start of Construction work. Construction work of building is being carried out in accordance of the approved building plans.
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	The approvals from competent authority regarding Structure safety, earthquake and firefighting are not required as it is plotted housing colony.
3.	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.	NOC from forest department has been obtained vide reference no. KD0-5DP-U12N dated 26-10-2021. And copy of Aravali has been obtained vide letter no. 75/M.B. dated 17-11-2021. Copy of the same is attached as Annexure 05.
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not Applicable.
5.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	Consent to Established from State pollution Control Board has been obtained vide letter no. 329962322GUNOCTE24509503 , dated 17/06/2022 valid upto 27/04/2032, before the start of construction. Copy of CTE is attached as Annexure 04.
6.	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the	Ground water abstraction is not involved in the project.

	competent authority.	
7.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Same will be obtained before start of the operation of the project site.
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, and Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Statutory clearances will be obtained at appropriate stage of project development.
9.	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.	All the waste will be managed as per norms during the operation of the project site, however during construction phase all waste generated at site is being handed over to authorized vendor for safe disposal/recycle.
10.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly in addition of bylaws of the State Government.	Construction of the project site is being done as per ECBC-R norms.
I.	Air quality monitoring and preservation	
i.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Barricades of adequate height has already been provided at the site. Other Dust mitigation measures like water sprinkling, metal roads, cement in enclosures and covering of loose construction materials, has also been provided at site. Notification GSR 94(E) dated 25.01.2018 is being followed.
ii.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	A proper management plan is adopted to contain the current exceedance in ambient air quality at the site.
iii.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.	Online Monitoring system for continuous monitoring of PM10 and PM2.5 is available at the project site.
iv.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	DG sets complying CAQM guidelines is provided at the project site.

v.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	Dust mitigation measures like site barricades, water sprinkling, metal roads, cement stored in enclosures and covering of loose construction materials, are being used at site. Valid PUC certified and plastic/tarpaulin covered vehicles have been used at project site. Photographs are attached as Annexure 07 .
vi.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Sand, murram, loose soil, cement, stored on site are covered to prevent dust pollution from site.
vii.	Wet jet shall be provided for grinding and stone cutting	Wet jet will be provided for grinding and stone cutting at appropriate stage of site development.
viii.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Water sprinkling by Anti-smog gun and tankers is being done regularly to suppress dust generation from site.
ix.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.	All the construction waste is being stored at separate place and is being used for back filling and site levelling. Excess C&D waste will be handed over to authorized vendor for safe disposal/recycle.
x.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	DG sets complying CAQM guidelines is provided at the project site.
xi.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used The location of the DG set and exhaust pipe height shall be as per the provisions o the Central Pollution, Control Board (CPCB) norms.	DG sets complying CAQM guidelines is provided at the project site.
xii.	For indoor air quality the ventilation provisions as per National Building Code of India.	Ventilation system has been designed and will be installed as per NBC.
II.	Water quality monitoring and preservation	
i.	The natural: drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, or wetland and water bodies. Check dams, bio-swales, landscape, other- sustainable urban drainage	Natural drainage will be ensured for unrestricted flow of water. No construction will be allowed to obstruct the natural drainage of water system.

	systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.	
ii.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Buildings is designed and is being constructed following the natural topography.
iii.	Total fresh water shall not exceed the proposed requirement as provided in the project details. The per capita supply should adhere to NBC 2016 and CGWA notification dated 12.12.2018.	Fresh water requirement will not exceed as provided in the project details and will adhere to NBC 2016 and CGWA notification.
iv.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Water meters will be installed for all source and supply mainlines (usage wise) to record the water consumption during operation phase, which will assist in monitoring the water balance. The water balance diagram has already been submitted along with application.
v.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, tile quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	Water supply assurance letter has been obtained and copy of the same is attached as Annexure 08 .
vi.	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Open space will be kept pervious as per local building byelaws.
vii.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bail-ling etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Dual pipe plumbing will be used for supply of fresh water for drinking, cooking and bathing, other for supply of recycled water for flushing, landscape irrigation and for other purpose will be used.
viii.	Use of water saving devices, fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Use of water saving devices and fixtures for water conservation has been incorporated in this building design.
ix.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	This is single stack system where all waste water will be routed to STP for treatment. Dual plumbing system will be provided in the form of separate recirculation lines for flushing and other uses of treated effluent.
x.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Pre-mixed concrete, curing agents and other best practices are being used to reduce water demand.
xi.	The local bye-law provisions on rain water	RWH system has been designed in

	harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pts shall be provided for rain water harvesting after filtration as per CGWB guideline.	accordance with the local by-laws, model building by-laws and CGWB guidelines. The RWH system will consist of RWH pits, oil and grease separator, sedimentation tank, filter media and recharge wells for recharging the ground water. 27 nos. of RWH pits will be provided.
xii.	A rain water harvesting plan needs to be designed where the recharge bores of minimum ore recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	The criteria have been considered in the calculation of numbers of Rain water harvesting pits. Ground water will not be used for the project.
xiii.	All recharge should be limited to shallow aquifer.	27 nos. of Rain water harvesting pits will be constructed and these will be for recharge of shallow aquifer.
xiv.	No ground water shall be used during construction phase of the project.	Ground water will not be used during the construction phase of the project.
xv.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Dewatering of ground water is not involved in the project.
xvi.	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	The water balance diagram has already been submitted along with application. Records of fresh water usage, water recycling and rainwater harvesting will be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports during operation phase of the project.
xvii.	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC makeup water and gardening. As proposed no treated water shall be disposed in to municipal drain.	Sewage will be treated in the STP of capacity 725 KLD capacity based on MBBR technology with tertiary treatment i.e. Ultra filtration. The treated effluent from STP will be recycled/re-used for flushing, gardening, car and street washing.
xviii.	No sewage or untreated effluent water would be discharged through storm water drains.	No sewage or untreated effluent water will be discharged through storm water drains.
xix.	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant. (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the	All the waste water will be treated at onsite STP of capacity 725 KLD. Adequacy report will be submitted to the Ministry before the project is commissioned for operation.

	Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.	Treated water will be used for landscape, flushing etc. Excess treated water will be reused in nearby DLF Project for construction purpose.
xx.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Same will be complied in operational phase of the project.
xxi.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Sludge from onsite sewage will be collected and used as manure for landscape and horticulture development, surplus sludge will be disposed as per the Ministry of Urban Development, CPHEEO manual on sewerage and sewage treatment.
III.	Noise monitoring and prevention	
i.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	Noise level conforms to residential standard both during day and night as per Noise pollution rule. Monitoring has been carried out in the month of September 2025 and the report is attached as an Annexure 06 .
ii.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Same has been complied and monitoring report is attached as annexure 06 .
iii.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noise barriers for ground-run bays, ear plugs for operating personnel will be implemented as mitigation measures for noise impact due to ground sources during operation phase.
IV.	Energy Conservation measures	
i.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency as per ECBC act 2017 read with ECBC rule, 2018 shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC also is in no case should be less than 25% as prescribed.	Applicable ECBC-R norms and energy conservation measures will be followed as submitted in the EC application
ii.	Outdoor and common area lighting shall be LED.	LED will be used for common area

		lightening
iii.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specification.	Concept of passive solar design has been incorporated in the building design and same will be complied.
iv.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside The building should be integral part of the project design and should be part of the project commissioning.	Energy efficient luminaries like LEDs will be used within project site. Used/damaged LEDs will be stored at designated places within site and handed over to authorized recycler for proper disposal as per norms.
v.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher.	Solar energy will be used as renewable energy source.
vi.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating provided to meet 20% of the hot water demand of the commercial building or as per the requirement of the local building whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Solar power will be provided for common area lighting and other uses to reduce the power load on grid.
vii.	The PP will submit report indicating compliance of each parameter of ECBC requirement and submit quantification saving report for each component.	Applicable ECBC norms and energy conservation measures will be followed as submitted in the EC application.
V.	Waste Management	
i.	A certificate from the competent authority handling municipal solid wastes, indicating the exiting civic capacities of handling and their adequacy to cater to the M.S.W, generated from project shall be obtained.	During construction phase all the Municipal Solid waste is being handed over to authorized vendor for disposal/recycle. During the operational phase, separate wet and dry waste bins will be provided at ground level for segregation of waste. Organic Waste Convertor will be installed within the premises for composting the biodegradable waste. The Inert waste / non-biodegradable will be handed over to authorized vendor for disposal/recycle.
ii.	Disposal of muck during construction phase shall not create any adverse effect on the neighboring	Disposal of muck is not creating any adverse effect on the neighboring

	communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	communities. Disposal of muck is being done taking the necessary precaution for general safety and health aspect.
iii.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Separate wet and dry waste bins have been provided for segregation of waste. During operation phase, bio-degradable waste will be composted in onsite OWC and manure will be used for landscaping and non-biodegradable waste will be handed over to authorized recycler for safe disposal/recycle.
iv.	Organic Waste Converter within the premises with a minimum capacity of 0.5 kg /person/day must be installed. Leaves to be put in earmarked pits for converting them into compost to be used as manure.	4 no. of organic waste converter will be provided at site at appropriate stage of site development.
v.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	All non-biodegradable waste will be handed over to authorized recycler for disposal as per norms during operation phase.
vi.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	As this is a building and construction project, the only hazardous waste generated is spent oil from DG which is being disposed of as per applicable rules and norms with necessary approval by SPCB.
vii.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.	Environment friendly materials like bricks, blocks and other construction materials are being used in construction work.
viii.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.	Fly-ash based cement and other building materials like bricks and blocks is being used in the construction of building. Ready mix concrete is being used in building construction.
ix.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	All construction debris is being stored at the site before they are properly disposed.
x.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	E waste will be collected separately and provided to authorized recycler for safe disposal.
VI.	Green Cover	
i.	No tree can be felled/transplant unless	41 nos. of trees have been cut at project

	exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the forest department. Plantation to be ensured species (cut) to species (planted).	site; permission from Forest department has already been obtained. Copy of the same is attached as Annexure 03 . Compensatory trees will be planted in appropriate stage of site development.
ii.	A minimum of 1 tree (5' tall) for every 80 sqm. of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and or invasive species should not be used for landscaping.	The criteria have been followed in calculating the nos. of tree to be planted at the project site. Plant species selected for the project are mostly indigenous type with less water demand.
iii.	Where the trees need to be cut with prior permission from the concerned local authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantation to be ensured species (cut) to species (planted). Area of green belt development shall be provided as per the details provided in the project document.	41 nos. of trees have been cut at project site; permission from Forest department has already been obtained. Copy of the same is attached as Annexure 03 . Compensatory trees will be planted in appropriate stage of site development. Proper green belt has been designed and will be developed with peripheral shelter belt.
iv.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the Proposed vegetation on site.	Excavated soil has been stored at separate place and will be used for site leveling, back filling/filling raft and road construction. Top layer of soil has been stored and will be used for landscaping/ horticulture development work.
VII.	Transport	
i.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.	The parking will be provided as per local regulations and bylaws, parking plan has already submitted with EC application. Entry and Exit points are properly designed.
ii.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.	PUC certified vehicles are being used for construction work. All vehicles, equipment's and construction machines are conformed to applicable air and noise emission standard.
iii.	A detailed traffic management and traffic	A detailed traffic management has

	decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habilitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the state urban development department and the P.W.D./competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	already been submitted with EC Application and will be implemented in later and sprit. The project is within the master plan of Gurugram.
VIII.	Human health issues	
i.	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Adequate PPE (masks, hand gloves, safety hard hats, ear plugs, safety shoes, safety goggles, reflective jackets etc, as required) has been provided to labours at construction site
ii.	For indoor air quality the ventilation provisions as per National Building Code of India.	The ventilation system has been designed and will be provided as per NBC norms.
iii.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan has already been submitted along with application.
iv.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	All the necessary and requisite facility has been provided to the construction workers.
v.	Occupational health surveillance of the workers shall be done on a regular basis.	Regular health checkup of the construction workers is ensured.
vi.	A First Aid Room shall be provided in the project both during construction and operations of the project.	First Aid Room is available at site during construction phase and same will be provided during operation phase.
IX.	Corporate Environment Responsibility	
i.	The project proponent shall comply with the provisions of CER, as applicable.	Applicability of CER policy has been removed by the MoEF&CC vide office memorandum file No.- 22-65/2017-IA-III dated 30.09.2020. CER is part of EMP.
ii.	The company shall have a well laid down environmental policy duly approved by the Board	The company has a well laid down environmental policy duly approved by

	of Directors. The environmental Policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/ violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	the Board of Directors. A copy of environmental Policy is attached as Annexure 11.
iii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Noted.
iv.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted to any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.	Budgetary provision of EMP is being spent as per the details submitted with EC application.
X	Miscellaneous	
i.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.	Advertisement of Environment clearance has been done in two local newspapers, copy of the same is attached as Annexure 10.
ii.	The copies of the environment clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Same has already been complied.
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis	Same has already been complied.
iv.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest	Submission of six-monthly compliance reports is being done regularly on time to time.

	and Climate Change at environment clearance portal.	
v.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Environmental statement for each financial year in Form-V will be submitted.
vi.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted. Production is not involved in the project
vii.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and will adhere to the stipulations made by the State Pollution Control Board and the State Government.
viii.	The project proponent shall abide by all the commitments and recommendations made in the Form I-A, conceptual plan also that during their presentation to the Expert Appraisal Committee.	Environmental safeguards contained in the application form 1, Form 1A and in environmental clearance order are being implemented in true spirit.
ix.	No further expansion or modifications in the plan shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC)/SEIAA, Haryana. The project proponent shall seek fresh environment clearance under EIA notification 2006, if at any stage there is a change of area of this project.	For any change in planning, new EC will be obtained.
x.	Any change in planning of approved plan will lead to Environment Clearance void-ab-initio and PP will have to seek fresh environmental clearance.	For any change in planning, new EC will be obtained.
xi.	The PP should give unambiguous affidavit giving land promoters in accordance with your ownership and possession of land legal the case referred for environment clearance to SEIAA.	Noted
xii.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	No factual data is concealed. No false or fabricated data is submitted for grant of EC
xiii.	The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted.
xiv.	The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Any additional condition stipulated will be complied

xv.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Noted, Full cooperation will be provided to the Regional Office for any requisite data / information/monitoring reports
xvi.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	We will abide by all the rules, acts, orders of the court relating to the subject matter
xvii.	The validity of this environment clearance letter is valid up to 10 years from the date of issuance of EC letter as per MoEF & CC, GoI notification No. S.O. 1807 (E) dated 12/04/2022. The environment clearance conditions applicable till life space project will continue to apply. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till life of the project.	Noted
xviii.	If project is not completed within the validity period then the project proponent shall submit the application for extension of validity within validity period of Environment Clearance i.e. 10 years. The Project Proponent should intimate to the Authority as well as to the quarter concerned in case of any change in the present communication address.	In case the project is not completed within the validity period, an application for extension of validity of the Environment Clearance will be submitted at least one month prior to its expiry.

Chapter 3**DETAILS OF ENVIRONMENTAL MONITORING****3.1 AMBIENT AIR QUALITY MONITORING****3.1.1 Ambient Air Quality Monitoring Stations**

Ambient air quality monitoring has been carried out at one location, being near main gate to assess the ambient air quality of Project Site in September, 2025. This will enable to have an analytical understanding about air quality and the changes in the air environment in the study area with respect to the condition prevailing. The location of the ambient air quality monitoring station is given in **Table 3.1**.

Table 3.1 Details of Ambient Air Quality Monitoring Stations

S. No.	Location Code	Location Name/ Description	Environmental Setting
1.	AAQ-1	Project Site	Residential

3.1.2 Ambient Air Quality Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

- Particulate Matter 2.5 (PM_{2.5})
- Particulate Matter 10 (PM₁₀)
- Sulphur Dioxide (SO₂)
- Oxide of Nitrogen (NO₂)
- Carbon Monoxide (CO)
- Ozone (as O₃)
- Lead (Pb)
- Ammonia (NH₃)
- Benzene (C₆H₆)
- Benzo (a) Pyrene
- Arsenic (As)
- Nickel (Ni)

The Ambient air sampling was carried out continuously for 24 hours for PM_{2.5}, PM₁₀, SO₂, NO₂, PB, NH₃, C₆H₆, AS and Benzo(a)Pyrene per day and CO was sampled for 1 hour. The while Ozone was sampled for 8 hours as per National Ambient Air Quality Standards.

The air samples were analyzed as per standard methods specified by Central Pollution Control Board (CPCB) and IS: 5182. The techniques used for ambient air quality monitoring and minimum detectable levels are given in **Table 3.2**.

Fine Particulate Sampler APM 550 instruments have been used for monitoring Particulate Matter 2.5 (PM_{2.5} i.e. <2.5 microns), and Respirable Dust Sampler APM 450 was used for sampling Respirable fraction (<10 microns), gaseous pollutants like SO₂, and NO₂. Bladder and Aspirator bags were used for collection Carbon monoxide samples. Non-Dispersive Infrared Absorption Method (NDIR) techniques have been used for the estimation of CO. Gas Chromatography techniques have been used for the estimation of Benzo (a)Pyrene and Benzene.

Table 3.2: Techniques used for Ambient Air Quality Monitoring

S. No.	Parameter	Technique	Technical Protocol
1	Particulate Matter 2.5	Gravimetric Method	IS 5182 P- 24
2	Particulate Matter 10	Gravimetric Method	IS 5182 P- 23
3	Sulphur dioxide (SO ₂)	Modified West and Gaeke	IS 5182 P-02
4	Oxides of Nitrogen	Jacob & Hochheiser Method	IS 5182 P-06
5	Carbon Monoxide	Non-Dispersive Infrared Absorption Method (NDIR)	IS 5182 P- 10
6	Ozone (as O ₃)	Chemical Method (Colorimetric)	IS:5182 P -9
7	Lead (Pb)	Atomic Absorption Direct Aspiration Method	IS:5182 P-22
8	Ammonia (NH ₃)	Indophenol Method (Colorimetric)	IS:5182 P-25
9	Benzene (C ₆ H ₆)	Gas Chromatography	IS:5182 P-11
10	Benzo alpha Pyrene	Gas Chromatography	IRDH/SOP/AAQ/12
11	Arsenic (As)	Atomic Absorption through Hydride Generator	IRDH/SOP/AAQM/06
12	Nickel (Ni)	Atomic Absorption direct Aspiration method	IS:5182 P-26

3.1.3 Ambient Air Quality Monitoring Results

The detailed on-site monitoring results of PM_{2.5}, PM₁₀, SO₂, NO₂, CO, O₃, Pb, NH₃, C₆H₆, AS, Ni, and Benzo (a)Pyrene are presented in **Table 3.3**.

Table 3.3: Ambient Air Quality Monitoring Results

S. No	Parameter	Method	Results	Unit	Requirement (CPCB limits)*
1.	Particulate Matter as PM _{2.5}	IRDH/SOP/AAQM/01	87.0	µg/m ³	60
2.	Particulate Matter as PM ₁₀	IS 5182 P- 23 (2006)	155.0	µg/m ³	100
3.	Sulphur dioxide as SO ₂	IS 5182 P-02 (2001)	9.13	µg/m ³	80
4.	Nitrogen dioxide as NO ₂	IS 5182 P-06 (2006)	24.0	µg/m ³	80
5.	Carbon monoxide as CO	IRDH/SOP/AAQM/08	0.90	mg/m ³	4.0
6.	Ozone (as O ₃)	IS:5182(Part-9)	10.5	µg/m ³	100 (8 Hourly)
7.	Lead (Pb)	IS:5182(Part-22)	<0.1	µg/ m ³	1
8.	Ammonia (NH ₃)	SOP:IRDH/SOPAAQM/09	<20.0	µg/ m ³	400
9.	Benzene (C ₆ H ₆)	IS:5182(Part-11)	<1.0	µg/ m ³	5
10.	BenzoPyrene	IS:5182(Part-12)	<0.1	ng/ m ³	1
11.	Arsenic (As)	SOP: IRDH/SOPAAQM/06	<1.0	ng/ m ³	6
12.	Nickel (Ni)	SOP: IRDH/SOPAAQM/07	<1.0	ng/ m ³	20

3.1.4 Discussion on Ambient Air Quality in the Study Area

The levels of PM₁₀ and PM_{2.5} near main gate of project site are found above the permissible limit of 100 µg/m³ and 60 µg/m³ respectively (for residential, rural and other areas as stipulated in the National Ambient Air Quality Standards). Other parameters were observed within the corresponding stipulated limits at monitoring location.

3.2 AMBIENT NOISE MONITORING

3.1.1 Ambient Noise Monitoring Locations

The main objective of noise monitoring in the study area is to assess the present ambient noise levels in project site due to various construction allied activities around the site and increased vehicular movement. A preliminary reconnaissance survey has been undertaken to identify the major noise generating sources in the area. Ambient noise monitoring has been conducted at the boundary of the project site in the month of September, 2025 as given in **Table 3.4**.

Table 3.4 Details of Ambient Noise Monitoring Stations

S. No.	Locn. Code	Location Name/ Description	Present Land use
1.	ANQ1	Project Site	Residential

3.2.2 Methodology of Noise Monitoring

Noise levels were measured using integrated sound level meter manufactured by Envirotech Instrument Pvt. Ltd. The integrating sound level meter is an integrating/ logging type with frequency range of 'A' type as per IS 15675 (Part 1) 2005. This instrument is capable of measuring the Sound Pressure Level (SPL), Leq and SEL on digital display.

Noise level monitoring was carried out continuously for 24-hours with one hour interval starting at 10:00 hrs to 09:00 hrs next day. The noise levels were monitored on working days only. During each hour Leq were directly computed by the instrument based on the sound pressure levels. Lday (Ld), Lnight (Ln) and Ldn values were computed using corresponding hourly Leq. Monitoring was carried out at 'A' response and fast mode.

3.2.3 Ambient Noise Monitoring Results

The ambient noise monitoring result is summarized in **Table 3.5**.

Table 3.5 Ambient Noise Monitoring Results

Sr. No.	Test Locations	Day Time - dB(A)		Night Time - dB(A)	
		Results	Limits as per CPCB guideline	Results	Limits as per CPCB guideline
ANQ-1	Near Main Gate	53.2	55	43.1	45

3.2.4 Discussion on Ambient Noise Levels in the Study Area

Day Time Noise Levels (L_{day}):

The day time noise level was found within the limit prescribed for Residential area i.e. 55 db(A).

Night Time Noise Levels (L_{night}):

The night time noise level was found within the limit prescribed for Residential area i.e. 45 dB (A).

3.3 GROUNDWATER QUALITY MONITORING

Ground water extraction is not involved in the project. Treated water from HSVP is being used construction purposes.

3.4 SOIL MONITORING

3.4.1 Soil Monitoring Locations

The objective of the soil monitoring is to identify the impacts of ongoing project activities on soil Quality and also predict impacts, which have arisen due to execution of various constructions Allied activities. Accordingly, a study of assessment of the soil quality has been carried out.

To assess impacts of ongoing project activities on the soil in the area, the physico-chemical characteristics of soil were examined by obtaining soil samples from selected point and analysis of the same. One sample of soil was collected from the project site in the month of September, 2025 for studying soil characteristics, the location of which is listed in **Table 3.6**.

Table 3.6 Details of Soil Quality Monitoring Location

S. No.	Locn. Code	Location Name/ Description
1.	S1	Project Area

3.4.2 Methodology of Soil Monitoring

The sampling has been done in line with IS: 2720 & Methods of Soil Analysis, Part-1, 2nd edition, 1986 of American Society for Agronomy and Soil Science Society of America. The homogenized sample was analyzed for physical and chemical characteristics (physical, chemical and heavy metal concentrations).

The sample has been analyzed as per the established scientific methods for physico-chemical parameters. The heavy metals have been analyzed by using Atomic Absorption Spectrophotometer and Inductive Coupled Plasma Analyzer.

3.4.3 Soil Monitoring Results

The physico-chemical characteristics of the soil, as obtained from the analysis of the soil sample, are presented in **Table 3.7**.

Table 3.7 Physico-Chemical Characteristics of Soil in the Study Area

S. No.	Parameter	Test Method	Results	Unit
1.	pH	IS 2720 P-26 (1987)	7.90	--
2.	Conductivity	IS 14767 (RA 2016)	490.0	μS/cm
3.	Moisture	IS 2720 P-25 (1972)	13.2	% by mass
4.	Water Holding Capacity	IRDH/SOP-SL/07	21.0	%
5.	Specific Gravity	IS 2720 P-3 (1980)	1.97	-
6.	Bulk density	IRDH/SOP-SL/06	1.38	gm/cc
7.	Chloride	IRDH/SOP-SL/14	206.0	mg/kg
8.	Calcium	IRDH/SOP-SL/17	1536.0	mg/kg
9.	Sodium	IRDH/SOP-SL/11	134.0	mg/kg

10.	Potassium	IRDH/SOP-SL/12	35.6	mg/kg
11.	Magnesium	IRDH/SOP-SL/16	196.0	mg/kg
12.	Organic matter	IS 2720 P-22 (1972)	0.50	% by mass
13.	Cation Exchange Capacity(CEC)	IRDH/SOP-SL/09	14.1	meq/100gm
14.	Available nitrogen	IS 14684	52.0	mg/kg
15.	Available Phosphorous	IRDH/SOP-SL/10	7.62	mg/kg
16.	Iron as Fe	IRDH/SOP-SL/22	1315.0	mg/kg
17.	Copper as Cu	IRDH/SOP-SL/21	12.0	mg/kg
18.	Zinc as Zn	IRDH/SOP-SL/20	28.6	mg/kg
19.	Texture	IRDH/SOP-SL/08		% by mass
	Sand		60.2	
	Clay		25.5	
	Silt		14.3	
20.	Sodium Absorption Ratio(SAR)	IRDH/SOP-SL/13	0.85	By calculation

3.4.4 Discussion on Soil Characteristics in the Study Area

No materials or activities during construction are being added to the soil that could affect its quality. Therefore, the soil quality in the project area remains unaffected.

ANNEXURE I



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Haryana)

To,

The Authorized Signatory
 M/S DLF LIMITED
 DLF Gateway Tower, R Block DLF City Phase III, Gurugram -122002

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/HR/MIS/63304/2021 dated 29 Nov 2021. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC22B039HR127912 |
| 2. File No. | SEIAA/HR/2021/409 |
| 3. Project Type | New |
| 4. Category | B1 |
| 5. Project/Activity including Schedule No. | 8(b) Townships and Area Development projects. |
| 6. Name of Project | Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram |
| 7. Name of Company/Organization | M/S DLF LIMITED |
| 8. Location of Project | Haryana |
| 9. TOR Date | 26 Oct 2021 |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 28/04/2022

(e-signed)
S. Narayanan, IFS
Member Secretary
SEIAA - (Haryana)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA
Bay No. 55-58, PrayatanBhawan, Sector-2, PANCHKULA.

Tel: 0172-2565232, 4043956

E-mail Id: seiaa-21.env@hry.gov.in

Project: EC for project “Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY)” over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram, Haryana by M/S DLF LIMITED.

This has reference to your proposal No. SIA/HR/MIS/63304/2021 dated 07.12.2021 and subsequent **letters dated 28.05.2021** for seeking prior Environmental Clearance (EC) for the above project under the EIA Notification, 2006 along with submission of required scrutiny fee amounting to Rs. 2,00,000 vide DD No. 519899 dated 27.10.2021 in compliance of Haryana Government, Environment & Climate Change Notification No. DE&CCH/3060 dated 14th October, 2021. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A, Conceptual Plan and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MoEF & CC, GoI vide their Notification dated 21.02.2022, in its meeting held on 08.04.2022 awarded “Gold” rating / grading to the Project.

2. It is inter-alia, noted that the project involves in the “Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY)” over land area measuring 26.91875 acres in Sector 93, Village Hayatpur, Sub Tehsil Hasaru, District Gurugram, Haryana.

3. The details of the Project as given below:

Table1: Basic Details

Sr. No.	Particulars	
1.	Online Proposal Number	SIA/HR/MIS/63304/2021
2.	Latitude	28°25'1.05"N
3.	Longitude	76°55'53.56"E
4.	Plot Area	108,936.316 m ²
5.	Net Plot Area	108,831.098 m ²
6.	Proposed Ground Coverage	36154.09 m ² (65.99 % of residential area) 2,606 m ² (59.74 % of commercial area)
7.	Proposed FAR	Residential- 1,30,900.800 m ² Commercial- 7,636 m ²
8.	Non FAR Area	133,051.459 m ²
9.	Total Built Up area	2,71,588.259 m ²
10.	Total Green Area with %	15,251.08 m ² (14% of Net plot area)
11.	Rain Water Harvesting Pits (with size)	27 No. (5 m x 3.5 m x 3.72 m)
12.	STP Capacity	725 KLD

13.	Total Parking	1621 ECS
14.	Organic Waste Converter	4 no.
15.	Maximum Height of the Building (m)	15 m
16.	Power Requirement	7,100 KW
17.	Power Backup	3 x 2000 kVA
18.	Total Water Requirement	757 KLD
19.	Domestic Water Requirement	455 KLD
20.	Fresh Water Requirement	455 KLD
21.	Treated Water	495 KLD
22.	Waste Water Generated	550 KLD
23.	Solid Waste Generated	3,616 kg/day
24.	Biodegradable Waste	2,186 kg/day
25.	Number of Towers	-
26.	Dwelling Units/ EWS	No. of Residential Plots- 367 no. Commercial- 1 No. Community- 1 No. will be handover to authorities.
27.	Basement	4 basement in commercial
28.	Community Center	1 No.
29.	Stories	B+S+4 (For Residential Plot Development)
30.	R+U Value of Material used (Glass)	R Value: 0.176 W/m ² .K U Value: 5.67 W/m ² .K
31.	Total Cost of the project:	i) Land Cost Rs. 102.26 Crore
		ii) Construction Cost Rs 560.51 Crore
32.	CER	15 Lakhs
33.	EMP Budget	Capital Cost: Rs 329 Lakhs Recurring Cost: 21.5 Lakh/year
34.	Incremental Load in respect of:	i) PM 2.5 Onsite NW - 0.103 µg/m ³
		ii) PM 10 Onsite NW - 0.249 µg/m ³
		iii) SO ₂ Onsite NW - 1.93 µg/m ³
		iv) NO ₂ Onsite NW - 0.999 µg/m ³
		v) CO Onsite NW - 0.001 µg/m ³
35.	Construction Phase:	i) Power Back-up 2 x 125 kVA
		ii) Water Requirement & Source Requirement: 14 KLD Source : STP treated Water
		iii) STP (Modular)
		iv) Anti-Smoke Gun

Table 2:EMP BUDGET

Capital Cost		
S. No.	Description	Capital Cost(in Lakhs)
1	Landscaping	65
2	Water Management (725 KLD STP)	90
3	Rain water harvesting(No. 27)	54
4	Air Management (3 x 2000 kVA capacity DG Stack & Acoustic Treatment)	30
5	Solid Waste Management	50
6	Social Activities	15
7	Solar Panel	20
8	Miscellaneous	5
	Total	Rs 329 Lakhs

Tangible cost breakup of Social Activities:

S No.	Description of Social Cost	Capital Cost(in Lakhs)
a	Miyawaki Plantation	7.5
b	Infrastructure development at Govt. Primary School sector-93, Hayatpur	7.5
	Total	15

Recurring Cost

Recurring Cost		
S. No.	Description	Recurring Cost (In Lakhs/year)
1	Landscaping	6.0
2	Water Management (STP)	4.0
3	Rain water harvesting	4.5
4	Environment Monitoring	2.0
5	Solid Waste Management	3.0
6	Miscellaneous	2.0
	Total	Rs 21.5 Lakh/year

4. The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations, have recommended the grant of environmental clearance for the project mentioned above, subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority in its **139th meeting held on 18.04.2022** decided to agree with the recommendations of SEAC to accord necessary environmental clearance for the

project under **Category 8(a)** of EIA Notification 2006 subject to the **strict compliance with the following stipulations depicted below:-**

A. Specific conditions:-

1. Sewage shall be treated in the STP based on latest Technology with tertiary treatment i.e. Ultra Filtration to achieve standards ordered by NGT. The Treated effluent from STP shall be recycled /reused for flushing. DG cooling and Gardening. The dimension of each component of STP should be properly designed as per Norms.
2. The PP should provide separate services across revenue rasta or carry out construction after approval of Competent Authority.
3. The PP shall spent Rs.5Lakhs on various wildlife conservation activities like artificial nests on the trees, digging of ponds and construction of feeding platforms through Environment Management Plan
4. The PP shall handover the 10% of the area for community development to the authorities as per approval.
5. The PP shall also develop the Miyawaki Forest as proposed in the EMP with the capital cost of 7.5 lakhs in the area of 1200 sqm. outside the project area and maintain the same. The Miyawaki forest shall be developed under the guidance of MD Forest corporation Haryana
6. The Project Proponent would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coli forms and other pathogenic bacteria.
7. The PP shall ensure that total 2% of the cost of project shall be spent on EMP Budget. However, the amount and component shown in EMP table above shall also be included for the purpose of 2% amount. The EMP cost on Socio Economic activities shall be used before the commencement of the project & EMP recurring inside the project shall be implemented throughout the operation of the project. The PP shall establish Environment monitoring cell as per documents submitted.
8. The PP shall not carry out any construct above and below revenue rasta if passing through the project and ensure that permission of the competent authority shall be obtained before carry out any construction above or below the revnuerasta. The PP shall put notice board on the revenue rasta for the passer byes.
9. The project proponent shall upload the status of compliance of the basic details (given in above tables), stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
10. The Project Proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
11. Separate wet and dry bins must be provided in each unit and at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage and inert materials. Wet Garbage shall be composted in Organic waste convertor. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The Inert waste from the project will be sent to solid waste dumping site through authorized vender.
12. Traffic management plan as submitted shall be implemented in letter and spirit. Apart, a detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is marinated and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habilitation being carried out or purpose to be carried out by the project or other agencies in this 05kms radius of the site in different scenarios of space and time

13. No tree cutting has been proposed in the instant project. A minimum of 1 tree for every 80sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 15,251.08 m² (14% of Net plot area) of total plot area shall be provided for Green Area development for whole project, excluding plot areas.
14. The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
15. Consent to establish/operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of pollution) Act, 1981 and the Water (Prevention and control of pollution) Act, 1974.
16. The Approval of the Competent Authority shall be obtained for structural safety of building code due to earthquakes, adequacy of fire fighting equipments etc. as per National Building Code including protection measures from lightening etc.
17. The PP shall obtain the Fire NOC from the Competent Authority before taking the occupation of the building.
18. The PP shall install the Eco Friendly Green Transformer based on ester oil to reduce the carbon footprint. The PP shall shift to gas based generator set when the gas is available. The PP shall install APCM for the DG set. The PP shall reduce the So₂ load by 30% if HSD is used. The DG sets will be operated for maximum 04 hours during power failure through Executing Agency
19. The PP shall not give occupation or possession before the water supply and sewage connection permitted by the competent authority.
20. The PP shall not give occupation or possession before the electricity connection permitted by the competent Authority.
21. The PP shall obtain the permission regarding withdrawal of ground water, if any from HWRA/CGWA before the start of the project and also obtained the CTO from HSPCB after the approval from HWRA/CGWA.
22. The PP shall carry out the quarterly awareness programs for the stakeholders of the project.
23. 27 Rain water harvesting recharge pits shall be provided for ground water recharging as per the CGWB norms.
24. The PP shall install Digital water level recorder for monitoring the water recharge and carry out quarterly maintenance and cleaning of 27 RWH pits.
25. The PP shall provide the Anti smog gun mounted on vehicle in the project for suppression of dust during construction & operational phase and shall use the treated water, if feasible.
26. The PP shall take all preventive measures including water sprinkles to control dust during construction and operational phase.
27. Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.
28. The excess treated water shall be reused in nearby DLF Projects for construction purpose
29. The PP shall provide the separate services without crossing the revenue rasta in three pockets i.e. zone A,B and C
30. The PP shall install Retrofit emission controlling devices for DG sets approved by CPCB to further reduce the emission by intervening the exhaust. The emission level shall comply with the CPCB guidelines or norms
31. The PP shall install the DG set of 4000KVA capacity and reduce the power backup undertaking
32. The PP shall install the DG set based on multi fuel injection system and capacity and will shift DG set on the gas as and when available.
33. Before starting of the construction, PP shall obtain requisite sewer connection/permission from the competent Authority

B. Statutory Compliance:

- [1] The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority for ground coverage, FAR and should be in accordance with zoning plan approved by Competent Authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- [2] The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.
- [3] The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- [4] The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- [5] The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Haryana State Pollution Control Board.
- [6] The project proponent shall obtain the necessary permission for drawl of ground water /surface water required for the project from the competent authority.
- [7] A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- [8] All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- [9] The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, the Plastics Waste (Management) Rules, 2016 and Batteries waste (Management Handling Rules 2001 as amended in 2020) shall be followed.
- [10] The project proponent shall follow the ECBC Act/ECBC-Rules prescribed by Bureau of Energy Efficiency, Ministry of Power strictly in addition of bylaws of the State Government.

I Air Quality Monitoring and Preservation

- i. Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- ii. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- iii. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
- iv. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of ultra lowsulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board
- v. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand,

- cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- vi. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
 - vii. Wet jet shall be provided for grinding and stone cutting.
 - viii. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
 - ix. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
 - x. The diesel generator sets to be used during construction phase shall be ultra lowsulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
 - xi. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Ultra low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
 - xii. For indoor air quality the ventilation provisions as per National Building Code of India.

II Water Quality Monitoring and Preservation

- i. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
- ii. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- iii. Total fresh water use shall not exceed the proposed requirement as provided in the project details. The per capita supply should adhere to NBC 2016 and CGWA Notification dated 12.12.2018.
- iv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- v. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- vi. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- vii. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- viii. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- ix. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- x. Water demand during construction should be reduced by use of pre-mixed concrete,

- curing agents and other best practices referred.
- xi. The local bye-law provisions on rain water harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain Water Harvesting pits shall be provided for ground water recharging as per the CGWB norms.
 - xii. A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
 - xiii. All recharge should be limited to shallow aquifer.
 - xiv. No ground water shall be used during construction phase of the project.
 - xv. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
 - xvi. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
 - xvii. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
 - xviii. No sewage or untreated effluent water would be discharged through storm water drains.
 - xix. Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
 - xx. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
 - xxi. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

III Noise Monitoring and Prevention

- i. Ambient noise levels shall conform to residential area/commercial area both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- ii. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

IV Energy Conservation Measures

- i. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency as per ECBC Act, 2017 read with ECBC Rules, 2018 shall be

- ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC also which is in no case should be less than 25% as prescribed.
- ii. Outdoor and common area lighting shall be LED.
 - iii. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof R & U-values shall be as per ECBC specifications.
 - iv. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
 - v. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
 - vi. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
 - vii. The PP will submit report indicating compliance of each parameter of ECBC requirement and submit quantification saving report for each component.

V Waste Management

- i. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- ii. Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- iii. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- iv. Organic Waste Converter within the premises with a minimum capacity of 0.5 kg /person/day must be installed. Leaves to be put in earmarked pits for converting them into compost to be used as manure.
- v. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- vi. Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- vii. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
- viii. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- ix. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- x. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

VI Green Cover

- i. No tree can be felled/transplant unless exigencies demand. Where absolutely

necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).

- ii. A minimum of 1 tree (5' tall) for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- iii. Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- iv. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

VII Transport

- i. A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a) Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b) Traffic calming measures.
 - c) Proper design of entry and exit points.
 - d) Parking norms as per local regulation.
- ii. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

VIII Human Health Issues

- i. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- ii. For indoor air quality the ventilation provisions as per National Building Code of India.
- iii. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- iv. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- v. Occupational health surveillance of the workers shall be done on a regular basis.
- vi. A First Aid Room shall be provided in the project both during construction and operations of the project.

IX Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions of CER, as applicable.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions and/ or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.

X Miscellaneous

- i. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.

- vi. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- vii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- viii. The project proponent shall abide by all the commitments and recommendations made in the form-IA, Conceptual Plan and also that during their presentation to the Expert Appraisal Committee.
- ix. No further expansion or modifications in the plan shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC)/SEIAA, Haryana. The project proponent shall seek fresh environmental clearance under EIA notification 2006 if at any stage there is change of area of this project.
- x. Any change in planning of the approved plan will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance
- xi. The PP should give unambiguous affidavit giving land promoters in accordance with your ownership and possession of land legal the case referred for Environment Clearance to SEIAA.
- xii. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xiii. The Ministry/SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiv. The Ministry/SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xv. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xvi. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvii. The validity of this environment clearance letter is valid up to 10 years from the date of issuance of EC letter as per MoEF & CC, GoI notification No. S.O. 1807 (E) dated

12.04.2022. The environment clearance conditions applicable till life space project will continue to apply. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till life of the project.

- xviii. If project is not completed within the validity period then the project proponent shall submit the application for extension of validity within the validity period of Environment Clearance i.e. 10 years.

The Project Proponent should intimate to the Authority as well as to the quarter concerned in case of any change in the present communication address.

(S. Narayanan, IFS)
Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.

A copy of the above is forwarded to the following:

1. Director (IA Division), MoEF& CC, GoI, Indira Paryavaran Bhavan, Zorbagh Road-New Delhi-110003.
2. Chairman, State Environment Impact Assessment Authority, Bay No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana
3. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula with a request to issue necessary permissions/approvals after the unit complies with the condition of having sewer connection.
4. Director, Environment & Climate Change Department, Haryana, SCO 1-3, Sector-17 D, Chandigarh-160017
5. Director General, Town & Country Planning Haryana, Plot No. 3, Sector - 18A, Madhya Marg, Chandigarh- 160018 with a request to issue necessary permissions/approvals after the unit complies with the condition of having sewer connection.
6. Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India, Bay's No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160018.
7. Concerned File/ Office Copy

(S. Narayanan, IFS)
Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.

Signature Not Verified

Digitally signed by Shri S.
Narayanan, IFS
Member Secretary

Date: 4/28/2022 5:48:40 PM

ANNEXURE II

DLF Limited

DLF Gateway Tower, R Block, DLF City,
Phase III, Gurugram-122 002, Haryana
Tel.: (+91-124) 4396000



Receipt No. - ^{Ack} 8299/16/03/2022
8300

File Ref. VI/DDJAY/93/8

March 15, 2022

The Commissioner,
Municipal Corporation,
Manesar

Subject: Laying of services through the Revenue Rastas within the Affordable Plotted Colony under DDJAY area measuring 26.91875 acres, in Sector 93, Gurugram.

Sir,


1. Kindly refer to Director, Town & Country Planning, Haryana, Endst no. LC-4223/Asstt. (MS)/2021/29053 dated 16.11.2021, wherein licence no. 94 of 2021 dated 12.11.2021 has been granted for setting up of Affordable Plotted Colony under Deen Dayal Jan Awas Yojana over area measuring 26.91875 acres in Sector 93, Gurugram.
2. In pursuance of the licence granted, we are carrying out development works in the colony. The colony is consisting of 2 nos. revenue rastas. Approved layout plan showing the revenue rastas marked as "A to B, C to D & E to G" is enclosed herewith for your perusal and ready reference as Annexure "A".

We are required to lay the utility services through these two revenue rastas.

3. In view of the above, it is requested that the necessary approval may kindly be accorded to utilize the revenue rasta for laying the utility services. We further undertake that, roads will be restored back to original condition after laying of services.

Thanking you,

Yours faithfully,
For DLF Limited,


(DEEPAK BHANDARI)
Authorized Signatory

Encl: As above

TOTAL NUMBER OF PLOTS - 367
FREEZE PLOT @ 50% - 184

FREEZE PLOT SHOWN IN

DETAILS OF FREEZE PLOTS (SECTOR 93) DDJAY									
TYPE	LENGTH	WIDTH	CATEGORY	AREA	SQM.	SQYDS.	NO OF	AREA(SQM.)	TOTAL
A	20.00	7.50	GENERAL	150.00	179.333	168	10	25200.00	
B	20.00	6.70	GENERAL	134.00	160.204	10	10	1340.00	
a	11.57	8.10	GENERAL	93.72	112.044	1	1	93.72	
	8.1+5.3/2X8.4		GENERAL	56.28	67.286	1	1	56.28	
d	6.70	15.90	GENERAL	106.53	127.363	1	1	106.53	
	6.7+6.4/2X4.1		GENERAL	36.99	44.224	1	1	36.99	
f	8.10	17.46	GENERAL	141.43	169.083	1	1	141.43	
	8.1+2.1/2		GENERAL	8.50	10.162	1	1	8.50	
g	15.10	9.20	GENERAL	138.92	166.087	1	1	138.92	
	2.4+9.2/2		GENERAL	11.04	13.199	1	1	11.04	
h	10.7+4.9/2X18.9		GENERAL	147.42	176.249	1	1	147.42	
	2.3+18.9/2		GENERAL	2.33	2.786	1	1	2.33	
i	16.8+18.3/2X7.5		GENERAL	131.63	157.365	1	1	131.63	
GRAND TOTAL								184	27402.59

Proposed Services to be crossed Revenue Rasta at 1 location (A to B)-
Length - 3 mtr, width = 3 mtr.
i) Domestic water - 1 no. 100 mm dia
ii) Flushing water - 1no. 100 mm dia
iii) HSVP/GMDA supply line - 1no. 150mm dia
iv) Storm water - 1no. 400 mm dia
v) Sewer - 1no. 200 mm dia
vi) STP over flow pipe - 1no. 150mm dia
vii) HT Cable - 4 Nos. 160mmØ

Proposed Services to be laid along the Revenue Rasta at 1 location (F to G)-
Length - 5 mtr, width = 3.5 mtr
i) HT Cable - 4nos 160mmØ (3.5m wide)

Proposed Services to be crossed Revenue Rasta at 1 location (C to D)-
Length - 5 mtr, width = 2.5 mtr
i) Domestic water - 1no. 150 mm dia
ii) Flushing water - 1no. 100 mm dia
iii) Storm water - 1no. 600 mm dia
iv) Sewer - 1no. 300 mm dia
v) HT Cable - 2nos 160mmØ
vi) LV Cable - 1Nos 100mmØ

Proposed Services to be crossed Revenue Rasta at 1 location (H to J)-
Length = 5 mtr, width = 1 mtr
iii) Storm water - 1 no. 400 mm dia
vi) HT Cable - 2Nos 160mmØ

Proposed Services to be laid along the Revenue Rasta (E to F)-
Width - 5m., Length - 35 mtr
i) HT Cable - 4Nos 160mmØ (3.5m wide)

To be read with Licence No. 94 of 2021 dated 12.11.2021

That this Revised Layout plan for an area measuring 26.91875 acres (Drawing No. 8166, Dated 22-02-2021) under registration as an area measuring 12.1183 acres from Licence No. 28 of 2021 granted for Group Housing (12.1183 acres) and an area measuring 10.056 acres from Licence No. 83 of 2019 granted for Low Cost Affordable Group Housing (10.056 acres) comprising additional area measuring 4.74723 acres) comprised of licence which is issued in respect of Affordable Residential Plotted Colony (Under Open Dayal, Jan Area Type) being developed by Sagardut Builders & Developers Pvt. Ltd. & others in collaboration with DLF Limited, Sector-93, Gurugram is hereby approved subject to the following conditions:-

- That this Revised Layout Plan shall be read in conjunction with the clauses appearing on the agreement executed under Rule 11 and the bilateral agreement.
- That the plotted area of the colony shall not exceed 65% of the net planned area of the colony. The entire area reserved for commercial purposes shall be taken as plotted for calculation of the area under plots.
- That the demarcation plans as per site of all the Residential Plots and Commercial site shall be submitted for approval from this Department and construction on these sites shall be governed by the Haryana Building Code, 2017 and the Layout Plan approved by the Director, Town & Country Planning, Haryana.
- That for proper planning and integration of services in the area adjacent to the colony, the collector shall abide by the directions of the DTC for the modification of layout plans of the colony.
- That the revenue rasta falling in the colony shall be kept free for circulation/movement as shown in the layout plan.
- That the collector shall abide by the directions of the DTC, Haryana and accordingly shall make necessary changes in the layout plan for making any adjustment in the alignment of the peripheral roads, internal road circulation or for proper integration of the planning proposals of the adjoining areas.
- That no property/plot shall derive access directly from the carriage way of 30 metres or wider sector road if applicable.
- All green belts provided in the layout plan within the licensed area of the colony shall be developed by the collector. All other green belts outside the licensed area shall be developed by the Haryana Urban Development Authority/collector on the directions of the Director, Town and Country Planning, Haryana in accordance with terms and conditions of the agreements of the licence.
- At the time of demarcation plan, if required percentage of required open space is reduced, the same shall be provided by the collector to the licensed area.
- No plot shall derive an access from less than 9 metres wide road would mean a minimum clear width of 3 metres between the plots.
- Any access area over and above the permissible 4% under commercial use shall be deemed to be open space.
- The portion of the sector/development plan roads (green belts as provided to the Development Plan if applicable, which form part of the licensed area shall be transferred free of cost to the government on the lines of Section 33(4)(b) of the Act No. 8 of 1975.
- That the odd size plots are being approved subject to the conditions that these plots should not have a frontage of less than 75% of the standard frontage when demarcated.
- That you will have no objection to the regularisation of the boundaries of the licence through plot and take with the land that is finally able to acquire to the interest of planned development and integration of services. The decision of the competent authority shall be binding in this regard.
- That the rain water harvesting system shall be provided as per Central Ground Water Authority norms/Haryana Govt. notification as applicable.
- That the collector/owner shall use only Light Emitting Diode lamps (LED) fitting for internal lighting as well as Campus lighting.
- That the collector/owner shall ensure the installation of Solar Photovoltaic Power Plant as per the provisions of order No.12/12/2005-Shower dated 21.03.2014 issued by Haryana Government Renewable Energy Department.
- That the collector/owner shall strictly comply with the directions issued vide Notification No. 19/6/2016, SP dated 31.03.2016 issued by Haryana Government Renewable Energy Department for enforcement of the Energy Conservation Building Codes.

(S.K. SEHRAWAT)
DTCP(HQ)

(P. SINGH)
DTCP(HQ)

(K. HARRAN PANDHANG, IAS)
DTCP(HQ)

(SACHIN KUMAR)
ATP(HQ)

(DINESH KUMAR)
SDP(HQ)



Head Office : DLF Center, Sansad Marg, New Delhi-110001
Website : www.dlf.in

DLF SECTOR -93

DETAILS OF PLOTS (SECTOR 93) DDJAY									
TYPE	LENGTH	WIDTH	CATEGORY	AREA	SQM.	SQYDS.	NO OF	AREA(SQM.)	TOTAL
A	20.00	7.50	GENERAL	150.00	179.333	168	10	25200.00	
B	20.00	6.70	GENERAL	134.00	160.204	10	10	1340.00	
a	11.57	8.10	GENERAL	93.72	112.044	1	1	93.72	
	8.1+5.3/2X8.4		GENERAL	56.28	67.286	1	1	56.28	
b	14.48	7.80	GENERAL	112.94	135.031	1	1	112.94	
	7.7+4.2/2X8.4		GENERAL	36.99	44.224	1	1	36.99	
c	20.00	4.70	GENERAL	94.00	112.382	1	1	94.00	
	20+4.7/2X4		GENERAL	56.00	66.951	1	1	56.00	
d	6.70	15.90	GENERAL	106.53	127.363	1	1	106.53	
	6.7+6.4/2X4.1		GENERAL	36.99	44.224	1	1	36.99	
e	15.80	6.70	GENERAL	106.53	127.363	1	1	106.53	
	6.7+6.4/2X15.8		GENERAL	8.93	10.670	1	1	8.93	
f	8.10	17.46	GENERAL	141.43	169.083	1	1	141.43	
	8.1+2.1/2		GENERAL	8.50	10.162	1	1	8.50	
g	15.10	9.20	GENERAL	138.92	166.087	1	1	138.92	
	2.4+9.2/2		GENERAL	11.04	13.199	1	1	11.04	
h	10.7+4.9/2X18.9		GENERAL	147.42	176.249	1	1	147.42	
	2.3+18.9/2		GENERAL	2.33	2.786	1	1	2.33	
i	16.8+18.3/2X7.5		GENERAL	131.63	157.365	1	1	131.63	
GRAND TOTAL								367	54787.40

DETAILS OF AREA			AREA (Acres)	% AREA
TOTAL APPLIED AREA			26.91875	
AREA UNDER UNDETERMINED USE			0.026	0.10
NET PLANNED AREA			26.89275	99.90
AREA UNDER COMMERCIAL			1.075	4.00
AREA UNDER RESIDENTIAL PLOTS			13.538	50.34
TOTAL SALEABLE AREA			14.613	54.34
AREA UNDER COMMUNITY SITE REQUIRED			2.692	10.00
AREA UNDER COMMUNITY SITE PROPOSED			2.692	10.00
AREA UNDER GREENS				
1	65	391.280	0.10	
2	62	861.370	0.34	
3	48	43.900	0.02	
4	64	187.300	0.06	
5	66	180.800	0.04	
6	66	134.370	0.03	
7	67	929.180	0.23	
8	65	1896.390	0.39	
9	69	189.000	0.04	
10	600	184.000	0.04	
11	601	103.000	0.03	
12	602	1489.630	0.37	
13	603	449.630	0.11	
14	604	181.000	0.04	
15	605	343.800	0.08	
16	606	278.900	0.07	
17	607	1111.000	0.27	
TOTAL GREEN AREA ACHIEVED			8313.172	2.08
GREEN AREA REQUIRED			8181.500	2.02

POPULATION			
TYPE OF PLOT	NOS.	PERSON/LOT	TOTAL
A GENERAL PLOTS	367	15	5505
TOTAL POPULATION			5505
PROPOSED DENSITY IN PPA			245.64

POPULATION			
TYPE OF PLOT	NOS.	PERSON/LOT	TOTAL
A GENERAL PLOTS	367	15	5505
TOTAL POPULATION			5505
PROPOSED DENSITY IN PPA			245.64

ARCHITECT : TOWN PLANNER
AUTHORISED SIGNATORY

SCALE: 1:_____
DATE: 28.01.2022
DRAWING LAYOUT:_____
Rev:_____
LAYOUT PLAN OF DDJAY
SECTOR 93, GURUGRAM
(HARYANA)

ANNEXURE III



प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

नाम Name	सुनील कुमार अरोरा Sunil Kumar Arora
संगठन का नाम Organisation Name	DLF Limited
वर्तमान पता Current Address	Dlf Gateway Tower, R Block, Dlf City, Phase Iii, Gurugram-122 002, Haryana
भूमि स्थान Land Location	Hayatpur , Gurgaon (Haryana),
भूमि मापन Land Measurements	26.9187(Acre)
खसरा/ प्लॉट नम्बर Khasra/Plot Number	33//13/2, 33//14/1/2 Min, 34//19/2/2, 34//20/2/2, 37//13/2, 37//14/1, 33//18, 33//19, 34//16/2, 34//17/2, 34//18/1/1/2, 34//19/1/2, 34//21/2, 34//22, 37//16, 37//20/1, 37//19/2, 38//2, 38//3, 38//20/1, 33//20, 33//21, 33//22, 38//8,38//9, 38//13, 38//13/1, 37//5/2, 37//6, 37//15, 37//16, 37//17, 37//18, 37//19/1, 38//14/5, 38//18, 38//19, 37//24/1, 37//25/1, 33//20/2, 38//21/1
रेंज अफसर का नाम Range Officer Name	Karamvir Malik

Reference No. (SRN):-PJ0-YW4-B9A8

जारी करने की तिथि / Date of Issuance: 21-10-2022

जारी करने का स्थान / Place of Issuance: Gurgaon

जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/forest/PJ0YW4B9A8>



प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Species	Classwise number of trees								Total no. of trees	Total Volume (M3)
	V	IV	III	IIA	IIB	IA	IB	Under Size Trees		
Kikar	3	2	0	0	0	0	0	0	5	0.46
Shisham	9	2	1	0	0	0	0	0	12	1.39
Neem	0	0	0	1	1	0	0	0	2	3.11
Alastonia	0	1	0	0	0	0	0	0	1	0.14
Safeda	1	7	3	0	0	0	0	0	11	2.75
Alanthas	0	2	1	0	0	0	0	0	3	0.85
Sahtoot	5	2	0	0	0	0	0	0	7	0.58
Total	18	16	5	1	1	0	0	0	41	9.28

जारी करने की तिथि / Date of Issuance: 21-10-2022
जारी करने का स्थान / Place of Issuance: Gurgaon
जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer (Rajeev Tejyan,)



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/forest/PJ0YW4B9A8>



प्रभागीय वन अधिकारी द्वारा अनुमति पत्र
Permission letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



हरियाणा भू-परिक्षण अधिनियम, 1900 (1900 का पंजाब का अधिनियम II) की धारा-4 के अधीन अधिसूचित भूमि में वृक्षों की कटाई की अनुमति।
Permission for felling of trees in areas notified under general section-4 of Haryana Land and Preservation Act, 1900 (Punjab Act II of 1900).

Applicant Sunil Kumar Arora located at village Hayatpur district Gurgaon made
a proposal to fell trees on this land with Khasra/ Plot number -
The report submitted by RFO, Karamvir Malik dated 12-10-2022.

CONDITIONS OF PERMIT

1. Only the numbered trees will be felled.
2. Trees to be felled will not be uprooted except in case of developmental works/ Individual plots.
3. No dragging of wood will be permitted.
4. Felling after sun set and before the sun rise will not be permitted.
5. No fire will be allowed.
6. No damage to unmarked trees will be caused during felling in the area and the owner will have to pay the compensation as determined by DFO for any such damage.
7. The owner of land shall be responsible for any illicit felling in the area and he will have to pay the compensation as determined by DFO for any such illicit felling.
8. No forest produce will be removed without a Rawana Challan from concerned Range Officer.
9. The permit is liable to be cancelled at any time if any violations of conditions of permit take place / facts given in the application for permit are found incorrect. The decision of DFO in this regard will be final.
10. The forest department does not hold any responsibility for distribution of sale proceeds among the owners of the land.
11. No separate permit for timber transit as per Indian Forest Act, 1927 is required within the territory of Haryana.
12. Permission Is Granted For Felling Of 41 Trees Of Dfo Subject To The Condition That The User Agency Will Plant 10 Times Of Felling Trees Applicant Must Submit The Proof Of Same To The Concerned Rfo Permission Is Valid For Three Months



Date: 21-10-2022

Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/forest/PJ0YW4B9A8>

ANNEXURE IV



HARYANA STATE POLLUTION CONTROL BOARD



**Haryana State Pollution Control Board, 3rd Floor,
HSIDC Office Complex, IMT Manesar, Gurugram**

Email:- hspcbrogrs@gmail.com

Website: www.hrocmms.nic.in E-Mail - hspcbho@gmail.com

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 329962322GUSOCTE24509503

Dated:17/06/2022

To.

**M/s : Affordable Plotted Housing under Deen Dayal Jan awas Yojana (DDJAY) over
26.91875 acers in sector 93, Gurugram
DLF Gateway Tower
GURGAON
122505**

**Sub. : Grant of consent to Establish to M/s Affordable Plotted Housing
under Deen Dayal Jan awas Yojana (DDJAY) over 26.91875 acers in sector
93, Gurugram**

Please refer to your application no. 24509503 received on dated 2022-05-27 in regional office Gurgaon South.

With reference to your above application for consent to establish, M/s Affordable Plotted Housing under Deen Dayal Jan awas Yojana (DDJAY) over 26.91875 acers in sector 93, Gurugram is hereby granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	17/06/2022 - 27/04/2032
Industry Type	Building and Construction projects having waste water generation more than 100 KLD in respective of their built-up area
Category	RED
Investment(In Lakh)	39655.0
Total Land Area (Sq. meter)	108936.31
Total Builtup Area (Sq. meter)	271588.25
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	550.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Recycling/Reuse
2. Trade	0
Permissible Domestic Effluent Parameters	
1. BOD	30 mg/l

2. COD	250 mg/l
3. TSS	100 mg/l
4. Oil & Grease	10 mg/l
5. pH	5.5-9.0
Permissible Trade Effluent Parameters	
1. NA	mg/l
Number of stacks	1
Height of stack	
1. Attached to D.G.Set above ground level	30 meter
Permissible Emission parameters	
1. NA	
Capacity of boiler	
1. N.A.	Ton/hr
Type of Furnace	
1. N.A.	
Type of Fuel	
1. Diesel	0.2 KL/day

HARYANA STATE

*Regional Officer, Gurgaon South
Haryana State Pollution Control Board.*

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 550 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 550 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience

8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.

26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

1. Unit will take Consent to Operate before starting the occupation/ operation of the project. 2. The unit will install the project only on the premises for which unit has applied for NOC. 3. The unit will install adequate acoustic enclosures/ chambers on their D.G. sets with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules, 1986. 4. Unit will comply the conditions mentioned in the letter dated 25-10-2019 of CPCB regarding mechanism for Environmental management. 5. Unit will register on Dust control & management app and will install anti smog gun and will submit the proof of the same.

SANDEEP SINGH Digitally signed by SANDEEP SINGH
Date: 2022.06.17 12:59:03 +05'30'

Regional Officer, Gurgaon South
Haryana State Pollution Control Board.



ANNEXURE V



प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र
Clarification letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



गैर-वन भूमि पर वन कानून उपयुक्तता के विषय में स्पष्टीकरण पत्र।

Clarification letter regarding applicability of forest laws on non forest land.

नाम Name	आकांक्षा Akanksha
संगठन का नाम Organisation Name *	M/s Akina Builders & Developers Private Limited & Others In Collaboration With Dlf Limited.
वर्तमान पता Current Address	2nd Floor, Gateway Tower, Dlf Cyber City Phase 'Iii
भूमि स्थान Land Location	Hayatpur, Gurgaon, Hayatpur
भूमि मापन Land Measurements	26.956 (Acre)
आयत नम्बर / मुरबा नम्बर Rectangle No./ Murba No.	33, 34, 37, 38;

Reference No. (SRN):- KD0-5DP-U12N

जारी करने की तिथि / Date of Issuance: 26-10-2021

जारी करने का स्थान / Place of Issuance: Gurgaon

जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/clarification/KD05DPU12N>



प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र
Clarification letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



गैर-वन भूमि पर वन कानून उपयुक्तता के विषय में स्पष्टीकरण पत्र।

Clarification letter regarding applicability of forest laws on non forest land.

किला नम्बर Killa Number	Khasra No Not Applicable And Applicable Rectangle & Kila Nos : Rectangle No 33, Kila No .18 (8-0), 19 (8-0), 13/2 (6-18), 14/1/2min (2-7), 20(8-0), 21(7-7), 22(7-7), Rectangle 34, Kila No 16/2(7-10), 17/2(6-5), 18/1/1/2min(1-16),18/1/1/2min (1-1),19/1/2(0-2), 21/2(6-16), 22(7-7), 19/2/2(1-14),20/2/2(0-2). Rectangle No 37, Kila No5/2(1-13),6(8-0),15(8-0),17(8-0),18(8-0),19/1(0-2),16(8-0),20/1(3-10),19/2(7-18),13/2(1-15),14/1(4-0),24/1(1-13),25/1(1-13) Rectangle No 38, Kila No 2(7-15),3(8-0),8(7-18),9min (7-15-9),13/1(7-12),14/5(0-4),18(8-0),19(8-0),20/1(5-7),12(8-0),20/2(2-13),21/1(1-12)
प्रयोजन Purpose	Building Construction

जारी करने की तिथि / Date of Issuance: 26-10-2021

जारी करने का स्थान / Place of Issuance: Gurgaon

जारी करने वाला प्राधिकरण / Issuing Authority: Divisional Forest Officer



This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/clarification/KD05DPU12N>



प्रभागीय वन अधिकारी द्वारा स्पष्टीकरण पत्र
Clarification letter by
Concerned Divisional Forest Officer
हरियाणा सरकार / Government of Haryana



गैर-वन भूमि पर वन कानून उपयुक्तता के विषय में स्पष्टीकरण पत्र।

Clarification letter regarding applicability of forest laws on non forest land.

Applicant Akanksha located at village /city Hayatpur district Gurgaon
made a proposal to use this land for Building Construction. It is made clear that:

a) As per records available above said land is not part of notified Reserved Forest, Protected Forest under Indian Forest Act, 1927 or any area closed under section 4 of Punjab Land Preservation Act, 1900.

b) It is clarified that by the Notification No. S.O.8/PA 2/1900/S. 4/2013 dated 4th January, 2013, all Revenue Estate of Gurgaon is notified u/s 4 of PLPA 1900 and S.O.81/PA.2/1900/S.3/2012 u/s 3 of PLPA 1900. The area is however not recorded as forest in the Government record but felling of any tree is strictly prohibited without the permission of Divisional Forest Officer, Gurgaon.

c) If approach is required from Protected Forest by the user agency, the clearance/ regularization under Forest Conservation Act 1980 will be required. Without prior clearance from Forest Department, the use of Forest land for approach road is strictly prohibited. M/s M/s Akina Builders & Developers Private Limited & Hayatpur In Collaboration With DLF Limited whose land is located at village/city, Hayatpur In Collaboration With DLF Limited obtain clearance as applicable under Forest Conservation Act 1980.

d) As per the records available with the Forest Department, Gurgaon the area does not fall in areas where plantations were raised by the Forest Department under Aravalli project.

e) All other statutory clearances mandated under the Environment Protection Act. 1986, as per the notification of Ministry of Environment and Forests, Government of India, dated 07-05-1992 or any other Act/ order shall be obtained as applicable by the project proponents from the concerned authorities.

f) The project proponent will not violate any Judicial Order/ direction issued by the Hon'ble Supreme Court/ High Courts.

g) It is clarified that the Hon'ble Supreme Court has issued various judgments dated 07.05.2002, 29.10.2002, 16.12.2002, 18.03.2004, 14.05.2008 etc. pertaining to Aravalli region in Haryana, which should be complied with.

h) It shall be the responsibility of user agency/ applicant to get necessary clearances/ permissions under various Acts and Rules applicable if any, from the respective authorities/ Department.

i) This certificate is not applicable in case of Environment Department notification dated 10.03.2016 for Screening Plant, and notification dated 11.05.2016 for Stone Crusher. Investor/Applicant has to take clearance from Environment Department in case of Screening Plant and Stone Crusher.

It is subject to the following conditions:

1. Clarification Is Hereby Issued Subject To The Conditions
Mentioned Above.



Date: 26-10-2021
Place: Gurgaon

Rajeev Tejyan,
(Divisional Forest Officer)

This is a Digitally Signed Certificate and does not require physical signature. The authenticity of this certificate can be verified from the verification link mentioned below:

<https://164.100.137.243/eservices/mobileapi/verify/clarification/KD05DPU12N>

प्रेषक,

उपायुक्त, गुरुग्राम।

सेवा में

M/s DLF Limited,
Gateway Tower (2nd Floor),
DLF City, Phase-III,
Gurugram.

क्रमांक 75 / एम0बी0

दिनांक 17/11/2021

विषय:-

Report of the Tehsildar Gurugram through the office of DC that the land of the project does not fall under MoEF Aravalli Notification S.O 319(E) dated 7th May 1992: NOC Forest and Aravalli Certificate for project site of "Affordable Plotted Housing Colony under Deen Dayal Jan Awas yojna. Sector 93, Village Hayatpur, Gurugram."

उपरोक्त विषय के संदर्भ में।

विषयाधीन मामले में उक्त के सम्बन्ध में नायब तहसीलदार, हरसरु व उप वन संरक्षक, गुरुग्राम से रिपोर्ट प्राप्त की गई जो निम्न प्रकार है:-

नायब तहसीलदार, हरसरु ने अपने कार्यालय के पत्र क्रमांक 571/रीडर दिनांक 21.09.2021 के द्वारा रिपोर्ट इस कार्यालय में प्रेषित की है जिसमें लिखा है कि रिपोर्ट पटवारी हल्का से ली गई। रिपोर्ट पटवारी हल्का अनुसार किला नम्बरान/खसरा नम्बरान 33//13/2(6-18), 14/1/2(2-7), 18(8-0), 19(8-0), 20(8-0), 21(7-7), 22(7-7), 34//16/2(7-10), 17/2(6-5), 18/1/1/2(2-17), 19/1/2(0-2), 19/2/2(1-14), 20/2/2(0-2), 21/2(6-16), 22(7-7), 37//13/2(1-5), 14/1(4-0), 5/2(1-13), 6(8-0), 15(8-0), 17(8-0), 18(8-0), 19/1(0-2), 24/1(1-13), 25/1(1-13), 38//20/2(2-13), 21/1(1-12), 37//19/2(7-18), 20/1(3-10), 16(8-0), 38//2(7-15), 3(8-0), 18(8-0), 8(7-18), 9मिन(7-16), 13/1(7-12), 12(8-0), 14/5(0-4), 19(8-0), 20/1(5-7) मौजा हयातपुर उप तहसील हरसरु जिला गुरुग्राम का राजस्व रिकार्ड से अवलोकन किया गया। अवलोकन उपरान्त मांगी गई रिपोर्ट बिन्दुवार निम्न प्रकार है:-

1. उपरोक्त अराजी पर नोटिफिकेशन दिनांक 07.05.1992 के अनुसार जमाबंदी में अरावली क्षेत्र में होने का इन्द्राज दर्ज नहीं है।
2. नोटिफिकेशन से पूर्व व उसके पश्चात उपरोक्त पर किस्म गैर मुमकिन पहाड, गैर मुमकिन राडा, गैर मुमकिन बीहड, बंजर बीहड या रुद्र का इन्द्राज जमाबंदी में दर्ज नहीं है।
3. नोटिफिकेशन दिनांक 07.05.1992 से पूर्व उपरोक्त अराजी की किस्म चाही व हाल किस्म किला न0 38//14/5, 37//18, 33//20, 21, 22 की किस्म गैर मुमकिन व बाकी अराजी की किस्म चाही जमाबंदी में दर्ज है।
4. उपरोक्त अराजी पर मिसल हकियत ता हाल कभी भी ग्राम पंचायत/शामलात देह/नगर पालिका/नगर निगम की मलकियत नहीं रही है।
5. उपरोक्त अराजी पर जमाबंदी के खाना कैफियत में किसी केस आदि का इन्द्राज दर्ज नहीं है।
6. उपरोक्त अराजी का SEZ (Special Economical Zone) में होने का इन्द्राज जमाबंदी के खाना कैफियत में दर्ज नहीं है।
7. उपरोक्त अराजी पर जमाबंदी के खाना कैफियत में धारा 4, 6 व अवार्ड में होने का इन्द्राज दर्ज नहीं है।

उप वन संरक्षक, गुरुग्राम ने अपने कार्यालय के पत्र क्रमांक 2239-जी0 दिनांक 03.11.2021 के द्वारा अवगत कराया है कि उनके कार्यालय द्वारा ऑनलाईन दिनांक 26.10.2021 (M/s Akina Builders & Developers Private Limited & Others in Collaboration With DLF Limited) को गावं हयातपुर की 26.956 एकड की फोरेस्ट क्लेरिफिकेशन जारी की जा चुकी है जिसकी छाया प्रति इस कार्यालय में प्रेषित की है जिसमें लिखा है कि Applicant M/s Akina Builders & Developers Private

Limited & Others in Collaboration With DLF Limited Land Measuring 26.956 (Acre) having Rect No. 33 Killa No. 18(8-0), 19(8-0), 13/2(6-18), 14/1/2min(2-7), 20(8-0), 21(7-7), 22(7-7), Rect. No. 34 Killa No. 16/2(7-10), 17/2(6-5), 18/1/1/2min (1-16), 18/1/1/2min(1-1), 19/1/2(0-2), 21/2(6-16), 22(7-7), 19/2/2(1-14), 20/2/2(0-2), Rect. No. 37 Killa No. 5/2(1-13), 6(8-0), 15(8-0), 17(8-0), 18(8-0), 19/1(0-2), 16(8-0), 20/1(3-10), 19/2(7-18), 13/2(1-15), 14/1(4-0), 24/1(1-13), 25/1(1-13), Rect No. 38 Killa No. 2(7-15), 3(8-0), 8(7-18), 9min(7-15-9), 13/1(7-12), 14/5(0-4), 18(8-0), 19(8-0), 20/1(5-7), 12(8-0), 20/2(2-13), 21/1(1-12) Land located at village Hayatpur District Gurugram made a proposal to use this land for Building Construction. It is made clear that:-

- A) As per records available above said land is not part of notified Reserved Forest, protected Forest under Indian Forest Act, 1927 or any area closed under section 4 of Punjab Land Preservation Act 1900.
- B) It is clarified that by the Notification No. S.O 8/P.A 2/1900/S. 4/2013 dated 04-01-13 all Revenue Estate of **Gurgaon** is notified u/s 4 of PLPA 1900 and S.O 81/PA.2/1900/S.3/2012 u/s 3 of PLPA 1900. The area is however not recorded as Forest in the Government record but felling of any tree is strictly prohibited without the permission of Divisional Forest officer, **Gurgaon**.
- C) If approach is required from Protected forest by the user agency, the clearance/regularization under Forest Conservation Act 1980 will be required. Without prior clearance from Forest Department, the use of Forest land for approach road is strictly prohibited. **M/s Akina Builders & Developers Private Limited & Others in Collaboration With DLF Limited** whose land is located at **Village/City Hayatpur District Gurgaon** must obtain clearance as applicable under Forest Conservation Act. 1980.
- D) As per the records available with the Forest Department **Gurgaon** the area does not fall in areas where plantations were raised by the Forest Department under Aravali project.
- E) All other statutory clearances mandated under the Environment protection Act. 1986, as per the notification of Ministry of Environment and Forest, Government of India dated 07-05-1992 or any other Act/Order shall be obtained as applicable by the project proponents from the concerned authorities.
- F) The project proponent will not violate any Judicial Order/Direction issued by the Hon'ble Supreme Court/High Courts.
- G) It is clarified that the Hon'ble Supreme Court has issued various judgments dated 07-05-2002, 29-10-2002, 16-12-2002, 18-03-2004, 14-05-2008 etc. pertaining to Aravali region in Haryana, which should be complied with.
- H) It shall be the responsibility of user agency/applicant to get necessary clearances/ permissions under various Acts and Rules applicable if any, from the respective authorities/department.
- I) This certificate is not applicable in case of Environment Department notification dated 10.03.2016 for Screening Plant, and notification dated 11.05.2016 for Stone Crusher. Investor/Applicant has to take clearance from Environment Department in case of Screening Plant and Stone Crusher.

It is subject to the following conditions:

1. Clarification Is Hereby Issued Subject To Conditions Mentioned Above.

अतः नायब तहसीलदार, हरसरु व उप वन संरक्षक, गुरुग्राम की रिपोर्ट अनुसार आपको **Village Hayatpur, Sector-93, District Gurugram** की उक्त वर्णित भूमि की Aravalli Clearance/Non Forest Land रिपोर्ट इस शर्त पर जारी की जाती है कि कि प्रार्थी कम्पनी को दी गई एन0ओ0सी में यदि किसी नम्बरो पर हरियाणा सरकार के किसी भी विभाग द्वारा किसी प्रकार की भूमि अर्जन कार्यवाही धारा 4, 6 व अवार्ड आदि राजस्व रिकार्ड अनुसार पाया गया तो सम्बन्धित नम्बरो की अरावली एन0ओ0सी0 स्वतः रद्द समझी जावेगी जिसके लिए प्रार्थी कम्पनी स्वयं जिम्मेवार होगी।

कृते: उपायुक्त, गुरुग्राम।

82

ANNEXURE VI



TC No. 14384

IND RESEARCH & DEVELOPMENT HOUSE PVT. LTD.

MoEF&CC Recognized Laboratory
(ISO 9001:2015/ISO14001:2015/ ISO 45001:2018)



TEST REPORT (Ambient Air)

Report No.:	IRDH-0925-COM-AAQ-1244
Date of Reporting	16/09/2025
Issued to	M/s Ind Tech House Consult, G-8/6, Ground Floor, Sector-11, Rohini, Delhi-110085
Project Name	Affordable Plotted Housing Colony Under DDJAY, Sector-93, Village Hayatpur, Sub Tehsil- Hasaru, District- Gurugram, Haryana
Location	Project site
Date of Sampling	04/09/2025 to 05/09/2025
Type of Monitoring	Ambient Air Monitoring (24 hourly)
Parameters to be sampled	12 Parameters
Weather condition	Clear sky
Method of sampling	As per standard Method
Date of Receiving	05/09/2025
Sample drawn by	IR&DH Team

RESULTS

S. No	Parameter	Method	Results	Unit	Requirement (CPCB limits)*
1.	Particulate Matter as PM _{2.5}	IS 5182 (P-24):2019	87.0	µg/m ³	60
2.	Particulate Matter as PM ₁₀	IS 5182 (P-23):2022	155.0	µg/m ³	100
3.	Sulphur dioxide as SO ₂	IS 5182 (P-2):2023	9.13	µg/m ³	80
4.	Nitrogen dioxide as NO ₂	IS 5182 (P-6):2022	24.0	µg/m ³	80
5.	Carbon monoxide as CO	IS 5182 (P-10):2019	0.90	mg/m ³	4.0
6.	Ozone (as O ₃)	IS 5182 (P-9):2019	10.5	µg/m ³	100 (8 Hourly)
7.	Lead (Pb)	IS 5182 (P-22):2019	<0.1	µg/ m ³	1
8.	Ammonia (NH ₃)	IS 5182 (P-25):2018	<20.0	µg/ m ³	400
9.	Benzene (C ₆ H ₆)	IS 5182 (P-11):2022	<1.0	µg/ m ³	5
10.	BenzoPyrene	IRDH/SOPAAQM/12	<0.1	ng/ m ³	1
11.	Arsenic (As)	IRDH/SOPAAQM/06	<1.0	ng/ m ³	6
12.	Nickel (Ni)	IS 5182 (P-26):2020	<1.0	ng/ m ³	20

*Gazette notification published by MoEF&CC, New Delhi on 18 Nov. 2009

End of Report

Dr. SNA Rizvi
Authorized Signatory

- 1- Test Report is limited to the invoice raised/item tested
- 2-Test Report cannot be reproduced in a part or as whole in court without laboratory permission.
- 3- Samples shall be retained for 4 weeks after test report submitted.

Office Address: C-10, 2nd Floor,
Sector-6, Noida-201301 (U.P.)
Tel.: +91 120 4215489
E-mail: contact.irdh@gmail.com



TC No. 14384

IND RESEARCH & DEVELOPMENT HOUSE PVT. LTD.

MoEF&CC Recognized Laboratory
(ISO 9001:2015/ISO14001:2015/ ISO 45001:2018)



TEST REPORT (Ambient Noise)

Report No	IRDH-0925-COM-ANQ-1244
Date of Reporting	16/09/2025
Issued to	M/s Ind Tech House Consult, G-8/6, Ground Floor, Sector-11, Rohini, Delhi-110085
Project Name	Affordable Plotted Housing Colony Under DDJAY, Sector-93, Village Hayatpur, Sub Tehsil- Hasaru, District- Gurugram, Haryana
Location	Project site
Date of Sampling	04/09/2025 to 05/09/2025
Type of Monitoring	Ambient Noise Monitoring
Method of sampling	As per standard Method
Sampling Protocol	IRDH/SOP-NS/22
Duration of Monitoring	24 hourly
Sample drawn by	IR&DH Team

RESULTS

All values are in dB (A)

Sr. No.	Locations	Day Time (Lday) 06:00AM - 10:00PM	Night Time (Lnight) 10:00PM - 06:00AM
ANQ -1	Project site	53.2	43.1

CPCB Limits

Sr. No		Day Time	Night Time
1.	Industrial area	75	70
2.	Commercial area	65	55
3.	Residential area	55	45
4.	Silence Zone	50	40

End of Report

Dr. SNA Rizvi
Authorized Signatory

- 1- Test Report is limited to the invoice raised/item tested
- 2- Test Report cannot be reproduced in a part or as whole in court without laboratory permission.
- 3- Samples shall be retained for 4 weeks after test report submitted.



TC No. 14384

IND RESEARCH & DEVELOPMENT HOUSE PVT. LTD.

MoEF&CC Recognized Laboratory
(ISO 9001:2015/ISO14001:2015/ ISO 45001:2018)



TEST REPORT (Soil)

Report No. :	IRDH-0925-COM-SL-1244
Date of Reporting	16/09/2025
Issued to	M/s Ind Tech House Consult, G-8/6, Ground Floor, Sector-11, Rohini, Delhi-110085
Project Name	Affordable Plotted Housing Colony Under DDJAY, Sector-93, Village Hayatpur, Sub Tehsil- Hasaru, District- Gurugram, Haryana
Nature of Sample	Soil
Identification of Sample	Soil Sample collected from Project Site
Date of Sampling	04/09/2025
Method of sampling	As per standard method
Date of Receiving	04/09/2025
Date of testing	04/09/2025 To 09/09/2025
Sampled by	IR&DH - Team

RESULTS

S. No.	Parameter	Test Method	Results	Unit
1.	pH	IS 2720(P-26):2021	7.90	--
2.	Conductivity	IS 14767:2021	490.0	μS/cm
3.	Moisture	IS 2720 (P-2):2020	13.2	% by mass
4.	Water Holding Capacity	IRDH/SOP-SL/07	21.0	%
5.	Specific Gravity	IS 2720 (P-3):2021	1.97	-
6.	Bulk density	IRDH/SOP-SL/06	1.38	gm/cc
7.	Chloride	IRDH/SOP-SL/14	206.0	mg/kg
8.	Calcium	IRDH/SOP-SL/17	1536.0	mg/kg
9.	Sodium	IRDH/SOP-SL/11	134.0	mg/kg
10.	Potassium	IRDH/SOP-SL/12	35.6	mg/kg
11.	Magnesium	IRDH/SOP-SL/16	196.0	mg/kg
12.	Organic matter	IS 2720 (P-22):2020	0.50	% by mass
13.	Cation Exchange Capacity(CEC)	IRDH/SOP-SL/09	14.1	meq/100gm
14.	Available nitrogen	IS 14684:2005	52.0	mg/kg
15.	Available Phosphorous	IRDH/SOP-SL/10	7.62	mg/kg



TC No. 14384

IND RESEARCH & DEVELOPMENT HOUSE PVT. LTD.

MoEF&CC Recognized Laboratory
(ISO 9001:2015/ISO14001:2015/ ISO 45001:2018)



Report No. – IRDH-0925-COM-SL-1244

Page: 2/2

S. No.	Parameter	Test Method	Results	Unit
16.	Iron as Fe	IRDH/SOP-SL/22	1315.0	mg/kg
17.	Copper as Cu	IRDH/SOP-SL/21	12.0	mg/kg
18.	Zinc as Zn	IRDH/SOP-SL/20	28.6	mg/kg
19.	Texture	IRDH/SOP-SL/08		% by mass
	Sand		60.2	
	Clay		25.5	
	Silt		14.3	
20.	Sodium Adsorption Ratio(SAR)	IRDH/SOP-SL/13	0.85	By calculation

End of Report


Dr. SNA Rizvi
Authorized Signatory

- 1- Test Report is limited to the invoice raised/item tested
- 2-Test Report cannot be reproduced in a part or as whole in court without laboratory permission.
- 3- Samples shall be retained for 4 weeks after test report submitted.

ANNEXURE VII













ANNEXURE VIII



GURUGRAM METROPOLITAN DEVELOPMENT AUTHORITY

To

M/s DLF Limited
DLF Shopping Mall, 3rd Floor,
Arjun Marg, DLF City, Phase-I,
Gurugram - 122002, Haryana

Memo No. 684

Dated: 19-10-2021

Sub:-


Assurance for fresh water supply of 845 KLD for drinking purpose for Affordable Plotted Residential Colony under DDJAY- 2016, Area measuring 26.91875 acres, Sector-93, Gurugram (LOI issued by DTCP vide No. LC-4223/Asstt.(MS)/2021/23431 dated 20.09.2021).

Ref:-


Your application dated 08.10.2021

With reference to the cited subject, it is intimated that the portable water is available in the area. The water connection can be taken by your firm from the existing master water supply line of this area.

Further after receiving occupation certificate to your said project, new connection can be released after completing the required formalities for its release from GMDA.


Executive Engineer-1
W/S, Division, GMDA,
Gurugram

ANNEXURE IX



SCHEDULE OF PLANTS

S.No	CODE	BOTANICAL NAME	COMMON NAME	UNIT	QTY
TREES AND PALMS					
1	1	Cassia fistula	Amaltas	NO.	115
2	2	Chlorostia bicolorata	Chlorostia	NO.	72
3	3	Delonix regia	Gulmohar	NO.	264
4	4	Ficus infectoria	Pinkish	NO.	91
5	5	Melia azadirachta	Sakam	NO.	129
6	6	Pithecellobium beryllum	Pili Gulmohar	NO.	309
7	7	Samanea indica	Akhrotia	NO.	183
8	8	Conocarpus	Buton weed	NO.	196
				TOTAL	NO. 1362

DETAILS OF DLF 93 FLOORS

DETAILS OF AREA	AREA (Sq.m)	AREA (Acres)	% AREA
SITE AREA as per sanctioned map	30835.028	26.93075	
AREA UNDER COMMERCIAL	6149.88	1.075	3.993
AREA UNDER RESIDENTIAL PLOTS	24405.43	13.459	49.997
AREA UNDER COMMUNITY SITE PROPOSED	8789.61	2.418	
EXTRINSIC REQUIRED AREA (IN A ROAD)	1108.56	0.274	
TOTAL AREA UNDER COMMUNITY SITE PROPOSED	30835.028	2.693	81.00

GREEN AREA

SITE AREA	GREEN AREA	
	LAND AREA (INCIDENTAL AREAS & ORNAMENTED)	TREE AREA (Sq.m)
1	380.800	181.470
2	182.300	130.240
3	181.470	130.240
4	130.240	130.240
5	261.915	130.240
6	130.240	130.240
7	130.240	130.240
8	130.240	130.240
9	130.240	130.240
10	130.240	130.240
11	130.240	130.240
12	130.240	130.240
13	130.240	130.240
14	130.240	130.240
15	130.240	130.240
16	130.240	130.240
17	130.240	130.240
18	130.240	130.240
19	130.240	130.240
20	130.240	130.240
21	130.240	130.240
22	130.240	130.240
23	130.240	130.240
24	130.240	130.240
25	130.240	130.240
26	130.240	130.240
27	130.240	130.240
28	130.240	130.240
29	130.240	130.240
30	130.240	130.240
31	130.240	130.240
32	130.240	130.240
33	130.240	130.240
34	130.240	130.240
35	130.240	130.240
36	130.240	130.240
37	130.240	130.240
38	130.240	130.240
39	130.240	130.240
40	130.240	130.240
41	130.240	130.240
42	130.240	130.240
43	130.240	130.240
44	130.240	130.240
45	130.240	130.240
46	130.240	130.240
47	130.240	130.240
48	130.240	130.240
49	130.240	130.240
50	130.240	130.240
51	130.240	130.240
52	130.240	130.240
53	130.240	130.240
54	130.240	130.240
55	130.240	130.240
56	130.240	130.240
57	130.240	130.240
58	130.240	130.240
59	130.240	130.240
60	130.240	130.240
61	130.240	130.240
62	130.240	130.240
63	130.240	130.240
64	130.240	130.240
65	130.240	130.240
66	130.240	130.240
67	130.240	130.240
68	130.240	130.240
69	130.240	130.240
70	130.240	130.240
71	130.240	130.240
72	130.240	130.240
73	130.240	130.240
74	130.240	130.240
75	130.240	130.240
76	130.240	130.240
77	130.240	130.240
78	130.240	130.240
79	130.240	130.240
80	130.240	130.240
81	130.240	130.240
82	130.240	130.240
83	130.240	130.240
84	130.240	130.240
85	130.240	130.240
86	130.240	130.240
87	130.240	130.240
88	130.240	130.240
89	130.240	130.240
90	130.240	130.240
91	130.240	130.240
92	130.240	130.240
93	130.240	130.240
94	130.240	130.240
95	130.240	130.240
96	130.240	130.240
97	130.240	130.240
98	130.240	130.240
99	130.240	130.240
100	130.240	130.240
101	130.240	130.240
102	130.240	130.240
103	130.240	130.240
104	130.240	130.240
105	130.240	130.240
106	130.240	130.240
107	130.240	130.240
108	130.240	130.240
109	130.240	130.240
110	130.240	130.240
111	130.240	130.240
112	130.240	130.240
113	130.240	130.240
114	130.240	130.240
115	130.240	130.240
116	130.240	130.240
117	130.240	130.240
118	130.240	130.240
119	130.240	130.240
120	130.240	130.240
121	130.240	130.240
122	130.240	130.240
123	130.240	130.240
124	130.240	130.240
125	130.240	130.240
126	130.240	130.240
127	130.240	130.240
128	130.240	130.240
129	130.240	130.240
130	130.240	130.240
131	130.240	130.240
132	130.240	130.240
133	130.240	130.240
134	130.240	130.240
135	130.240	130.240
136	130.240	130.240
137	130.240	130.240
138	130.240	130.240
139	130.240	130.240
140	130.240	130.240
141	130.240	130.240
142	130.240	130.240
143	130.240	130.240
144	130.240	130.240
145	130.240	130.240
146	130.240	130.240
147	130.240	130.240
148	130.240	130.240
149	130.240	130.240
150	130.240	130.240
151	130.240	130.240
152	130.240	130.240
153	130.240	130.240
154	130.240	130.240
155	130.240	130.240
156	130.240	130.240
157	130.240	130.240
158	130.240	130.240
159	130.240	130.240
160	130.240	130.240
161	130.240	130.240
162	130.240	130.240
163	130.240	130.240
164	130.240	130.240
165	130.240	130.240
166	130.240	130.240
167	130.240	130.240
168	130.240	130.240
169	130.240	130.240
170	130.240	130.240
171	130.240	130.240
172	130.240	130.240
173	130.240	130.240
174	130.240	130.240
175	130.240	130.240
176	130.240	130.240
177	130.240	130.240
178	130.240	130.240
179	130.240	130.240
180	130.240	130.240
181	130.240	130.240
182	130.240	130.240
183	130.240	130.240
184	130.240	130.240
185	130.240	130.240
186	130.240	130.240
187	130.240	130.240
188	130.240	130.240
189	130.240	130.240
190	130.240	130.240
191	130.240	130.240
192	130.240	130.240
193	130.240	130.240
194	130.240	130.240
195	130.240	130.240
196	130.240	130.240
197	130.240	130.240
198	130.240	130.240
199	130.240	130.240
200	130.240	130.240
201	130.240	130.240
202	130.240	130.240
203	130.240	130.240
204	130.240	130.240
205	130.240	130.240
206	130.240	130.240
207	130.240	130.240
208	130.240	130.240
209	130.240	130.240
210	130.240	130.240
211	130.240	130.240
212	130.240	130.240
213	130.240	130.240
214	130.240	130.240
215	130.240	130.240
216	130.240	130.240
217	130.240	130.240
218	130.240	130.240
219	130.240	130.240
220	130.240	130.240
221	130.240	130.240
222	130.240	130.240
223	130.240	130.240
224	130.240	130.240
225	130.240	130.240
226	130.240	130.240
227	130.240	130.240
228	130.240	130.240
229	130.240	130.240
230	130.240	130.240
231	130.240	130.240
232	130.240	130.240
233	130.240	130.240
234	130.240	130.240
235	130.240	130.240
236	130.240	130.240
237	130.240	130.240
238	130.240	130.240
239	130.240	130.240
240	130.240	130.240
241	130.240	130.240
242	130.240	130.240
243	130.240	130.240
244	130.240	130.240
245	130.240	130.240
246	130.240	130.240
247	130.240	130.240
248	130.240	130.240
249	130.240	130.240
250	130.240	130.240
251	130.240	130.240
252	130.240	130.240
253	130.240	130.240
254	130.240	130.240
255	130.240	130.240
256	130.240	130.240
257	130.240	130.240
258	130.240	130.240
259	130.240	130.240
260	130.240	130.240
261	130.240	130.240
262	130.240	130.240
263	130.240	130.240
264	130.240	130.240
265	130.240	130.240
266	130.240	130.240
267	130.240	130.240
268	130.240	130.240
269	130.240	130.240
270	130.240	130.240
271	130.240	130.240
272	130.240	130.240
273	130.240	130.240
274	130.240	130.240
275	130.240	130.240
276	130.240	130.240
277	130.240	130.240
278	130.240	130.240
279	130.240	130.240
280	130.240	130.240
281	130.240	130.240
282	130.240	130.240
283	130.240	130.240
284	130.240	130.240
285	130.240	130.240
286	130.240	130.240
287	130.240	130.240
288	130.240	130.240
289	130.240	130.240
290	130.240	130.240
291	130.240	130.240
292	130.240	130.240
293	130.240	130.240
294	130.240	130.240
295	130.240	13

ANNEXURE X

PUBLIC NOTICE

General Public is hereby informed that the State Environment Impact Assessment Authority (SEIAA), Haryana, Bay No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana, vide its EC Identification No. EC22B039HR127912, dt 28/04/2022 has accorded Environmental Clearance for the Affordable Plotted Housing Colony under Deen Dayal Jan Awas Yojana (DDJAY) over land area measuring 26.91875 acers in Sector 93, Village Hayatpur, Sub tehsil Hasaru, District Gurugram by DLF Limited in accordance with the provisions of the EIA Notification, 2006 under the Environment (Protection) Act, 1986. General Public is further informed that details of the aforesaid Environmental Clearance Letter are displayed at website of MoEF&CC / SEIAA, Haryana (<http://www.environmentclearance.nic.in>). This public notice is issued in compliance to the Miscellaneous Condition no. X (i) of the above mentioned Environment Clearance Letter.

Authorized Signatory
For DLF Limited

Place: Gurugram
Date: 02/05/2022

Gateway Tower (2nd Floor), DLF City Phase III,
Gurugram- 122002, Haryana

सार्वजनिक सूचना

आम जनता को एतद्द्वारा सूचित किया जाता है कि राज्य पर्यावरण प्रभाव मूल्यांकन प्राधिकरण (एसईआईए), हरियाणा, बे नं. 55-58, पर्यटन भवन, सेक्टर-2, पंचकुला, हरियाणा ने अपनी पर्यावरणीय स्वीकृति पहचान संख्या ईसी22बी039एचआर127912 दिनांक 28/04/2022 के तहत पर्यावरण (संरक्षा) अधिनियम, 1986 के अधीन ईआईए अधिसूचना, 2006 के प्रावधानों के अनुरूप डीएलएफ लिमिटेड द्वारा सेक्टर 93, ग्राम हयातपुर, उप तहसील हसरू, जिला गुरुग्राम में 26.91875 एकड़ जमीन पर दीन दयाल जन आवास योजना (डीडीजेएवाई) के तहत किफायती प्लॉटेड हाउसिंग कॉलोनी के लिए पर्यावरणीय स्वीकृति प्रदान कर दी है। आम जनता को आगे सूचित किया जाता है कि उपर्युक्त पर्यावरणीय स्वीकृति पत्र पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय/एसईआईए, हरियाणा की वेबसाइट: (<http://www.environmentclearance.nic.in>) प्रदर्शित किया गया है। यह सार्वजनिक सूचना ऊपर वर्णित पर्यावरणीय स्वीकृति पत्र की विविध शर्त सं. X(i) के अनुपालन में जारी की गई है।

अधिकृत हस्ताक्षरी

कृते डीएलएफ लिमिटेड

स्थान—गुरुग्राम

दिनांक: 02/05/2022

गेटवे टावर (दूसरा तल), डीएलएफ सिटी फेस III,

गुरुग्राम. 122002, हरियाणा

ANNEXURE XI



Environment Policy

Feb 2025

DLF recognizes the importance of protecting the environment through adopting appropriate mitigating and control measures, during Construction, Operations and Maintenance of its projects/ assets.

We will ensure adequate controls and processes to safeguard the environment in accordance with the relevant regulations/ standards/ guidelines.

We are committed to:

- Compliance of environmental legislation and regulation stipulated by statutory bodies from time to time.
- Maintain transparency in matters of Environmental compliance.
- Creating the required awareness on Environmental requirements and statutory norms with the aim of increasing environmental stewardship amongst employees, public, and other stake holders.
- Conducting our activities in an environmentally responsible manner that fosters sustainability.
- Minimizing the negative impact of our operations on the environment by improving the efficiency of natural resources usage, waste management processes and encouraging the integration of renewable energy resources wherever possible.
- Deploying/ developing the right resources and competence to understand and implement environmental measures as per best management practices applicable to the industry.
- Working for continual improvement of our environmental performance through focused objectives, performance targets and certifications as required.
- Reviewing this policy at regular intervals.

A handwritten signature in black ink, appearing to read 'P. Ramakrishnan'.

P. Ramakrishnan

Chief Technical Officer, DLF LTD



पर्यावरण नीति

फरवरी 2025

डीएलएफ अपनी परियोजनाओं/ संपत्तियों के निर्माण, संचालन और रखरखाव के दौरान उपयुक्त न्यूनीकरण और नियंत्रण उपायों को अपनाकर पर्यावरण की रक्षा करने के महत्व को पहचानता है। हम संबंधित विनियमों/ मानकों/ दिशानिर्देशों के अनुसार पर्यावरण की सुरक्षा के लिए पर्याप्त नियंत्रण और प्रक्रियाएं सुनिश्चित करेंगे।

हम इसके लिए प्रतिबद्ध हैं:

- समय-समय पर वैधानिक निकायों द्वारा निर्धारित पर्यावरणीय कानून और विनियमन का अनुपालन।
- पर्यावरण अनुपालन के मामलों में पारदर्शिता बनाए रखना।
- कर्मचारियों, जनता और अन्य हितधारकों के बीच पर्यावरणीय नेतृत्व बढ़ाने के उद्देश्य से पर्यावरणीय आवश्यकताओं और वैधानिक मानदंडों पर आवश्यक जागरूकता करना।
- हमारी गतिविधियों को पर्यावरणीय रूप से जिम्मेदार तरीके से संचालित करना जो निरंतरता को बढ़ावा देता है।
- प्राकृतिक संसाधनों, अपशिष्ट प्रबंधन प्रक्रियाओं के उपयोग की दक्षता में सुधार करके और जहां भी संभव हो नवीकरणीय ऊर्जा संसाधनों के एकीकरण को प्रोत्साहित करके पर्यावरण पर हमारे संचालन के नकारात्मक प्रभाव को कम करना।
- उद्योग पर लागू सर्वोत्तम प्रबंधन प्रथाओं के अनुसार पर्यावरणीय उपायों को समझने और कार्यान्वित करने के लिए सही संसाधनों और क्षमता को तैनात/ विकसित करना।
- केंद्रित उद्देश्यों, प्रदर्शन लक्ष्यों और आवश्यकतानुसार प्रमाणपत्रों के माध्यम से हमारे पर्यावरणीय प्रदर्शन के निरंतर सुधार के लिए काम करना।
- नियमित अंतराल पर इस नीति की समीक्षा करना।

पी. रामकृष्णन

चीफ टेक्निकल ऑफिसर, डीएलएफ लिमिटेड

Health, Safety and Security Policy

Jan 2025


DLF holds the safety and security of its people as central to the way it does business. We are committed to creating and maintaining safe, healthy and well protected workplaces, that conform to and where possible exceed all relevant codes and standards.

We believe that all injuries/ accidents are preventable and we have to be vigilant at all times.

Our Commitment

We will:

- Conduct our business with a goal of zero harm.
- Ensure all management decisions reflect our Health, Safety, Fire Safety and Security intentions.
- Provide safe, healthy and secure work conditions for our employees and contractors.
- Maintain an H&S and Security Management system designed to continuously improve our performance and actively minimize the risks in our business.
- Provide direction, support, training and supervision to ensure that all employees and contractors understand required behaviors and the consequences of non-compliance.
- Protect all company assets, personnel, business information systems and reputation from harm.
- Adopt a risk-based approach to the design, construction and operations of facilities wherein compliance to applicable legal, regulatory, industry and corporate requirements is ensured.
- Provide adequate resources towards integrating Health, Safety, Fire Safety and Security requirements in all of the organization's activities and minimizing the impact of these on the neighbouring environment.
- Encourage sustainable communication, consultation and participation of employees, including employees of our service providers, on matters of their health, well-being and safety.
- Review and revise this Policy at regular intervals.



P. Ramakrishnan

Chief Technical Officer, DLF LTD

'We take pride in everyone returning home safely everyday'


डीएलएफ अपने लोगों की सुरक्षा और संरक्षा को अपने कारोबार के तरीके के केंद्र में रखता है। हम सुरक्षित, स्वस्थ और अच्छी तरह से संरक्षित कार्यस्थलों को बनाने और बनाए रखने के लिए प्रतिबद्ध हैं, जो सभी प्रासंगिक कोड और मानकों के अनुरूप हैं और जहां संभव हो, उससे अधिक हैं।

हमारा मानना है कि सभी चोटों/ दुर्घटनाओं को रोका जा सकता है और हमें इसके स्वरूप हर समय सतर्क रहना होगा।

हमारी प्रतिबद्धता

हम करेंगे:

- शून्य नुकसान के लक्ष्य के साथ हमारे व्यवसाय का संचालन।
- सुनिश्चित करें कि सभी प्रबंधन निर्णय हमारे स्वास्थ्य, सुरक्षा, अग्नि सुरक्षा और सुरक्षा इरादों को प्रतिबिंबित करते हैं।
- हमारे कर्मचारियों और ठेकेदारों के लिए सुरक्षित, स्वास्थ्य और सुरक्षित कार्य स्थितियां प्रदान बनाना।
- हमारे प्रदर्शन में लगातार सुधार करने और सक्रिय रूप से हमारे व्यवसाय में जोखिमों को कम करने के लिए डिज़ाइन की गई एक स्वास्थ्य, सुरक्षा और संरक्षा प्रबंधन प्रणाली बनाए रखें।
- दिशा, समर्थन, प्रशिक्षण और पर्यवेक्षण प्रदान करना कि सभी कर्मचारी और ठेकेदार आवश्यक व्यवहार और गैर-अनुपालन के परिणामों को समझते हैं।
- सभी कंपनी की संपत्ति, कर्मियों, व्यावसायिक सूचना प्रणालियों और प्रतिष्ठा को नुकसान से बचाना।
- सुविधाओं के डिज़ाइन, निर्माण और संचालन के लिए जोखिम-आधारित दृष्टिकोण अपनाना जिसमें लागू कानूनी, नियामक, उद्योग और कॉर्पोरेट आवश्यकताओं का अनुपालन सुनिश्चित किया जाता है।
- संगठन की सभी गतिविधियों में स्वास्थ्य, सुरक्षा, अग्नि सुरक्षा और सुरक्षा आवश्यकताओं को एकीकृत करने और पड़ोसी पर्यावरण पर इनके प्रभाव को कम करने की दिशा में पर्याप्त संसाधन प्रदान करना।
- हमारे कर्मचारियों के साथ सेवा प्रदाताओं के कर्मचारियों के स्वास्थ्य, कल्याण और सुरक्षा के मामलों पर स्थायी संचार, परामर्श और भागीदारी को प्रोत्साहित करना।
- नियमित अंतराल पर इस नीति की समीक्षा और संशोधन करना।



पी. रामकृष्णन

चीफ टेक्निकल ऑफिसर, डीएलएफ लिमिटेड

“हम हर रोज सभी के सुरक्षित रूप से घर लौटने पर गर्व महसूस करते हैं”