

DRG NO. SS-S-102

KEY PLAN



BLOCK-A BLOCK-B BLOCK-C

NOTES

(BALWANT SINGH) S.D.
designed and drafted on basis of the following parameters:
(RAM AVTAR BASSI) A.D.

- All toilets will be mechanically ventilated. Conditioned air from the office floor will be sucked in to the toilets and vented out through a vent shaft
- All spaces (parking basement, service basement ect.) will be artificially lit. Any service basement ect.) will be artificially lit. Any natural light which is available in the office spaces is only incidental and not essential to the functioning of the buildings.
- 100% standby generating capacity will be provided for the entire electrical requirement of the total scheme. This therefore includes standby generation for all common services, fire services, lifts etc. and also the entire electrical load for ventilation & air-conditioning lights and all office equipment.
- This building will be sprinkled as per NBC norms.
- Partitions/modifications for interior space /layout shall be as per client request/requirements of usable area of floor plate

DOOR SCHEDULE

TYPE	OPENING SIZE	CELL	UNIT	REMARKS
D1	750X2100	+0.0	+2100	INTERNAL TOILET DOOR (SINGLE LEAF)
D2	900X2100	+0.0	+2100	PANTRY/TOILET DOOR (SINGLE LEAF)
D3	1050X2100	+0.0	+2100	HANDICAPPED TOILET (SINGLE LEAF)
D4	1200X2100	+0.0	+2100	LOBBY DOOR (SINGLE LEAF)
D5	1200X2100	+0.0	+2100	AHU ROOM (2HRS FIRE RATED) (SINGLE LEAF)
D6	2000X2400	+0.0	+2400	OFFICE MAIN DOOR (DOUBLE LEAF) (2HRS FIRE RATED)
D7	2000X2100	+0.0	+2100	SHUTTLE LOBBY DOOR (DOUBLE LEAF) (2HRS FIRE RATED)
D8	2400X3000	+0.0	+3000	GLASS DOOR ENTRANCE HALL/ATRIUM (DOUBLE LEAF)
FD	1700X2100	+0.0	+2100	TOILET DOOR (2HRS FIRE RATED)
FD1	1250X2100	+0.0	+2100	STAIRCASE DOOR/FIRE EXIT DOOR FOR OFFICES (2HRS FIRE RATED) (DOUBLE LEAF)
FD2	900X1800	+300	+2100	PHC DOOR
FD3	1000X2100	+0.0	+2100	ODU/ELECTRICAL ROOM (SINGLE LEAF) (2HRS FIRE RATED)
SD1	600X1250	1100	+2350	ELV ROOM
SD2	745X1250	1100	+2350	PLUMBING
SD3	750X1250	1100	+2350	PLUMBING, CONDOR, PRECOOLED, CHW, PRO

Architect
Hafeez
Contractor

29 Bank Street, Bombay 400 023, Tel:2641920

PROJECT:-
REVISED BUILDING PLAN OF
CYBERPARK COLONY AREA
MEASURING 11.816 ACRES/LICENCE
NO.180 OF 2007 DATED 02.05.2007 IN
SECTOR 20, GURGAON MANESAR
URBAN COMPLEX

OWNER:-
DLF CYBER CITY DEVELOPERS LTD.

CONSULTANT:-

DRG.TITLE:-

SECTION -B-B

REVISION	JOB NO:-	DRG NO:-
		SS-S-102
SCALE:-	DATE:-	
1:250	21/08/2017	
FILE:-	DEALT BY:-	CHECKED BY:-
		APPROVED BY:-
SIGNATURE & SEAL OF ARCHITECT:-	SIGNATURE & SEAL OF OWNER:-	

