D.G. AT LVL F.F.L.-15600
HVAC PLANT ROOM DOUBLE HEIGHT
F.F.L. -15400 LVL.
5. M WIDE DRIVEWAY
5.0M WIDE DRIVEWAY
8.5M WIDE DRIVEWAY
BUILDING LINE ABOVE
RAMP DN FROM B3 LVL. 4.45M WIDE RAMP SLOPE -1:12
RAMP UP TO B3 4.45M WIDE RAMP SLOPE -1:12
RAMP DN FROM GROUND LVL. 4.45M WIDE RAMP SLOPE -1:12
RAMP UP TO GRD FLR 4.45M WIDE RAMP SLOPE -1:12
ZONE-1 3000 SQMT
ZONE-2 3000 SQMT
ZONE-3 3000 SQMT
ZONE-4 3000 SQMT
ZONE-5 3000 SQMT
ZONE-6 3000 SQMT
ZONE-7 3000 SQMT
ZONE-8 3000 SQMT
ZONE-9 3000 SQMT
ZONE-10 2800 SQMT
BLOCK-A
BLOCK-B
BLOCK-C
PATHWAY
SHUTTLE LIFT LOBBY 8020x3300
F.F.L. -15600 LVL.
F.F.L. -15725 LVL.
F.F.L. -15550 LVL.
F.F.L. -15640 LVL.
F.F.L. -15755 LVL.
B4
Pylon
REFER SEPARATE MEP DRAWINGS FOR STP/WATERTANKS
328970
346720
408.48M
416.03M
115.0M
115.01M
47535
10800

BASEMENT PLAN LVL-4 F.F.L. -15600 LVL. T.O.S.-15600 LVL. (+222.10 AMSL)

NO. OF PARKING- B4 =941

DRG NO. BP-104

KEY PLAN


BLOCK-A
BLOCK-B
BLOCK-C

ARCHITECT(HQ) S.T.P. Member Secretary B.P.C. S.T.P.(G) Member B.P.C. C.T.P.(H) Chairman B.P.C.

JD A ATP

F.O. (HQ)
DFS PKL.
Member B.P.C.

(BALWANT SINGH)
S.D.

(RAM AVTAR BASSI)
A.D.

DOOR SCHEDULE

TYPE	OPENING SIZE	CILL	LINTEL	REMARKS
BD1	750X2100	±0 0	+2100	INTERNAL TOILET DOOR (SINGLE LEAF)
BD2	900X2100	±0 0	+2100	DRIVERS TOILET DOOR (SINGLE LEAF)
BD3	900X2100	±0 0	+2100	ELEC ROOM (2HRS FIRE RATED)(SINGLE LEAF)
BD4	1200X2100	±0 0	+2100	FAN ROOMS(2HRS FIRE RATED)(SINGLE LEAF)
BD5	1200X2100	±0 0	+2100	ANCILLARY ROOM S (SINGLE LEAF)
BD6	2000X3000	±0 0	+3000	GARBAGE ROOMS (DOUBLE LEAF)
BD7	2000X3000	±0 0	+3000	HT PANEL ROOM, LT ISOLATOR ROOM, HVAC PLANT ROOM AIR WASHER ROOM (2HRS FIRE RATED) (DOUBLE LEAF)
BD8	2000X2100	±0 0	+2100	SHUTTLE LIFT LOBBY (2HRS FIRE RATED) (DOUBLE LEAF)
BD9	2500X3000	±0 0	+3000	D.G. & TRANSFORMER CHANGE & PANEL ROOM (2HRS FIRE RATED) (DOUBLE LEAF)
BD10	3000X3500	±0 0	+3500	D.G. & SUBSTATION ROOM/ PUMP ROOM (2HRS FIRE RATED) (DOUBLE LEAF)
BD11	4000X3500	±0 0	+3500	HVAC PLANT ROOM (DOUBLE LEAF) (2HRS FIRE RATED)
BSD1	650X1800	+300	+2100	ELEC & LV SHAFT (2HRS FIRE RATED)
FD1	1250X2100	±0 0	+2100	STAIRCASE & LOBBY DOOR (2HRS FIRE RATED)(SINGLE LEAF)
FD2	800X1800	+300	+2100	FHC DOOR

Checked and found ok for Public Health (Internal) Service only subject to comments in forwarding letter No. SE(HQ)/ 27/9/17
Superintending Engineer (HQ)
HUDA, Panchkula.

Architect Hafeez Contractor
29 Bank Street, Bombay 400 023. Tel:2661920

PROJECT:-
REVISED BUILDING PLAN OF CYBERPARK COLONY AREA MEASURING 11.816 ACRES(LICENCE NO.180 OF 2007 DATED 02.05.2007 IN SECTOR 20, GURGAON MANESAR URBAN COMPLEX

OWNER:-
DLF CYBER CITY DEVELOPERS LTD.

CONSULTANT:-

DRG.TITLE:-
BASEMENT LVL-4
(F.F.L.-15600 MM LVL.)
(T.O.S.-15600 MM LVL.)

REVISION	JOB NO:-	DRG NO:- BP-104	NORTH:- N
	SCALE:- 1:250	DATE:- 21/08/2017	
FILE:-	DEALT BY:-	CHECKED BY:	APPROVED BY:-

SIGNATURE & SEAL OF ARCHITECT:-
SIDDHARTH AGARWAL CA/2014/63620

SIGNATURE & SEAL OF OWNER:-